

Subject Index

A

Acoustic emission, 309
 Additives, 15
 Aerospace gears, high speed, 109
 Aircraft
 Department of Defense, 168
 propulsion oils, 318
 Alumina, 267, 296
 American Iron and Steel
 Institute bearing, 168
 Asperity contact, 185
 ASTM standards
 D 2882, 33
 D 3233, 258
 D 5620, 258
 Automotive piston ring and
 timing chain coatings, 309
 Automotive tires, 185

B

Ball, 221
 Ball and disc apparatus, 53
 Ball-on-disk, 125, 296
 Beam, 221
 Bearings, 235
 AISI, 168
 rolling element, 109
 Biodiesel fuel lubricity, 81
 Block-on-ring friction tester, 33,
 210
 Boundary lubrication, 68, 125

C

Calcium carboxylate, 125
 Case-drain temperature, 168
 Ceramics, 267
 Chlorotrifluorethylene, 168
 Coatings, 267, 309
 Compression waves, 221
 Contact configuration, 3
 Contact, elastohydrodynamic
 point, 53
 Contact failure, 140

Contact resistance, electrical,
 267, 309
 Contact severity, 68
 Contact stress
 Hertzian, 81
 cyclic, 33
 Contact tribometer, 68
 Copper base alloy, 296
 Corrosion inhibition, 318
 Corrosive wear, 296
 Cracking, 267
 Crankcase lubricant, 140
 Cylinder liner, 153

D

Debris, wear, morphological
 attributes, 235
 Deep drawing, 97
 Department of Defense, 168
 Deutsches Institut für
 Normung (DIN), 199
 Diesel injection pumps, 81
 Disk machines, high speed, 109
 Dynamic beam theory, 221

E

EHD conditions, 221
 EHD lubrication, 140
 EHL analysis, 210
 Elastohydrodynamic lubrication,
 68, 210
 Elastohydrodynamic point
 contacts, 53, 140
 Electrochemical potential, 296
 Energy pulse, 140
 Engines, 235
 tests, 153
 Evaluation criteria, lubricant,
 199
 Extreme pressure test, 258

F

Falex pin method, 258
 Ferrography, 235

336 BENCH TESTING OF INDUSTRIAL FLUID LUBRICATION

Field correlation with bench testing, 258, 283
Film, 125, 258
Film lubrication, solid, 68
Film parameters, 3
Film thickness, 53
Fire resistance hydraulic fluids, 168
Flexural waves, 221
Forming process, sheet metal, 97
Four ball tests, 15, 33, 235
Fourier transform analysis, 221
Fretting mode II, 267
Friction, 15, 97, 153, 318
 characteristics, 210, 221
 coefficient, 68, 81, 199, 210
 force, 309
 modifier, 125
 power intensity, 140
 static, 185

G

Gears, 15, 109
 gear transmission units, 235
 lubricants, 140
 Ryder Gear Test Method, 318
Grinding/generating process, 109

H

Hertzian contact stress, 81
Hertzian pressure, 221
Hydraulic pump testing, 3, 168

I

Ice friction, 185
Image analysis, 53
Interferometry, 53
Isoparaffin solvents, 199
Isopropanol, 199

L

Light source, 53
Liner, cylinder, 153
Linkage pins, 309

Loading, 33, 221
 applied, 185
 carrying capacity, 318
 torque versus load curve, 258
 velocities, 3
Lubrication analysis, 210
Lubricity additives, 81
Lubricity number, 81
Luleå ball and disc apparatus, 53

O

Oil type, 15

M

Marine corrosion, 296
Matveesky's friction power intensity, 140
Metals
 forming, sheet, 97
 metalworking process, 258
 seawater corrosive wear test, 296
 steel, 125, 296
Military-related machinery functions, 235
 aircraft, 168
Molybdenum, organic, 125
M-ROCLE, 81
Multi-channel method, 53

O

Oil, 221, 318
 type, 15
Oscillation apparatus, translatory, 199

P

Phosphorus/sulfur, 125
Physical vapor deposited coating, 267
Pin and vee block, 258
Pin-on-disk, 235
Pin-on-V-Block Falex Wear Test, 33
Piston rings, 153, 309
Pitting, 15
Plint's energy pulse, 140
Polyalphaolefin, 168

Polytetrafluorethylene, 125
 Power loss, 15
 Pressure test, 258
 Process stability, 97
 Profilometer, 309
 Profilometry, stylus, 153
 Propulsion system, 318
 Pump, injection, 81
 Pump tests
 axial flow piston, 168
 hydraulic, 3
 vane, 33

R

Refrigerant, 210
 Refrigeration oil, 210
 Rolling contact tribometer, 68
 Rolling element bearings, 109
 Ryder Gear Test Method, 318

S

Scratch resistance, 309
 Screening tests, laboratory, 168
 Scuffing, 15, 109, 318
 Seawater, 296
 Sheet metal forming, 97
 Shell four ball tester, 15
 Shoe materials, tribological
 behavior, 185
 Signal noise, 168
 Silicon nitride, 267
 Sliding, 109
 Sliding parts, 210
 Sliding rate, 15
 Sliding speed, 125, 185
 Sliding velocities, 3
 Sliding wear, 296
 Slip zone, 267
 Sodium chloride solution, 296
 Solvent, cleaning, tribological
 property influence, 199
 Spalling, 267
 Speed, wear test, 33
 Spiral orbit tribometer, 68
 Steel, 125, 296

Strain gauges, 221
 Strip drawing principle, 97
 Stylus profilometry, 153
 Sulfur reductions, 81
 Surface finish, 109
 Surface layer, 185
 Surface roughness, 210

T

TAN, 283
 Three-vane-on-ring, 33
 Timing chain coatings, 309
 Timoshenko dynamic beam
 theory, 221
 Tin coating, 267
 Tires, automobile, tribological
 behavior, 185
 Torque curve, 258
 Traction coefficient, 68
 Traction measurement, 185
 Translatory oscillation
 apparatus, 199
 Tribological aspect numbers, 283
 Tribology tests, 153, 199
 Tribometer, rolling contact, 68
 Twin disk simulation, 15

U

U.S. Navy, 318

V

Viscosity, 15, 168
 index improvers, 168
 Volumetric wear, 153

W

Water glycol hydraulic fluid, 33
 Wear test selection, 283
 Welding, 109