

SYMPOSIUM ON LUBRICATION OF HIGH-SPEED TURBINE GEAR EQUIPMENT

**PRESENTED AT A MEETING OF TECHNICAL COMMITTEE C
OF COMMITTEE D - 2 ON PETROLEUM PRODUCTS AND LUBRICANTS
AMERICAN SOCIETY FOR TESTING MATERIALS
February 14, 1949; Washington, D. C.**



Technical Publication No. 92

Published by the
AMERICAN SOCIETY FOR TESTING MATERIALS
1916 Race St., Philadelphia 3, Pa.

**The Society is not responsible, as a body, for the statements
and opinions advanced in this publication.**

**COPYRIGHT, 1949
BY THE
AMERICAN SOCIETY FOR TESTING MATERIALS**

**Printed in Baltimore, Md., U. S. A.
August, 1949**

CONTENTS

	PAGE
Introduction—F. C. Linn	1
Lubrication of Naval Gearing—R. T. Simpson	3
Developments in Gear Design and Their Lubrication Requirements—L. J. Collins..	9
Physical Concepts of the Establishment of the Lubrication Oil Wedge and Its Associated Load Carrying Capacity for the Mating Tooth Surfaces of High-Speed Gears —Ernest K. Gatcombe	14
Fundamentals of Worm Gear Lubrication—A. R. Purdy	20

FOREWORD

The papers and discussion in this Symposium on Lubrication of High-Speed Turbine Gear Equipment were presented at a Meeting of Technical Committee C on Turbine Oils, of A.S.T.M. Committee D-2 on Petroleum Products and Lubricants, held in Washington, D. C. on February 14, 1949.

This Symposium was arranged by a special symposium committee consisting of:

F. C. Linn, *Chairman*, General Electric Co.
C. D. Wilson, Allis-Chalmers Mfg. Co.
F. E. Rosenstiehl, The Texas Company
D. F. Wilcock, General Electric Co.

Mr. Linn acted as the chairman for the technical session.

