

Subject Index

A

- ABBN cross section library, 260
- Absorption detector, 462
- Accelerated capsules, 85
- Acceleration techniques, 38
- Accelerator
 - deuteron, 641
 - driven system, 284
 - electron linear, 439, 462
 - electrostatic, 367
 - facilities, 775
 - proton, 284
- Accreditation, radioactivity
 - measurement, 714
- ACORD, 649
- Acquisition system, data, with
 - helium counter, 811
- Activated concrete estimation, 572
- Activation analysis, neutron, 557
- Activation code, 336
- Activation, concrete wall, 148
- Activation cross section, 393
- Activation detectors, 77, 175, 207, 260
- Activation determination, 478
- Activation foil, 236, 268, 409, 745, 753
 - analysis, 167
 - collimated beam's
 - characteristics, 375
 - method, 116, 215, 417
 - multiple, 175, 207, 401
 - sandwich, 183
- Activation, integral
 - experiments, 417
- Activation measurement, 98, 93, 336
- Activation method, 207, 231
- Activity contents, components, 478
- Activity estimation, induced, 572
- Adjustment, 175, 183, 417
 - formalism, 486
 - least squares, 352, 494, 508
 - methodology, spectral, 409
 - physically constrained, 494
- AEA Technology Monte Carlo
 - code, 132, 140, 540
- Ageing Materials Evaluation and Studies, 649
- Aging, concrete, 156
- Aging, pressure vessel, 657
- AGS accelerator, 207
- Aluminum, 183
 - beam tubes, 745
 - targets, proton beam stop, 409
- AMES dosimetry, 649
- Angular distribution, 431, 599
- Anisotropic scattering order, 470
- Argentina, Atucha-I, 69
- Argonne National Laboratory,
 - Intense Pulsed Neutron Source, 409
- Arkansas Nuclear One, Unit 1, 494
- Arndt evaluation, 431
- ASTM Committee E10 on
 - Nuclear Technology and Applications, 11
- ASTM iron dpa cross sections, 124
- ASTM standards, 11, 714
 - E 691, 124
- Atomic displacement cascade, 633
- Atomic Energy Research Institute,
 - Korea, 101, 231
- Attenuation, 140, 156
- Atucha-I, Argentina, 69
- Automated Adjoint Accelerated MCNP, 470, 549

B

- Baffle-former plate, 532
- Balakovo-3, 320
- Barrel simulator, 312
- Beam emission, 276
- Beam loss monitoring, 775
- Belgian Nuclear Research
 - Laboratory, 524
- Belgium, SCK-CEN, 303, 761

- Benchmarks, 312, 352, 564
 - improvement, 557
 - international, 303
 - International Dosimetry
 - Benchmark, KORPUS, 336
 - iron sphere, 344
 - library, 101
 - lifetime assessment, 3
 - MOX, 753
 - neutron field, 385
 - ORNL PCA, 360
 - Pressure Vessel Facility
 - Benchmark, 360
 - spectra, 729
 - validations, 328
 - VENUS-3 experiment, 524
 - Beryllium, 417
 - Bioshields, 140, 156
 - Bismuth, 393
 - BMRR, 223
 - BNFL, 540
 - Boiling water reactor 649, 691
 - fast neutron fluence
 - accumulation, 691
 - fluence computational software
 - package, 557
 - fluence computations, 564
 - fluence modeling, 540, 549
 - radiation hardening, 607
 - three dimensional mode, 470
 - BOR-60, 260
 - Boral-filtered radiation mode, 215
 - Boron concentration, 819
 - Boron Neutron Capture
 - Therapy, 745
 - treatment facility, 175
 - BR1, 761
 - BR2, 252
 - BROND-2, 737
 - BROND-2.2, 583
 - Brookhaven National Laboratory, New York, 207, 223
 - BUGLE, 101, 124
 - BUGLE-80, 175
 - BUGLE-96, 124, 312, 360, 470
 - Bulgaria, Kozloduy Nuclear Power Plant, 77
- C**
- C8/F9 spectrum index, 753
 - CADIS, 549
 - Cadmium-filtered irradiation
 - mode, 215
 - Calibration field, 367
 - Cartesian-based mesh
 - generator, 524
 - Cascade damage, 625
 - Cascade, displacement, 633
 - Cascade formation, 617
 - Cascade simulations, 633
 - Cavity dosimetry, 85
 - CEA/Cadarache Reactor
 - Measurement Systems Laboratory, France, 803
 - CEA/Reactor Dosimetry
 - Laboratory, France, 714
 - CENDL-2.1, 583
 - C/E ratio, 385
 - Certification, radioactivity
 - measurement, 714
 - Cesium, 706
 - CFRMF, 516
 - Charged coupled device, 641
 - Charged particle emission cross
 - sections, 447
 - Charpy impact data, 657
 - Charpy test, 46
 - Cherenkov light, 769
 - Chernobyl NPP Unit-4, 781
 - China Institute of Atomic Energy
 - HWRR, 516
 - SPR, 516
 - Chrome, 583
 - Clustering model, point defect, 607
 - Cluster size distributions, 633
 - CNA-1, 69
 - Cobalt, 393, 572
 - COFRAC, 714
 - Collimator, 375, 721
 - Compton scattered photons,
 - laser, 721
 - Conceptual neutronics design, 284
 - Concrete
 - activated, 572
 - aging, 156
 - wall activation, assessment, 148
 - water loss, 156
 - Consistent Adjoint Driven
 - Importance Sampling, 549

Continual dosimetric cords, 781
Copper, 53, 393
Core barrel, 583
Core criticality, 191
Core designs, 524
Core geometry, 557
Core management, 268
Core power distribution, 312
Core shroud, 540, 549, 607
 cracking, 470
COSA2, 336
COSA3, 336, 508
Coupled core systems, 667
Covariance data, fission
 spectrum, 508
Covariance matrix, 352, 494, 502
Cracking, core shroud, 470, 607
Cross sections, 124, 167, 360,
 385, 591
 ABBN, 260, 269
 activation, 393
 covariance data, 508
 displacement, 599
 dosimetry, 385, 417
 emission, 447
 gamma ray production, 375
 inelastic scattering, 328, 344
 iron, 486
 neutron, 328, 425, 431, 462,
 572
 neutron metrology, 401
 nucleon-nucleus, 599
 partial damage, 583
 production, 737
 response functions, 494
 secondary gamma ray, 375
 spallation, 409
 spectrum-averaged, 385
Czech Republic, 93

D

Damage analysis, 236
Damage calculation, 641
Damage correlation, 617
Damage, displacement, 617
Damage formation, 633
Damage function, 737
Damage, gamma displacement,
 607
Damage indexes, 649
Damage prediction models, 657

Damage, radiation, 19, 344,
 401, 591
Data acquisition system, 431,
 811
Data libraries, current
 evaluated, 583
DAVKA, 93
Decay scheme, 737
Decommissioned reactor
 neutron flux, through the wall
 samples, 140
Decommissioning, power reactor,
 116, 148, 478, 572
Decomposition, modal, 494
Defects
 clustering model, 607
 evolution, 625
 production, migrating, 607
 structures, 625
Degradation, pressure vessels,
 657
Density distribution, 478
DETA, 61
Detectors
 absorption, 462
 activation, 77, 207
 efficiency, 706, 789
 foils, 425
 gamma ray, 721
 gas filled neutron, 116
 HPGe, 706
 miniature fission chambers,
 803
 photon, 819
 silicon carbide semiconductor
 radiation, 683
 silicon surface barrier, 641
 telescopes, solid state, 431
Deuterium-tritium fusion
 neutrons, 641
Deuteron break-up, 455
Diallyl phthalate resin, 789
Differential cross sections, 431,
 447
Diffusion code, 312
Diffusion, three dimensional, 268
Discrimination technique, 455
Displacement cascade, 633
Displacement cross section, 599
Displacement damage, 617
 gamma, 607
Displacement model, NRT, 633

Displacement per atom, 244,
583, 591, 625
Displacement rate, neutron, 607
Disposal, radioactive
components, 478
Distribution measurement system,
gamma ray flux, 769
DORT, 175
RZ DORT, 532
Dose calculations, 557
Dose distributions, 38
Dose monitoring, 775
Dose, neutron, 649
estimation, 276
Dose rates, 132, 223
gamma ray, 156
neutron, 156
DOT 3.5, 215
Dukovany VVER, 93
Dysprosium, 462

E

EFF, 328
Effective single-particle emission
approximation, 591
Efficiency, detector, 706
EFLUVE, 29
EGS4/PRESTA-CG, 721
Elasto-plastic fracture
mechanics, 108
Electronic devices
irradiation effects, 641
silicon carbide, radiation
detectors, 683
Electron irradiation, 617
Electron linear accelerator, 439,
462
Electron spin resonance, 781
Electron storage ring, 721
Electrotechnical Laboratory,
Japan, 367
Element analysis, 231
Embrittlement, 77, 617
accelerated, 53
database, U.S. Nuclear
Regulatory
Commission, 124,
657
neutron, 46
pressure vessel, 617
trend curves, 649

Emission approximation, single
particle, 591
Emission cross sections, 447
ENDF/B-V, 431
ENDF/B-VI, 124, 431, 439, 447,
462, 508, 737
ENDF/B-VI.5, 583
Energy absorption detector, 462
Energy distribution, 721
Energy levels, 737
Energy range, 439
Energy spectrum, 148, 215, 455,
494, 698
Energy splitting, 231
Energy transfer, linear, 789
ENSDF, 737
Epithermal beam, 745
Epithermal neutron flux, 675
Error estimation, 819
ESPEA, 591
ESPERANT, 591
Etch-pit diameter, 789
Euratom Specific Nuclear Fission
Safety Programme, 649
Europium, 260, 572
EXIFON, 591

F

Fast neutron displacement, 617
Fast neutron fluence, 3, 303,
557, 691
Fast neutron flux, 124, 231
Fast neutron irradiation, 633
facility, 191
Fast neutron yields, 455
Fast reactor, experimental,
Japan, 268
FENDL, 328
Feynman measurements, 667
Fiber
optical, 667, 769, 797
side glow, 775
wavelength shift, 775
Filters
neutron, 745
optical, 769
Finland, Boron Neutron Capture
Therapy treatment
facility, 175
First harmonic eigenvalue
separation, 667

- Fissionable dosimeters, 295
 - Fission chambers, miniature,
 - neutron detectors, 803
 - Fission cross section, 439
 - Fission fragments, 789
 - Fission neutron field, 385
 - Fission power determination, 252
 - Fission-rate ratios, 344
 - Fission spectrum, 352
 - covariance data, 508
 - Fluence, adjusted, 508
 - Fluence analysis, 540
 - Fluence calculations, 336
 - Fluence computations, 564
 - software package, 557
 - Fluence determination, 93
 - Fluence dosimetry, 252
 - Fluence estimate uncertainty, 3, 486
 - Fluence, linear combination, 494
 - Fluence modeling, 540
 - Fluence, neutron, 77, 236, 641, 691, 781
 - fast, 295, 303, 691
 - iron filtered neutron beam, 367
 - MF3D, 557, 564
 - monitoring technique, 268
 - peak, 393
 - spectra, 336
 - uncertainties, 46, 649
 - WWER-1000, 61
 - Fluence, photon, 721
 - Fluence, proton/neutron, 167
 - Fluence rate, 29, 175
 - FLUENTAL, 175
 - Flux calculations, 124, 268
 - Flux charts, 252
 - Flux density, differential
 - neutron, 502
 - Flux distribution, neutron, 116, 532
 - Flux, epithermal, 745
 - Flux monitor wires, 38
 - Flux, neutron, 140, 183, 223, 268, 478
 - distribution, 116, 532, 549, 698
 - distribution measurement
 - system, 769
 - epithermal, 675
 - fast, 124
 - spectrum, 417, 516, 564
 - system, 516
 - thermal, 675, 698, 761
 - Flux tilt, 667
 - Foil, activation, 236, 268, 409, 745, 753
 - analysis, 167
 - collimated beam's
 - characteristics, 375
 - method, 116, 215, 417
 - multiple, 175, 207, 401
 - sandwich, 183
 - Foil, detector, 425
 - Foil stacks, 167
 - Former plate, 532
 - Fracture toughness, 657
 - France, Nuclear Energy
 - Agency, 303
 - France, OSIRIS reactor, 199
 - France, Reactor Measurement
 - Systems Laboratory, 803
 - French Committee for
 - Accreditation (COFRAC)/Testing
 - Section, 714
 - French surveillance program, 29, 714
 - Fuel, nuclear, OSIRIS, 199
 - Fuel rods, fission power level, 252
 - Fuel, spent, radiation
 - environment, 683
 - Fusion neutron, 641
 - Fusion Neutronics Source, Japan
 - Atomic Energy Research
 - Institute, 375
- G**
- Gadolinium, 260, 675
 - Gamma displacement damage, 607
 - Gamma field, 470, 781
 - Gamma fluence, 557, 781
 - Gamma radiation influence on
 - hardening, 607
 - Gamma ray, 462, 564, 675, 683, 706
 - contamination, 191
 - cross sections, secondary, 375
 - detector, 721
 - dose, 789
 - dose rates, 223
 - dosimetry, 683

energy, 425
 field, 683
 flux, 19
 intensity, 425, 769
 irradiation, 789
 prompt, 819
 spectrometry, ultra low level,
 761

Gamma scanning, 93, 312
 Gamma sensitivities, 675
 Gamma spectra, 729
 Gamma spectrometry, 199, 252,
 706, 714, 753
 Gamma thermometer, 797
 Gas counter, proton recoil, 183
 Gas sample, 447
 GCR, 116
 Generator, neutron, 455
 Germanium, 706, 721
 Glass scintillator, 698
 Gold foil, 215
 Gridded ionization chamber, 447

H

Hafnium, 462, 675
 HANARO, 231
 Handbook of Chemistry and
 Physics, 425
 Hardening, irradiation, 607
 Hardness, radiation, 11
 Heat treatment, 789
 HFBR, 223
 Heavy Water Neutron Irradiation
 Facility, 215
 Helium accumulation fluence
 monitor, 268
 Helium counter, 367, 811
 Helium production, 244
 calculations, 557
 Helium targets, 455
 High Flux Beam Reactor,
 Brookhaven National
 Laboratory, 223
 High Flux Materials Testing
 Reactor BR2, 252
 High Flux Reactor Petten, 236
 Hot cell, 683
 HPGe detectors, 207, 706
 Hungarian NPP Paks, 85

Hydrogen, 148
 differential neutron scattering
 cross section
 standard, 431
 gas proportional counter, 367

I

IAEA, 312
 IFMIF project, 591
 Imaging plate, 375, 775
 INCAL 3D code, 93
 In-core measurement
 requirements, 803
 In-core monitoring system, 797
 Induced activity estimation, 572
 Inductively coupled plasma mass
 spectrometry, 691
 Inelastic scattering cross
 sections, 344
 INS, 393
 Institute for Nuclear Research,
 Ukraine, 61
 Institute for Nuclear Study,
 Japan, 393
 Institute of Nuclear and Particle
 Physics, Ohio University,
 431
 Institute of Physical and Chemical
 Research, Japan, 393
 Integral activation experiments,
 417
 Integral response data, 494
 Integral tests, 385, 409
 activation, 417
 Integrity, structural, 140
 Intense Pulsed Neutron Source,
 Argonne National
 Laboratory, 409
 Inter-event dead time, 811
 International Atomic Energy
 Agency
 Nuclear Data Section, 401
 International Dosimetry
 Benchmark, 336
 International Fusion Material
 Irradiation Facility, 417,
 591
 International Organization for
 Standardization
 ISO 9002, 714
 Interpolation, spline, 502

Ionization chamber, 803
 gridded, 447
 IRDF-90, 737
 Iron, 447, 540, 583
 alloys, 617
 bulk shield, 375
 ferritic steels, 633
 iron-filtered neutrons, 183
 beam, 367
 sphere, 344
 Irradiation effects, fusion
 neutron, 641
 Irradiation embrittlement, 108
 Irradiation modes, 215
 Irradiation, semiconductor, 191
 ISABELLE loop, 199
 ISIS reactor, 199, 745
 Isotopic analysis, 199
 Isotopic composition, 425

J

JARFR, 260
 Japan Atomic Energy Research
 Institute, 19, 375
 Fusion Neutronics Source, 375
 high temperature engineering
 test reactor, 797
 Nucleon-Meson Transport
 Code, 599
 Takasaki Research
 Establishment, 393
 Japanese Evaluated Nuclear Data
 Library (JENDL), 19,
 385, 599
 JENDL-3.2, 101, 328, 439,
 447, 462
 PKA/KERMA, 591
 Japanese Nuclear Data
 Committee, Dosimetry
 Integral Test Working
 Group, 385
 Japanese power plants, 108, 572
 Japanese Research Reactor, 19
 Japan, Kinki University
 Reactor, 276
 Japan, Kyoto University Reactor,
 183, 215, 284, 367, 516,
 625
 Japan Materials Testing
 Reactor, 244
 Japan Nuclear Cycle Development

Institute, experimental fast
 reactor, 268
 Japan, Tohoku University
 Cyclotron and
 Radioisotope Center, 393
 Japan Tokai Power Station, 116
 Japan, University of Tokyo
 Institute for Nuclear
 Study, 393
 JARFR, 260
 JEF-2.2, 439, 462, 583
 JENDL, 19, 385
 JENDL-3.2, 101, 328, 439,
 447, 462
 PKA/KERMA, 591
 JMTR, 625, 797
 JOYO, 268, 625

K

KALIMER LMR, 583
 KASHLIL-E6, 101
 KERMA, 19
 PKA/KERMA, 591
 Kernkraftwerk Muehleberg
 (KKM), Switzerland, 564
 Khmel'nitskaya Nuclear Power
 Plant, Ukraine, 61
 Kinki University Reactor, Japan,
 276, 284
 Korea Atomic Energy Research
 Institute, 101, 231
 Korea, Ulchin Unit 1, 101, 583
 KORPUS facility, 336
 Kozloduy Nuclear Power Plant,
 Bulgaria, 77
 Kyoto University Critical
 Assembly, Japan, 667, 811
 Kyoto University Lead slowing
 down spectrometer
 (KULS), Japan, 439
 Kyoto University Reactor
 (KUR), Japan, 183, 215,
 284, 367, 516, 625
 Kyoto University, Research
 Reactor Institute, Japan,
 284, 439, 462

L

LA-150, 447
 LAHET calculation, 599

LANSCE, 167
 Laser Compton scattered photons, 721
 LCS, 167
 Leakage current, 641
 Leakage effects, transverse, 360
 Leakage spectrum, 295, 328, 344
 Least squares, 352, 494, 508
 LEPRICON, 93, 486
 Library benchmark, 101
 Lifetime assessment, 3
 Light water reactor, 19, 753
 Linac-driven lead slowing down spectrometer, 439
 Lindhard-Robinson model, 599
 Linear energy transfer, 789
 Linear heat rate, 199
 Linear interpolation, 502
 Lining thickness, 675
 Lithium, 417, 698
 LMR, 583
 Los Alamos Neutron Science Center, New Mexico, 167
 LR-0 research reactor, 93
 LSL-M2, 175
 Luminescence, radio, 797
 LUND, 508

M

MADAM, 649
 Madland-Nix, 352
 Magnox, 38, 132, 140, 540, 649
 Mass spectrometry, inductively coupled, 691
 Materials Dosimetry Reference Facility, University of Michigan, 295
 Matrix method, 745
 Matrix unfolding, 729
 MATXS, 101
 MCBEND, 38, 132, 140, 540
 MCNP Particle Transport Code, 191, 223, 236, 328, 564
 automated adjoint accelerated, 470, 549
 fast neutron fluence, 303
 HPGe detector efficiency, 706
 MCNP-4, 367
 spectrum calculation, 231
 three-dimensional, 557
 MCSS, 61

MCU-RFFI/A, 312
 Medical Research Reactor, Brookhaven National Laboratory, New York, 223
 Memory integrated circuits, 641
 MENDL-2, 417
 Metals, 61
 characteristics, 53
 defect structures, 625
 discs, 761
 Metrology, 714
 standards, nuclear, 11
 MF3D, 557, 564
 Microstructures, embrittled, 617
 Mihama-1, 108
 Miniature fission chamber, 803
 MOBY DICK, 312
 Modal (eigenvector) decomposition, 494
 Models and modeling, 721
 calculational, 564
 damage prediction, 657
 detector, 706
 defect clustering, 607
 ferritic steels, 633
 fluence, 540
 Lindhard-Robinson, 599
 neutron detectors, 803
 neutron transport, three-dimensional, 140
 one-dimensional reactor, 508
 optical, 599
 radiolysis, 557
 secondary displacement, 633
 three-dimensional, 470, 564
 transport, 140
 uncertainties, 132
 Modified flexible tolerance, 516
 Molecular dynamics, 633
 Monitoring system (See also Surveillance, pressure vessel)
 dose, 775
 in core, 797
 neutron surveillance, 295
 Monte Carlo, 38, 167, 557
 analog calculation, 549
 core power distribution calculations, 312
 dosimetry measurement comparisons, 223

fine flux distribution analysis,
 268
 method development, 540
 neutron fluence spectra, 336
 neutron transport, 320
 radiation transport
 calculations, 132
 response function calculations,
 729, 819
 silicon devices, 641
 simulations, 191, 508, 698
 TRAMO, 336
 TRIPOLI 3, 745
 MOX benchmarks, 753
 MTR irradiations, 252
 Multiple counter telescopes, 447

N

National Institute of Standards
 and Technology, 295, 344
 NESDIP-2, 101
 NEUPAC, 183, 215
 NEUSPAC, 516
 Neutron activation cross sections,
 high energy, 393
 Neutron activation
 measurement, fast, 38
 Neutron activation method, 231
 Neutron analysis, 532
 Neutron beam
 characterization, 175, 375
 epithermal, 175, 745
 beam, iron-filtered, 183, 367
 Neutron calculations, 470
 Neutron capture therapy, 215, 745
 Neutron cross sections, 124, 328,
 425, 431, 462, 572
 Neutron detector foils, 425
 Neutron detectors, 675, 737, 803
 Neutron dose, 140
 estimation, based on
 spectra, 276
 rate, 132, 223
 rate measurement, 156
 Neutron dosimetry, 132, 409
 assessment, 38
 fast, 691
 Neutron embrittlement, 46
 Neutron energy spectra, 148, 215,
 244, 367, 633
 soft, 260, 625

Neutron factory, 284
 Neutron field, 175, 244, 737,
 753
 fission, 385
 intermediate, 367
 modeling, core shroud, 470
 reference, 295
 spallation, 207, 409
 Neutron, filtered, beam facility,
 183
 Neutron filters, 745
 Neutron fluence, 77, 236, 641,
 691, 781
 fast, 295, 303, 691
 iron filtered neutron beam,
 367
 MF3D, 557, 564
 monitoring technique, 268
 peak, 393
 spectra, 336
 uncertainties, 46, 649
 WWER-1000, 61
 Neutron flux, 140, 183, 223, 268,
 478
 distribution, 116, 532, 549,
 698
 distribution measurement
 system, 769
 epithermal, 675
 fast, 124
 spectrum, 417, 516, 564
 system, 516
 thermal, 675, 698, 761
 Neutron gamma irradiation, 607
 Neutron generator, 455
 Neutronics design, conceptual,
 284
 Neutron-induced charged-particle
 emission cross section, 447
 Neutron-induced fission cross
 section, 439
 Neutron, intermediate, 367
 Neutron irradiation, 617
 effect on hardening, 607
 metals, 625
 Neutron measurement, 811
 Neutron metrology, 401
 testing, 295
 Neutron pulse shape, 284
 Neutron pulse train, 811
 Neutron sensitivities, 675,
 683

- Neutron source, 284
 - external, 819
 - data, three-dimensional time
 - dependent, 38
 - Neutron spectrometer, 312, 698
 - stilbene, 729
 - Neutron spectrum, 19, 29, 284, 401
 - adjustment, 175, 183, 494
 - comparison, 312
 - determination, 737, 745
 - energy, 148, 215, 244, 276, 633
 - flux, 516
 - density distribution, 478
 - former plate area, 532
 - irradiation modes, 215
 - leakage, 295, 328
 - measurement, 231, 393
 - reference, 753
 - softened, 260
 - thermal, 753
 - time-of-flight, 409
 - transformation, 502
 - Neutron time-of-flight, 393, 409, 462
 - Neutron transmissions, 132
 - Neutron transport, 124, 156, 320
 - calculation, 69, 236, 478
 - model, 140
 - Neutron yields, 455
 - NF-6 code, 260
 - Nickel, 53, 583
 - Niobium, 714, 737
 - method, 691
 - NIST, 295
 - NJOY 97, 583
 - NMTC/JAERI, 599
 - Nondestructive gamma
 - spectrometry, 252
 - NPP Paks, 85
 - NPPs, 649
 - NPP Unit-4, 781
 - NRT displacement model, 633
 - Nuclear data libraries,
 - evaluated, 583
 - Nuclear Energy Agency, France, 303
 - Nuclear fuel dosimetry program,
 - comprehensive, OSIRIS, 199
 - Nuclear Regulatory Commission, 344, 583, 657
 - Embrittlement Data Base and
 - Dosimetry Evaluation Program, 124
 - Nuclear Research Institute,
 - Czech Republic, 312
 - Nucleon-Meson Transport Code,
 - Japan Atomic Energy Research Institute, 599
 - Nucleon-nucleus cross section, 599
- O**
- Oak Ridge National Laboratory,
 - Tennessee, 360
 - OECD/NEA, 303
 - OKTAVIAN, 328
 - Optical dosimetry, 797
 - Optical fiber, 19, 667, 769, 797
 - Optical filter, 769
 - Optical model, 599
 - Oral laws, surveillance and
 - adjustment, 486
 - ORIGEN2, 572
 - ORNL PCA benchmark, 360
 - OSIRIS, 199
- P**
- Pa-231, 439
 - PANTHER, 38
 - Parallel processing, 524
 - Paramagnetic centers, 781
 - Parametrized approach, 516
 - Particles, surface radioactive, 478
 - Paul Scherrer Institute,
 - Switzerland, 401
 - Peak efficiency, HPGE detectors, 706
 - Pellet/clad interaction, 199
 - Penn State Breazeale Reactor, 191
 - PENTRAN, 303, 470, 524
 - Phosphorus, 53
 - Photomultiplier, 769
 - Photon energy dependent
 - efficiency calibration, 706
 - Photon fluence, 721
 - PKA, 19, 625
 - energy spectrum analysis, 625
 - PKA/KERMA, 591

Plasma mass spectrometry,
 inductively coupled, 691
 Platinium, 675
 Platinum, 675
 PNMSH, 524
 Point adjoint capability, 540
 Point-defect clusters, 617
 Point defects, 625, 633
 Polyethylene moderator,
 spherical, 698
 Polypropylene, 431
 Pool Critical Assembly (ORNL
 PCA) Pressure Vessel
 Facility Benchmark, 360
 Position sensitive proportional
 counter, 811
 Power ramp tests, 199
 Power Reactor Embrittlement
 Data Base, U.S. Nuclear
 Regulatory Commission,
 657
 Pressurized heavy water reactor,
 69
 Pressurized light water reactor,
 819
 Pressurized thermal shock, 108
 Pressurized water reactor, 3, 649
 comparative dpa analysis, 583
 containment, 572
 integrity assessment, 108
 mock-up, 303
 neutron analysis, 532
 neutron dosimetry
 assessments, 38
 ramp tests, 199
 surveillance capsules, 29
 surveillance dosimetry, 101
 surveillance program, 714
 Primary knock-on atoms, 625
 Production cross section, 737
 Proficiency testing, 714
 Proportional counter, position
 sensitive, 811
 Proton accelerator, 284
 Proton beams, 409
 Proton/neutron fluences, 167
 Proton recoil counter telescope,
 393
 Proton recoil gas counter, 183
 Proton recoil neutron
 spectrometer, stilbene,
 729

Prototype reactor, 19
 Pulse height, 683
 distributions, 819
 spectra, 721
 Pulse shape, 284
 discrimination, 729
 Pulse train, 811

R

Radiation damage, 19, 591, 344,
 617, 633
 quantification, 11
 Radiation environments, spent
 fuel, 683
 Radiation hardening, 607
 Radiation hardness verification,
 11
 Radiation shield, 156
 Radiation streaming, 156
 Radiation transport sensitivity
 analyses, 352
 Radiochemical methods, 199
 Radio-luminescence, 797
 Ramp tests, 199
 Rate attenuation, 124
 Reaction rate, 29, 344, 352, 417,
 516
 Reactor cavity, 320
 Reactor Dosimetry Laboratory,
 France, 714
 Reactor Measurement Systems
 Laboratory, CEA/
 Cadarache, France, 803
 Real-time dosimetry method, 775
 Resin, diallyl phthalate, 789
 Resonance foils, 215
 Resonance integral, 425
 RIKEN, 393
 Rod drop measurement, 667
 Rods, fuel, 252

S

Safety issues, 46
 Sailor library, 124
 SAND-II, 191, 231, 417, 516
 SAND2, 502, 698
 Sandwich foil method, 183
 Sb-Be photoneutron source, 367
 SCALE system, 148

- Scattering
 - anisotropic, 470
 - elastic, 336, 583
 - angular distribution, 599
 - hydrogen differential
 - neutron, 431
 - inelastic, 344, 583
 - small angle X-ray, 617
- Scientific Center "Institute for Nuclear Research," Ukraine, 61
- SCINFUL/DDX, 591
- Scintillator, 667, 769
 - BGO, 462, 819
 - glass, 698
 - NE 213, 455
 - organic liquid, 375, 393
- SCK-CEN, 303, 761
 - Belgian Nuclear Research Laboratory, 524
- Self-powered neutron detectors (SPNDs), 675
- Semiconductor
 - CZT, 819
 - irradiation, 191
 - radiation detectors, silicon
 - carbide, 683
- Sensitivities, absolute and relative, 486
- Sensitivities, geometric, 540
- Sensitivity analysis, 352, 508, 706
- Sensitivity studies, 132
 - germanium crystal, 706
- Sensor
 - ESR, 781
 - remote radiation, imaging
 - plate, 775
- Shield assembly, 156
- Shielding analysis, 191
- Side glow fibers, 775
- Silicon carbide semiconductor
 - radiation devices, 683
- Silicon cross section, 328
- Silicon electronic devices, 641
- Silicon spherical shell, 328
- SILOE research reactor, 675
- Simulator thickness, 312
- SINQ, 401
- Small angle X-ray scattering, 617
- Solid state track recorder, 156
- Spallation, 167, 207
 - cross sections, 409
 - neutron sources, 401, 409, 417, 599
- SPALLDOS, 401
- Spatial distribution, 207
- Spatial flux distribution, 191
- Spectra, energy, 276
- Spectra, flux, 516, 564
- Spectra, gamma, 729
- Spectral adjustment
 - methodology, 409
- Spectral unfolding, 167
- Spectra, pulse height, 721
- Spectrometer
 - gamma, 252, 706
 - lead slowing down, 439
 - neutron, 276, 698
 - stilbene neutron, 729
- Spectrometric garlands, 781
- Spectrometry
 - gamma, 199, 252, 706, 714, 753
 - gamma ray, ultra low level, 671
 - inductively coupled X-ray, 691
 - neutron, 312
 - stilbene neutron, 729
 - time-of-flight, 409
 - X-ray, 714
- Spectroscopy, 167
- Spectrum adjustment, 29, 69, 175, 336
 - methodology inversion, 409
- Spectrum analysis, PKA
 - energy, 625
- Spectrum covariance, 352, 502
- Spectrum index, 753
- Spectrum, leakage, 295, 328, 344
- Spectrum, neutron, 19, 29, 284, 401
 - adjustment, 175, 183, 494
 - comparison, 312
 - determination, 737, 745
 - energy, 148, 215, 244, 276, 633
 - flux, 516
 - density distribution, 478
 - former plate area, 532
 - irradiation modes, 215
 - leakage, 295, 328
 - measurement, 231, 393
 - reference, 753

softened, 260
 thermal, 753
 time-of-flight, 409
 transformation, 502
 Spectrum uncertainty, 352
 Spectrum unfolding, 191
 Spline-interpolation, 502
 SPNDs, 675
 Standards (See also ASTM standards), 714
 STAYNL, 260
 STAYSL2, 167
 Steel, 19, 132, 691
 carbon, 583
 carbon manganese, 140
 embrittlement, 46
 ferritic, 633
 neutron exposure
 characterization
 E 691, 124
 stainless, 244, 344, 599, 675
 Stilbene, 455
 neutron spectrometer, 729
 Storage, 478
 ring, electron, 721
 Stress intensity factor, 108
 Subcascade, 625
 Surveillance, pressure vessel, 3,
 295, 494, 775
 Bulgarian program, 77
 capsules, 29, 38, 46, 85, 101,
 657
 dosimetric analysis, 29
 French, 714
 in core, 797
 oral laws, 486
 program, 77, 85, 93
 specimens, 53, 93
 Supplemental Surveillance
 Program, 93
 tests, 11, 19, 108, 583
 Ukraine, 61
 workplace neutron flux, 761
 Switzerland
 Kernkraftwerk Muehleberg
 (KKM), 564
 Paul Scherrer Institute, 401

T

Takasaki Research Establishment,
 JAERI, Japan, 393

Tantalum backings, 431
 Temelin VVER-1000 NPP, 93
 TERAS, 721
 Test Reactor Embrittlement
 Data Base, U.S. Nuclear
 Regulatory Commission,
 657
 Th-229, 439
 Thermal balance, 252
 corrections, 199
 Thermal history, 789
 Thermal neutron cross sections,
 425
 Thermal neutron field, 819
 Thermal neutron filters, 215
 Thermal neutron flux, 675
 distribution, 698, 781
 monitors, 761
 Thermal neutron irradiation, 819
 Thermal radiation, 797
 Thermal shock, pressurized, 108
 Thermoluminescence dosimeters,
 183
 Three-dimensional benchmark,
 524
 Three-dimensional MCNP
 model, 557
 Three-dimensional neutron flux
 distributions, 532, 549
 Three-dimensional neutron
 transport calculations, 236
 Three-dimensional quadrant
 model, 564
 Three-dimensional parallel, 470
 Threshold foils, 215
 Threshold energy, 207
 TIARA, 393
 Time-of-flight, 328, 393, 409, 462
 Time series data, 811
 Tin adjoint, 549
 Tin transport method, 524
 Tissue-equivalent pair
 chambers, 183
 Tohoku University, Cyclotron
 and Radioisotope Center,
 Japan, 393
 Tokai Power Station, Japan, 116
 TORT, 303, 360, 470, 532, 549
 Total reflection X-ray
 fluorescence, 691
 Track detection efficiency, 789
 TRAMO, 336

Transformation, neutron spectra, 502

Transport calculations (See also specific codes), 124, 706

neutron, 69, 156, 320, 478

particle, 223, 641

three-dimensional, 236

uncertainties, 508

Transport conditions, 478

Transport methods, 175, 524

Transport models, 140

Trend curves, 649

TRIGA reactors, 175, 191

TRIM, 641

TRIPOLI 3, 745

Two-dimensional analyses, 532

Two-dimensional discrimination technique, 455

Two-loop reactor, 156

U

Ukraine, 61

Ulchin Unit 1, 101, 583

Uncertainties, 3, 199, 344, 385, 753

absolute, 486

analysis, 336

determination, 29

MCNP, 231

neutron fluence, 46, 649

neutron spectrum, 244

neutron transport calculations, 508

range, 753

relative, 486

service life assessment, 85

spectrum, 352

Unfolding, 729

method, 207, 516, 698

spectrum, 191

United Kingdom

dose assessments, 38

Magnox, 38, 132, 140, 540, 649

University of Tokyo, Japan, 393

Upper shelf energy, 108

U.S. Nuclear Regulatory

Commission, 344, 583, 657

Embrittlement Data Base and Dosimetry

Evaluation Program, 124

UTR-KINKI, 276

V

Variance reduction, 549

VENUS experiment, 303

VENUS test reactor, 753

Voltage characteristics, 803

Volume distribution, 781

VVER, 3, 320, 508

Dukovany VVER-440, 93

VVER-440, 53, 77

VVER-1000, 53, 77

W

Water loss, 156

Wavelength shift fibers, 775

Weld, 53

core shroud, 607

location, 11

welded seam, 85

Westinghouse two-loop reactor, 156

Westinghouse three-loop reactor, 303

Workplace neutron flux monitoring, 761

WWER, 649

WWER-440, 85

WWER-1000, 61, 312, 737

YAYOI, 268, 516

X

X-ray fluorescence, total reflection, 691

X-ray scattering, small angle, 617

X-ray spectrometry measurement, 714

Y

Yield strength, 617

Z

Zirconium hydride, 260