

Subject Index

A

Ab initio calculation, 129
 Abrasive wear, 802
 Acceleration, 494
 Acoustic emission technique, 729
 Adhesive wear, 802
 Alloying elements, 404
 Ammonia generation mechanism, 563
 Anisotropy, 666
 Annealing, 81, 129, 276, 632
 Autoclave impact fretting-wear tests, 802
 Axial splits, 711
 Axial tensile tests, 851

B

Biaxial deformation, 833
 Boiling water reactor, 276, 367, 386, 404, 418, 445
 irradiated, 711
 Burnup, 386, 404, 494, 526, 604, 632, 802, 851

C

CABRI, 851
 CANDU reactors, 61, 547, 563
 Chromium, 349, 386
 Cladding, 233, 264, 330, 418, 445, 873, 896
 irradiated, 175, 632, 711, 851
 Cold work, 81, 783
 Cold pilgering, 233
 Composite, 526
 Composition, 81
 Computational model, 233
 Corrosion, 3, 129, 205, 276, 330, 349, 367, 386, 404, 494, 526, 547, 604, 802, 851, 873
 localized acceleration, 418
 shadow, 404, 445
 Crack, velocity, 711
 Crack growth resistance, 783
 Crack initiation, 729
 Creep, 3, 632, 686, 896
 Creep model, 651

Crud deposition, 418
 Crystalline plasticity, 585
 Crystallographic texture, 276

D

Damage, 233
 Deformation, 686
 localization, 264
 mechanisms, 25
 resistance to, 248
 Delayed hydride cracking, 711, 729, 759
 Deuterium uptake, 547
 Dimensional change, 651
 Dislocations, 102, 666
 channeling, 53
 density, 759
 loops, 157, 175, 686
 Ductility, 604, 833
 residual, 896
 Duplex cladding, 526

E

EBSD, 585
 EDS mapping, 467
 Electrochemical impedance spectroscopy, 367
 Electrochemical property, 349
 Electrolytic powder, 783
 Electron microscopy, 264, 766, 831
 Elongation, 759
 Embrittlement, 851, 896
 Energy dispersive spectroscopy, 102
 Experimental measurements, 711
 Extrusion temperature, 783

F

Fast neutron flux, 686
 Finite-element method, 233, 585
 Fluence, 386, 604
 Fluorine, 783
 Fractography, 711
 Fracture toughness, 711, 759, 783, 833
 Fretting-wear, 802
 Fuel cladding, 3, 604, 651
 Fuel rods, 651, 802

G

Galvanic corrosion mechanism, 445
 Grid-trod clearances, 802
 Growth behavior, 175
 Growth coefficient, 305

H

Heat treatment, 3
 Hexagonal close-packed metals, 25, 157
 High neutron fluences, 175
 Hoop tensile tests, 851
 Hot-cell measurements, 526
 Hot extrusion, 248
 Hydraulic burst tests, 604
 Hydraulic loop fretting-wear endurance tests, 802
 Hydrides, 494, 632, 851
 blisters, 833
 distribution, 526
 fracture, 729
 orientation, 729
 rim, 833
 Hydriding, 604, 873, 896
 Hydrogen
 content, 632
 pickup, 349, 386, 404, 526, 604, 896

I

Impact fretting-wear tests, 802
 Impurities, 404
 In-pile corrosion, 404
 In-reactor corrosion, 3
 Inductive heating, 305
 Insulation, 445
 Intermetallic compounds, 349
 Intermetallic precipitates, 81
 Interstitial, 686
 Iron, 3, 81, 129, 205, 330, 349, 386, 404, 666, 873
 Irradiated, 53, 157, 175, 632, 759
 Irradiation
 defects, 896
 deformation, 686
 growth, 276, 305, 651, 666

J

J-integral, 711

K

Kinetics, 81

L

Light water reactors, 330
 Liner component, 873
 Lithiated water, 205
 Lithium hydroxide, 3
 Loop, 53
 Loss-of-coolant accident, 896

M

M5, 175, 494, 896
 Macroscopic response, 585
 Manufacturing, 526
 Mechanical anisotropy, 25
 Mechanical properties, 851
 Mechanical testing, 604, 833
 Melting practice, 783
 Metal-oxide interface, 467
 Micro-beam synchrotron radiation, 205
 Micro diffraction, 102
 Micro-extensometry, 585
 Micro-mechanical modeling, 53
 Microstructure, 3, 81, 129, 175, 276, 305, 386, 666, 686
 evolution, 157, 759
 Mixed conduction model, 367

N

Neutron irradiation, 783
 Neutron radiation damage, 386, 759
 Nickel, 129, 386
 Niobium, 3, 81, 102, 248, 264, 305, 330, 349, 467, 547, 651, 666, 686, 729, 759
 Numerical model, 233

O

Optical microscopy, 205
 OPTIN, 802

Overload fracture, 729
 Oxidation, 467
 high temperature, 896
 kinetics, 547
 Oxide growth, 205, 367
 Oxide microstructure, 205, 494
 Oxygen, 264
 content, prior- β phase, 896

P

Pellet-clad interaction, 873
 Phase, 666
 Phase precipitation, 102
 Phase transformation, 305
 Pin-loading tension test, 711
 Plane-strain tensile deformation, 833
 Plastic deformation, 53, 264, 802
 Plasticity, 248
 Point defects, 686
 Polycrystalline sample, 585
 Post irradiation examination, 526
 Precipitates, 3, 175, 494
 distribution, 404
 Pressure tube, 547, 686, 729, 759, 783
 Pressurized water reactors, 3, 175, 276,
 467, 494, 802, 851
 PROMETRA, 851

Q

Quenching, 129, 896
 β -quenching, 276, 305

R

Radiation damage, 686
 Radiation effects, 445
 Reactivity initiated accidents, 833, 851
 Recrystallization, 526
 REP-Na, 851
 Residual ductility, 896

S

Scanning electron microscopy, 367, 729
 Second phase particle, 330, 386
 distribution, 367
 Secondary ion mass spectrometry, 547

Secondary phase, 81, 102
 Shadow corrosion, 404, 445
 Slip systems, 25
 Small angle neutron scattering, 175
 Sponge, 783
 Spring back, 233
 Strain, 686
 Strain field, local, 585
 Strain hardening, 53, 264
 Strain rate, 248
 Stress, 632

 internal, 53

Stress-strain, 604
 Structure-phase state, 666
 Surface defects, 233
 Synchrotron radiation, 205

T

Temperature sensitivity, 632
 Tensile deformation, 102
 Tensile strength, 759, 783
 Tensile tests, 604
 Texture, 25, 102, 305
 Thermal creep, 632
 irradiation, 651
 Thermal-mechanical processing, 330
 Thermodynamic equilibrium, 81, 129
 Tin, 3, 330, 494, 526, 666
 Tools

 design, 233
 optimization, 233

Transmission electron microscopy, 53,
 102, 129, 175, 386, 467
 Tube reducing, 045
 Twinning, 25
 Two-phase alloys, 102

V

Vacancy, 686
 growth, 157
 VIPER hydraulic tests, 802
 VVER fuel rods, 651

X

X-ray diffraction, 102, 205, 759

Z

Zircaloy, 3, 25, 175, 233, 276, 305, 367,
404, 418, 445, 467, 494, 604, 632,
656, 802, 873, 896
hydrided, 833
irradiated, 711, 851
ZIRCOBASE, 129

Zirconium alloys, 3, 25, 81, 102, 129,
205, 264, 349, 404, 467,
547, 585, 651, 686, 729,
759, 783
hydriding, 563
irradiated, 53, 386, 666, 896
Zirconium hydride, 729
ZIRLO, 3, 330, 802