

Subject Index

A

Ab-initio calculations, 811, 863
 Adjacent effects, 584
 Alloying additions, minor, 297
 Alloying elements, 59, 135
 Analytical electron microscopy, 400
 Annealing, 637, 720, 811
 Auto-wave, 427

B

β -particles, 584
 β -phase, 507
 β quenching, 247
 Biaxial strength, 449
 Boiling water reactor, 33, 80, 96, 119, 247, 583, 617
 Boron, 169
 Burn-ups, 119, 743, 774

C

Calandria tubes, 3, 449
 CANDU reactor, 3, 247, 297, 313, 449, 507, 796
 Characterization, 313
 Chemical analysis, 796
 Chemical composition, 837
 Cladding materials, 80, 96, 169, 222, 361, 490, 743
 Cladding tubes, 427, 673, 702, 720
 Cold-work, 449
 Composition, 362, 758
 Contact conductance, 3
 Correlation, 507
 Corrosion, 20, 33, 80, 96, 119, 135, 170, 222, 247, 274, 297, 313, 471, 524, 583, 743, 780
 Corrosion resistance, 154, 490
 Crack arrest, 339
 Crack initiation, 339
 Crack propagation, 384
 Cracking, long axial, 616
 CRACLE, 3
 Creep, 658, 674, 721, 743, 780, 796, 837, 863

Creep rupture, 658
 Crystallographic texture, 449
 <c>-type dislocations, 561
 CWSR, 811

D

Deformation, 384, 796
 Deformation mechanisms, 863
 Delayed hydride cracking, 339, 507
 Deuterium pickup, 247, 297, 313
 Diametral deformation, 796
 Dilute zirconium alloys, 490
 Dislocation channeling, 384
 Dislocation density, 507
 Dislocation structure, 758, 811, 863
 Dry-out, 637

E

Electric field, 584
 Electrochemical impedance spectroscopy, 33
 Electrochemistry, 33, 222
 Electron energy levels, 223
 Electron microscopy, 313, 758
 Elongation, 507
 Embrittlement, 637
 Enhanced spacer shadow corrosion, 584
 E635 type alloy, 758
 Extrusion billet, 247

F

Fabrication, 119
 Fluence, 758
 Flux, 796
 Fracture strain, 702
 Fuel assemblies, 471
 Fuel channel, 584
 Fuel cladding, 3, 561, 617, 637, 743, 780
 Zr-lined, 616
 Fuel rods, 80, 524
 defective, 617
 pre-irradiated, 637
 Fuel swelling test, 3

G

Grain size, 33, 796
 Grid cell dimensional stability, 490
 Grids, 471
 Guide thimble tubes, 471

H

Habit plane, 561
 Hardening, 811, 863
 Heat flux, 170
 Heat sink, 3
 Heat treatment, 154
 High-temperature water, 20
 Hydride cracking, delayed, 339
 Hydride rim, 702
 Hydrides, 274, 471, 561, 721, 811
 Hydriding, 33, 96, 616
 Hydrogen, 339, 811
 Hydrogen effect, 190, 471, 674
 Hydrogen pickup 222, 297, 313, 490

I

Impurities, 297
 Inconel, 584
 In-pile loop tests, 169
 In reactor corrosion, 119, 584
 In-reactor performance, 471, 490, 507, 617, 743, 796
 In-situ clad straining, 524
 Intermetallic compound, 33
 Intermetallic precipitates, 80, 361
 Interplanar spacing, 274
 Iron, chemical state, 135, 154
 Irradiation, 20, 170, 190, 247, 339, 384, 400, 561, 583, 637, 743, 780, 837
 chemical composition and, 758
 growth, 471, 490, 743, 796
 Irradiation defects, 721
 Irradiation-induced dissolution, 96

L

Lattice coherency, 274
 Leak-before-break, 3
 Line broadening, 274, 507
 Lithiated water, 222, 471
 Lithium, 170
 LOCA, 656, 674
 Low temperature process, 80, 119
 Light water reactors, 637, 702

M

M4, 674, 837
 M5, 674, 837
 Mechanical behavior, 673, 863
 Mechanical properties, 507, 637, 702
 Metal-oxide interface, 190
 Microchemistry, 313
 Microstructure, 247, 313, 362, 400, 507, 637, 658, 721, 796
 chemical composition and, 758
 Mössbauer spectroscopy, 135, 154

N

Neutron irradiation, 80, 400, 490, 507, 796
 β -Niobium, 190
 Nodular corrosion, 80
 Nuclear application, 80

O

Out-of-pile loop tests, 169
 Oxidation, 190, 297, 584
 rate, 96
 Oxide film, 135
 Oxide microstructure, 313
 Oxygen, 796, 863

P

Palladium, 222
 Pellet-cladding interaction, 837
 α/β Phase transformation, 362, 658, 674
 Plastic deformation, 427
 Plasticity, 863
 Power ramp, 3
 Power transient, 837
 Precipitate(s), 33, 80, 758, 811
 type, 80
 size, 80
 distribution, 80
 dissolution, 80
 Predictive models, 796
 Pressure tubes, 3, 247, 297, 313, 449, 507, 796, 837
 Pressurized water reactor, 169, 190, 361, 490, 524, 658, 743, 780, 837

R

Radiation, 507, 780
 Rate theory, 796

Reactivity-initiated accident, 702
 Reduction reaction, 223
 Residual stress, 427
 Response surface analysis, 297
 Ring stretch specimens, 702
 Roll-extrusion, 449

S

Secondary degradation, 617
 Second phase particles, 33, 59, 80, 96, 119,
 361, 400, 490
 Shadow corrosion, 119, 584
 Simulation, 3
 Soak time, 247
 Softening, 811
 Spent-fuel cladding, 561
 Stacking fault, 811
 Stainless steel, 584
 Statistical analysis, 796
 Storage, interim, 721
 Strain, 811, 863
 Strain softening, 384
 Stress, 702, 811
 Sulfur, 863
 Surface modification, 3
 Synchrotron radiation, 59

T

Temperature, 247, 796, 811, 863
 critical, 339
 Tensile strength, 507
 Terminal solid solubility, 339
 Texture, 561, 796
 Thermal behavior, 673
 Thermal creep, 720, 743, 837
 Thermal-hydraulic transients, 637
 Thermocalc, 362
 Thermodynamic calculations, 362
 Thermodynamics, 361
 Tin, 222
 chemical state, 135, 154
 Tin content, 743
 Transmission electron microscopy, 561
 Tube reduction, 449

U

Uniform corrosion, 80

V

Viscoplasticity, 811
 Void fraction, 170

X

X-ray diffraction, 507, 796

Y

Yield stress, 507

Z

Zircaloy, 96, 524, 658
 Zircaloy-2, 119, 222, 339, 449, 584, 617
 Zircaloy-4, 170, 384, 400, 720, 780, 837
 chemical state, 135, 154
 dimensional stability, 471
 embrittlement, 702
 high burnup applications, 119
 low-tin, 490
 oxide scales, 190
 PWR-type conditions, 169
 Thermal-mechanical behavior, 674
 Viscoplasticity, 811
 Zirconia, 135
 α -Zirconium, 863
 Zirconium alloys, 3, 20, 33, 59, 80, 119,
 135, 362, 384, 427, 507, 584, 658,
 674, 743, 758, 780, 796, 837
 ZIRLO, 471, 780
 Zr-1%Nb, 427
 Zr-2.5Nb, 247, 274, 297, 313, 507, 796
 Zr-Nb-Fe(O,Sn) system, 361
 ZrNbO alloys, 190, 674, 837, 863
 ZrNbSnFe alloys, 758
 Zr-Sn-Fe alloy, 119
 ZrSnFeV alloys, 673, 837
 Zr-Sn-Nb alloy, 119
 ZrSnNbFeCrV alloys, 743