

Subject Index

A

- Acoustic drop tower, 162
- Aerospace structures, bearing strength
 - behavior of fastener holes, 220
- Aging, polymeric composites, 177
- Aircraft applications and design for
 - composite materials, 162, 238
- Aircraft structural components, 238
- Argon and air environments, 190,
 - 194(table), 196(table)
- ASTM Standard
 - D 309, 23

B

- Bars, circular and rectangular, 53
- Bearing strength behavior, fastener holes, 220, 224-225(tables)
- Behavior, fatigue, environmental effect, 190
- Behavior, woven fabric composites, 263
- Bending stiffness, 323
- Biaxial testing, 136

C

- Carbon fiber epoxy materials, 7, 333
- Characterization, 263
- Circular bar, 53
- Clearance fit holes, 220
- Composite materials
 - cylindrical shells, 276
 - delamination fracture toughness, 291
 - failure criterion, 303
 - fiber composite lamina, 7
 - fiber-matrix interface stresses, 205
 - graphite epoxy, 23, 238
 - interlaminar tensile strength, 333
 - isotropic and orthotropic materials, 150
 - laminates for extension-twist coupling, 249
 - Iosipescu, 70
 - multiaxial ply, 124
 - strain rate effects, 162
 - thermomechanical fatigue behavior, 190
 - thick composites, 90

- titanium aluminides, 190
- tubular G-10 laminates, 136
- unidirectional laminates, 103, 205
- woven fabric, thermo-elastic properties
 - modeling, 263
- Composite plate, 150
- Compression, 7, 90, 103, 162, 276
- Compression specimens, 90, 103
- Compressive strengths, 117-119(table)
- Creep, polymeric composites, 177
- Curved beam, 333
- Curved shell, 263
- Cylindrical anisotropic elasticity, 276

D

- Deformation behavior tests, 7, 249
- Delamination
 - graphite/epoxy composites, 23
 - mixed-mode loading, 291
 - ply-drop configurations, 323, 328(table)
 - tensile strength specimen, 333
 - tubular laminates, 136
- Delamination failure criteria, 303, 318(table)
- Design, aircraft structural components, 238
- Design, thick composite shells, 276
- Diamond array, 205
- Dynamic response, composite materials, 162

E

- Elastic properties, 150, 156-158(tables), 177, 263
- Elastic tailoring, 249
- Elasticity, 276
- Elevated temperature, 177
- End effects, inelastic shear response, 53
- Environment, thermomechanical fatigue
 - effects of air and argon, 190
- Extension twist coupling, design and
 - testing of composite laminates, 249
- Experimental stress analysis, 238

F

- Fabric composites, thermo-elastic properties, 263
- Fabrication, woven fabric composites, 263
- Failure
 - biaxial testing, 136
 - environmental influences, 190
 - graphite epoxy, 23, 27(table), 29-30(tables)
 - mixed mode delamination, 303
 - off-axis flexure test, 124
 - thermomechanical fatigue behavior, 190
 - thick cylindrical shells, 276
 - unidirectional composites, 53
- Failure behavior, 136
- Failure criteria, mixed mode delamination, 291, 303, 318(table)
- Failure mechanisms, 323
- Fastener holes, bearing strength behavior, 220
- Fatigue, delamination, 323
- Fatigue testing, 291
- Fatigue, thermomechanical, 190
- Fiber composite lamina properties, 7
- Fiber matrix interface stresses, 205
- Fiber polymer composites, 162
- Fiber reinforced composites, 291
- Fiber reinforced titanium aluminides, 190
- Finite element analysis, 103, 220, 238
- Fracture toughness, 291

G

- Graphite/epoxy properties
 - bearing strength behavior, 220
 - inelastic shear response, 53, 54-55(tables)
 - interface stresses, 205
 - Iosipescu specimen shear property, 70
 - shells or rings under hydrostatic pressure, 276
 - stress/strain behavior, 177
 - transverse tensile strength, 23, 27-30(tables)
 - unidirectional composite laminates, 103

H

- High strain rates, 162
- Hole interaction, 238
- Holes, stress concentrations, 238
- Hydrostatic pressure, 276
- Hygrothermal stresses, 249

I

- Inelastic shear response, 53
- Interface stresses, micromechanical analysis, 205
- Interlaminar fracture toughness, 291
- Interlaminar stress, 323
- Interlaminar tensile strength, 333
- Intermetallic matrix composites, 190
- Iosipescu specimen, 70
- Isotropic materials, 150

L

- Lamina properties, 7
- Laminated composites, 249, 291
- Laminated shells, 276

M

- Material nonlinearity, 177
- Material properties of thick composites, 90
- Matrix crack, 23
- Matrix dominated lamina properties, 7, 8, 9(tables), 14(table)
- Mechanical properties of lamina, 7
- Metal matrix composites, environmental influences, 190
- Micromechanics, 7, 205
- Mixed mode delamination failure criteria, 303, 318(table)
- Mixed mode strain energy release rate, 291
- Modal analysis, 150
- Modeling, woven fabric composites, 263
- Moire interferometry, 70
- Multiaxial ply strength, 124

N

- Nonlinear shear response of unidirectional composites, 53

O

- Off-axis flexure test, 124, 133(table)
- Optimization methods, 249, 258(table)
- Organic matrix composites, 90
- Orthotropic materials, 150

P

- Particulate composite, 70
- Pin bearing strength, 220
- Plate vibration test, 150
- Ply-drop, 323

Ply strength, 124

Polymer composites

bearing strength behavior, 220

material properties, 181(table)

strain rate effects, 162

stress/strain behavior, 177

Polymer resins, 150, 156-158(tables)

R

Rectangular bar, 53

Repeating sublamine, 276

Repeating unit cell, 105

Residual stress, 276

S

Scale laws, 23

Shear deformation, 263

Shear modulus

fiber composite lamina, 7, 18(table)

Iosipescu specimen, 70

unidirectional composites, 53

Shear stress-strain, 53, 263

Shear test methods, 70

Sheet molding compound (SMC), 70

Short beam shear, 7

Specimen/fixtures contact mechanics, 70

Square array, 205

Stacking sequence, 276, 284-285(Tables)

Static tension, 323

Stiffness, delamination, 323

Strain concentration, 238, 245(table), 247(table)

Strain energy release rate, 291, 323

Strain measurement, 238

Strain rate effects, 162

Strength, 7, 23(Tables), 136, 220

Stress

cylindrical shells, 276

environmental effects, 190

fiber-matrix interface stresses, 205

finite element analysis, 23, 103, 124

graphite/epoxy composite panels, 238, 245(table), 245(table)

interlaminar tensile strength specimen, 333

polymeric composites, 177

Structural components, 238, 263

Superalloys, thermomechanical fatigue behavior, 190

T

Temperature, stress/strain behavior in

polymeric composites, 177

Tensile and compressive properties, 162

Tension, 7, 16(table), 23, 43(table), 270-271(Tables)

Test methods

compression, 90, 124

elastic properties, 150

finite element analysis, 103, 220

isotropic and orthotropic materials, 150

micromechanical analysis, fiber-matrix interface stresses, 205

strain rate effects, 162

Thermomechanical fatigue (TMF), 190, 205

Thermo-elastic properties, woven fabric composites, 263

Thick composites, 90

Thick sectioned composites, 276

Titanium aluminide composite, 190

Torsion

solid bars, 53, 65(table)

tubes and rods, 7

Torsion test, 53

Toughened resin, 220

Toughness testing, 303

Transverse properties, 7, 23, 39(table)

U

Unidirectional composites

compression, 103

cylindrical shells under hydrostatic pressure, 270(table)

extension twist coupling, 249

ply-drop configurations, 323

solid bars, 53

woven fabric complex shapes, 263

V

Vibration, 150

Viscoplasticity, polymeric composites, 177

W

Warping, woven fabric composites, 263

Weibull statistics, 23

Woven fabric

shear property, 70

thermo-elastic properties, modeling, 263

Wyoming fixture, 70