

Subject Index

A

- Abstraction, 114
- Access methods (*see also* Search strategies), 104, 132
- Accessibility of data, 46, 260
- ACTIS Tribomaterials Database I, 180
- Advanced materials database system (AMDBS), 168
- AISSA<TSNIIM, 10
- Alloys, 56
- Aluminide coatings, 252
- Aluminum alloys, 37, 44, 197
- ALUSELECT, 44
- ARIANE, 27
- ASM International, 2, 161
- Associativity of information, 114
- ASTM Committee E49, 1, 58, 73, 168
- ASTM Standards
 - C 28, 75
 - D 4000-87, 75
 - G 40-88, 180
- Austenitic stainless steels, 214
- AVESTA, 8

B

- Basquin relationship, 197
- Benefits of materials databases, 17, 103
- Bibliographic databases, 26, 181
- Bibliographic references, 142
- Bulgaria, 7

C

- C&HTC DATA BANK, 251
- Calculation software, 26
- Canonical data records, 84
- Catalogs, 114, 142
- CD-ROM (*see* Compact disk systems)
- Ceramics (*see also* VAMAS), 75, 168, 259.
- Chromium-molybdenum steels, 214
- Cluster analysis, 230

- Coatings and High Temperature Corrosion Data Bank (C&HTC DATA BANK), 251
- CODATA (Committee on Scientific and Technical Data), 1, 10, 17, 27
- Coffin-Manson relationship, 197
- COMAS, 230
- COMECON SRD system, 7
- Compact disk systems (CD-ROM), 103, 104
- Component analysis (*see* Design)
- Composite materials, 73, 75, 168
- Computer-readable databases, 44, 142
- Computer(s),
 - main-frame, 104
 - personal (PC), 27, 103, 161, 180, 231
- Corrosion, 251
- Cost-benefits, 18
- Creep and tensile properties, 214
- Cuba, 7
- Czechoslovakia (CzSSR), 7, 11
- Czechoslovakian timber (CzSSR), 11

D

- Data, 114, 144
 - collection, 37, 46, 142
 - models, 114
 - sources, 144
 - thesaurus, 114
 - validity of, 27, 73, 84, 251
 - values, 84
- Data bank, 44, 114, 251
 - design, 84
 - compilation, 26, 37, 142
- Data dictionary, 114, 181
- Data display, 103, 161
- Data pooling, 197
- Database, 1, 44, 251
 - construction, 37, 44, 161
 - and data sources, 2, 142, 168, 181
 - structure, 168, 181
- Database management systems (DBMS), 38, 103, 161
- Design, 114, 180, 197, 230

Designation, 56

Directory data, 27

Discriminant analysis, 230

Diversity of database systems, 57, 103

Downloading capabilities, 104

E

Ease of use, 103

Economics, 17, 38, 159

End-user (*see User's*)

Engineering materials, 73, 142

European Aluminum Association (EAA)

 Data Bank Project, 44

Evaluation, 37

F

Factual databases, 27

Fatigue, 197

Ferrous metals and alloys, 8, 142

File structure, 161

Fluids, 8

FOCUS database system, 214

Focused database, 259

Food products, 8

Format, 114

 of test results, 73, 114

 and user expectations, 103

France, 17, 26, 57

Friction (*see Tribology*)

G

German Democratic Republic (GDR), 7,

 37

Glass, 8

Grain size, 214

Graphics capability, 103, 168

Guidelines (*see also Standardization*), 1, 2,

 73

H

Handbooks, 142

Hardware, 38

Harmonized property values, 44

Harmonized terminology, 73

Heat exchangers, 261

High temperature corrosion, 251

HIGHTEMP, 214

Hungary, 7

Hypertext links, 84

I

Identification, 56

Indicators of data quality, 73

Industrial fluids, 10

Information, 143

 systems, 161

Inputting data, 161

Integrity of the database, 84

Interactive system, 161

Interchange, 114

International cooperation, 7, 17, 44, 57,
 105

International Council of Scientific Unions
(ICSU), 1, 17

International Register of Materials
 Database Managers, 17

IVTANTERMO, 10

K

KTH (Royal Institute of Technology,
 Sweden), 45

L

Layered approach, 114

Leather, 8, 11

Life, 197

Load history (L), 197

Low alloyed stainless steels, 214

Lubrication, 180

M

Machine-readable data, 2

Mainframe systems, 103

Management, 17

Marketing, 17

MARS.GIPROKAUT-CHUK, 11

MASMA, 8

Matches (*see Search strategies*)

Mat.DB, 161

Material designation systems, 2, 57

Material selection, 44, 132, 180, 230

Material(s), 84, 144

 and data, 26, 57, 114

 data banks, 7, 17, 37, 251

 type, 26

Materials Database Newsletter, 17

Materials Information for Science and
 Technology (MIST), 169

Materials Property Data (MPD) Network, 2

Materials property databases, 84, 114
 MCrALY coatings, 252
 Mechanical properties, 214
 of engineering materials, 142,
 of metals, 26
 Menu-driven interfaces, 2, 103
 Metadata, 3, 84, 114
 Metallurgical data, 214
 Metals (*see also* Aluminum alloys, Steels),
 10, 56, 75, 168
 MIL-HDBK, 168
 Minitel, 27
 Mongolia, 7
 MPD Network, 2, 103
 Multiple criteria (*see* Search strategies)
 Multivariate analysis, 230

N

National Institute of Standards and
 Technology (NIST), 181, 259
 National programs, 37
 Network, 84, 103
 Nomenclature, 104
 Nonbibliographic databases, 114
 Nonferrous metals, 8, 10
 Nonmetallic materials, 142
 Numeric databases, 26, 103, 180

O

Oil products, 8
 Online networks, 103
 Operating practices, 2
 Organic compounds, 11
 Organic products, 8

P

PC, SCD system, 259,
 Personal computers (PC), 27, 103, 161, 180
 and compatibility, 103
 and sources of data, 144, 259
 Phenomenological databases, 85
 Physical properties, 142
 Physical Properties of Materials (USSR), 9
 Physico-Chemical Properties of Organic
 Compounds (USSR), 11
 Pilot National Materials Property Data
 Network, 103
 Plastics, 9, 11
 PLASTPOLYMER (USSR), 11
 Poland, 7
 Polymer-matrix composites, 168

Polymeric materials, 73, 75
 Polymers, 9, 168
 Pooled data, 197
 Pressure vessels, 214
 Printed databases, 84
 Probabilistic design, 197
 Problem solving, 230
 Product development, 230
 Properties of Heat-Resisting Steels (CzSSR),
 9
 Properties of Iron Casting (GDR), 9
 Properties of Nonferrous Metals (GDR), 10
 Properties of Plastics (CzSSR), 9
 Properties of Polymeric Materials (USSR),
 11
 Properties of Polymers (GDR), 9
 Properties of Steels (GDR), 8
 Properties of Structural Materials (Poland),
 10
 Properties of Structural Steels (CzSSR), 10
 Properties of Structural Steels and Alloys
 for General Engineering Use
 (USSR), 10
 Properties of Timber and Fibrous Raw
 Materials (USSR), 11
 Properties of Tool Steels (CzSSR), 8
 Property data, 44, 73, 161
 Protocol, 114

Q

Queries, 133

R

Range searching, 132
 Refractory metals, 142
 Relational databases, 114, 168
 Reliability, 197
 Reporting formats, 73
 Retrieval systems (*see* Access, Computers,
 Search strategies, User's needs)
 Rumania, 7

S

SAE 1045, 197
 SAE 2024-T3, 197
 Safety index, 198
 SCD (Structural Ceramics Database), 259
 Scientific, Technical, and Economic
 Properties of Leather (CzSSR), 11
 Search strategies, 26, 103, 132
 and user expectations, 57, 103

Semantic data models, 114
 SMI (Swedish Materials Information), 231
 Software, 58, 161
 for building databases, 114, 181
 Sources of data, 142
 Specifications, 56
 Stainless steels,
 12% chromium stainless steel, 214
 15Cr-15Ni-1Mo stainless steel, 214
 17Cr-12Ni-2Mo-0.15N stainless steel,
 214
 Standard reference data (SRD), 2, 7
 Standardization, 7, 84
 of data dictionaries, 114
 of metadata, 84
 in operating practices, 2, 7, 73
 Standards, 73, 168
 Statistics, 197
 Steels, 8, 9, 214
 STN International, 2, 105
 Strain, 197
 Stress-life fatigue, 180, 197
 Structural Ceramics Database (SCD)
 system, 259
 Sweden, 1, 44, 214
 Switzerland, 1, 44
 Syntax, 114

T

Tables, 114
 Tabular databases, 114
 Technology transfer, 180
 TEKOMA, 10
 Temperature calculations, 180
 Tensile and creep properties, 214
 Terminology, 104, 161
 harmonized, 44, 73
 and metadata, 84
 Test results, 73
 Textual-numeric databases, 27
 THERMODATA, 27
 Thermodynamic Properties of Industrial
 Substances (USSR), 10
 Thermophysical Properties of Industrial
 Fluids (USSR), 10

Thermophysical Properties of Organic
 Substances, Mixtures, and Oil
 Products (USSR), 8
 Thesauri, 3, 84, 96, 114
 and data formats, 2, 84
 interactive, 103
 Timber, 8
 Timber and fibrous raw materials,
 properties of (USSR), 11
 Tool steels, properties of (CzSSR), 8
 Transfer of data, 114
 Tribology, 180
 Type of access, 26

U

Unalloyed stainless steels, 214
 Unified Numbering System (UNS) for
 Metals, 75
 Union of Soviet Socialist Republics
 (USSR), 1, 7
 Units of measurement, 161
 Universal numbering system, 73
 User friendliness, 37, 112
 User interface, 132
 User's, 27, 58, 112, 181
 in CODATA, 8, 17
 needs and expectations, 103, 132, 168
 in SCD system, 259

V

Validating data, 37
 Values, 115
 VAMAS, 57
 Vietnam, 7

W

Wear model calculations, 180

Y

Yield strength, 214