

Subject Index

A

- Adsorption saturation, 650
- Alpha irradiation
 - austenitic steels, 284
 - nickel, 295
- Aluminum
 - bubble growth during and after irradiation, 326
 - iron implantation, phase dissolution, 657
- Amorphization, niobium tin, 587
- Amorphous transformation
 - crystalline, irradiated Zircaloy-2, 457
 - neutron irradiated Zircaloy-4, 442
- Annealing, post-irradiation
 - aluminum, 326
 - Zircaloy-4, 442
- Argon, solid bubbles, 364
- Austenitic alloys
 - irradiated behavior, helium/dpa ratio and, 147
 - phosphorus-containing, irradiation behavior, 133
- Austenitic stainless steels
 - helium embrittlement, 223
 - irradiation behavior, 193, 203
 - titanium-modified, irradiation behavior, 160, 185
 - see also* Type 316 stainless steel
- Austenitic steels
 - helium diffusion to grain boundaries, 650
 - irradiation behavior, high temperature embrittlement, 284
 - vacancy rate absorption by grain boundaries, 632

B

- Bubbles
 - austenitic and martensitic stainless steels, 223
 - in copper, positron annihilation, 639
 - effect on void formation and growth, 473

- irradiated martensitic/ferritic steels, 35
- nucleation, 639
 - at grain boundaries, 555
- sink strength effect on void swelling rate, 543
- titanium-modified austenitic stainless steels, 160
- Type 316 stainless steel, 172

C

- Cavitation, tritium exposed copper, 340
- Cavities
 - effect on void formation and growth, 473
 - void swelling and, 501
- Chemical bias effect, void swelling, 501
- Chromium depletion
 - ferritic alloys, 396
 - stainless steel, 424
- Climbing dislocations, diffusional interaction with voids, 539
- Coldworking, void swelling suppression, 160
- Copper
 - boron-impregnated, 639
 - helium bubbles, positron annihilation, 639
 - oxygen-free, high conductivity, 340
 - tritium exposed, cavitation and embrittlement, 340
- Copper-based alloys, irradiation effect on chemical composition, 667
- Creep
 - cessation at high neutron exposures, stainless steels, 539
 - helium content and, 284
- Creep rupture
 - austenitic and martensitic stainless steels, 223
 - Hastelloy X, 271
- Crystalline-amorphous transformation, irradiated Zircaloy-2, 457
- Crystals, periodical spatial structure development, 510

D

- Defect cascade
 - ion-irradiated gold, 596
 - Nb₃Sn, at low temperatures, 587
- Defect clusters, ion-irradiated gold, 596
- Diffusion, radiation enhanced, 604
- Diffusion coefficients, nickel, 604
- Dislocation bias, 396
- Dislocation density
 - copper, 639
 - void swelling suppression, 147
- Dislocation loops
 - austenitic stainless steels, 193
 - titanium-modified, 160
 - ferritic alloys, 73
 - ion-irradiated gold, 596
 - martensitic/ferritic steels, 98
 - nucleation, surface effect, 523
 - Type 316 stainless steel, 172
- Dislocation network, irradiated ferritic alloys, 73
- Dislocations
 - irradiated austenitic stainless steels, 193
 - slowing down of climb at high neutron exposures, 539
- Disordering, niobium tin, 587
- Displacement damage, ferritic steels, 246
- Distribution function approach, void distribution, 490
- Dynamic compaction, titanium-modified austenitic stainless steel, 185

E

- Elastic interaction, point defects, 510
- Electron irradiation, effect on chemical composition of alloys, 667
- Electron spectroscopy, thermally aged HT-9 steel, 114
- EM10 and EM12, irradiation behavior, 5
- Embrittlement
 - ferritic steels, 5
 - high temperature
 - austenitic steels, 284
 - Hastelloy X, 271
 - helium role, 284
 - tritium exposed copper, 340
- Energy dispersive X-ray microscopy
 - Hastelloy X, 271
 - thermally aged HT-9 steel, 114
- Epitaxy, solid inert gas bubbles, 364

F

- F17, irradiation behavior, 5
- Fe-B alloys, vacancy rate absorption by grain boundaries, 632
- Fe-Cr-Ni alloys
 - radiation-induced phosphorus segregation, 379
 - self-ion irradiated, freely migrating defects, 604
- Ferritic alloys
 - irradiation behavior, 73, 203
 - radiation-induced segregation, 396
- Ferritic steels, irradiation behavior, 5, 61, 246
- Forced oscillator, with damping, 572
- Freely migrating defects, self-ion irradiated nickel and Fe-Cr-Ni alloys, 604

G

- Gamma-ray irradiation, effect on chemical composition of alloys, 667
- Gas tungsten arc welding, Type 316 stainless steel, 301
- Gold, ion-irradiated, cascade cluster formation, 596
- Grain boundaries
 - deformation, nickel, irradiation effects, 295
 - helium
 - bubble nucleation, 555
 - diffusion to, 650
 - maximum of internal friction, 632, 650
 - segregation, stainless steel, 424
 - vacancy rate absorption, 632

H

- Hastelloy X, high temperature embrittlement, 271
- Heat-to-heat variation, Type 316 stainless steel, 172
- Helium
 - bubble
 - in copper, positron annihilation, 639
 - growth in aluminum, during and after irradiation, 326
 - nucleation at grain boundaries, 555
 - creep strength and, 284
 - diffusion to grain boundaries, 650
 - effects on aged Nimonic 90, 263
 - flux, 555
 - high temperature embrittlement role, 284

irradiated martensitic/ferritic steels, 35
isotopically alloyed injector foils, 315
zone cracking and, Type 316 stainless steel, 301
Helium/dpa ratio, irradiated austenitic alloys, 147
Helium embrittlement
austenitic and martensitic stainless steels, 223
ferritic steels, 246
Helium-implantation, Hastelloy X, 271
High-temperature radiation embrittlement, nickel, 295
HT-9 steel, thermal aging, 114

I

Impact properties, ferritic steels, 246
Interatomic potential, solid inert gas bubbles, 364
Intergranular fracture
tritium exposed copper, 340
Type 316 stainless steel, 301
Internal friction, grain boundary maximum, 632, 650
Interstitial loops, nucleation, 523
Interstitials, superlattice parameters, 510
Iron
helium diffusion to grain boundaries, 650
implanted in aluminum, phase dissolution, 657
vacancy rate absorption by grain boundaries, 632
Iron-based alloys, irradiation effect on chemical composition, 667
Irradiation behavior, ferritic steels, 5, 61, 246
Isotopic alloying, mixed-spectrum reactors, 315

K-L

Kirkendall effect, 501
Krypton
precipitation, after implantation, 353
solid bubbles, 364
Lath boundary, irradiated martensitic/ferritic steels, 35, 61
Lattice statics, solid inert gas bubbles, 364
Laves phase, irradiated ferritic steels, 61
Leading factor transient regime, void swelling, 501

M

Manganese, radiation-induced segregation, 379
Martensitic/ferritic steels
irradiation behavior, 35
lath boundary, 35, 61
properties of initial, aged, and irradiated states, 98
Martensitic stainless steels, helium embrittlement, 223
Microhardness, aged Nimonic 90, 263
Microstructure
austenitic and martensitic stainless steels, 223
ferritic alloys, 73
ferritic steels, 5, 61
martensitic/ferritic steels, 98
Nimonic 90, 263
titanium-modified austenitic stainless steels, 160
Mixed-spectrum reactors, helium injection, 315
Mössbauer effect, 657

N

Nb,Sn, defect cascades, at low temperatures, 587
Neutron irradiation, austenitic steels, 284
Nickel
defect configurations, solid inert gas bubbles, 364
doping, martensitic/ferritic steels, 35
grain boundary deformation, irradiation effects, 295
helium diffusion to grain boundaries, 650
precipitation of injected krypton, 353
radiation-induced phosphorus segregation, 379
self-ion irradiated, freely migrating defects, 604
vacancy rate absorption by grain boundaries, 632
void swelling suppression, 147
Nickel alloys
alternative polarity recombination centers, 623
high temperature embrittlement after irradiation, 271
Nickel-hafnium alloys, irradiation effect on chemical composition, 667

Niobium tin, defect cascades at low temperatures, 587

Nucleation, post-irradiation annealing, 326

P

Phase dissolution, reimplantation, 657

Phase instability, neutron irradiated Zircaloy-4, 442

Phosphorus

radiation-induced segregation

nickel and Fe-Cr-Ni alloys, 379

stainless steels, 411

void swelling suppression, 133, 147

Platelets, solid inert gas bubbles, 364

Point defects

alternative polarity recombination centers, 623

diffusion, 523

effect on void formation and growth, 473

elastic interaction, 510

production, self-ion irradiated nickel and Fe-Cr-Ni alloys, 604

pulsing effects, 572

recombination, irradiation-induced solid solution decomposition, 437

stochastic fluctuations, 490

Positron annihilation, helium bubbles in copper, 639

Positron lifetime, 639

Precipitates

dissolution, neutron irradiated Zircaloy-4, 442

stability, ferritic alloys, 396

void swelling and, 473, 501

γ' -Precipitates, aged Nimonic 90, 263

Precipitation

austenitic alloys, 203

titanium-modified, 160

ferritic steels, 61, 203

krypton, after implantation, 353

martensitic/ferritic steels, 35

thermal aging of HT-9 steel, 114

Type 316 stainless steel, 172

Precipitation phase, martensitic/ferritic steels, 98

R

Radiation-induced segregation

ferritic alloys, 396

phosphorus, nickel and Fe-Cr-Ni alloys, 379

Rapid solidification, titanium-modified austenitic stainless steel, 185

Rare-earth impurity, alternative polarity recombination centers, 623

Reaction rate theory of radiation effects, 473

Recoil mixing, 604

Recombination

alternative polarity centers, 623

irradiation-induced solid solution decomposition, 437

Reimplantation, phase dissolution, 657

Relaxation field, solid inert gas bubbles, 364

S

Silicon, radiation-induced segregation, 379

Solid inert gas bubbles, simulation, 364

Stacking fault tetrahedral, ion-irradiated gold, 596

Steady state swelling, 501

Steel 50, irradiation effect on chemical composition, 667

Stochastic fluctuations, point defects, 490

Stress corrosion cracking, irradiation-assisted, stainless steel, 411, 424

Superconductivity, niobium tin, 587

Superlattice, parameters, 510

T

TENELON, irradiation behavior, 203

Tensile properties, ferritic steels, 246

Thermal aging

HT-9 steel, 114

martensitic/ferritic steels, 98, 114

Transmission electron, 271

Transmutation products, helium implantation, 315

Traps, superlattice parameters, 510

Tritium, exposed copper, cavitation and embrittlement, 340

Tritium trick, 301

Type 304 stainless steel, irradiation-assisted stress corrosion cracking and grain boundary segregation, 424

Type 316 stainless steel

creep cessation at high neutron exposures, 539

helium-induced degradation in weldability, 301

irradiation behavior, 172

radiation-induced phosphorus segregation, 411

small bubble sink strength effect on void swelling rate, 543

void swelling, 501

Type 316 L stainless steels
helium embrittlement, 223
irradiation behavior, 203

V

Vacancies
bias flow, 501
cluster, solid inert gas bubbles, 364
ion-irradiated gold, 596
rate of absorption by grain boundaries, 632
superlattice parameters, 510
Void growth
microstructure-dependent mechanisms, 473
pulsing effects, 572
Void nucleation
microstructure-dependent mechanisms, 473
point defect recombination, 437
Voids
austenitic stainless steels, 193
diffusional interaction with climbing dislocations, 539
distribution, spatially homogeneous, stochastic instability, 490
ferritic alloys, 61, 73
martensitic/ferritic steels, 35, 98
ordering, 490

Void swelling
alternative polarity recombination centers, 623
austenitic alloys, 203
phosphorus-containing, 133
titanium-modified, 160, 185
chemical bias effect, 501
effects of starting dislocation density, nickel, or phosphorus content, 147
ferritic alloys, 5, 73, 203, 246, 396
helium effect, 35
leading factor transient regime, 501
microstructure-dependent mechanisms, 473
point defect recombination, 437
small bubble sink strength effect on rate, 543
Type 316 stainless steel, 172, 501

W-Z

Weldability, helium-induced degradation, Type 316 stainless steel, 301
Xenon, solid bubbles, 364
Zeta-phase, neutron irradiated Zircaloy-4, 442
Zircaloy-2, electron irradiation-induced amorphization of precipitates, 457
Zircaloy-4, microstructure, neutron irradiation, 442
Zone cracking, Type 316 stainless steel, 301