

Subject Index

A

- AATCC. *See* American Association of Textile Chemists and Colorists.
- Absorption, 82–87, 132, 133(table), 134(fig)
- Accelerated aging test, 110
- Acoustical insulation covers, 677–678
- Acoustics
- evaluation of thermal insulation, 319–342
- Aerated concrete, 15–37
- Ageing. *See* Aging.
- Aging
- cellular thermal insulations, 121, 124–125
 - closed-cell foam insulation, 110, 116–119(figs)
 - extruded polystyrene, 201
 - foam insulation, 189–196
 - gas diffusion in closed-cell foams, 174–186
 - gas-filled foams, 156–173, 159–163(table, figs)
 - rigid insulating foams, 205–217
 - test procedure, 170
- Aging acceleration, 199, 200(figs)
- Aging tests
- gas-filled foams, 156–173
 - rigid insulating foams, 205–217
- Air quality, indoor—building foundations research and design, 658
- Air temperature
- calibrated hot box—transfer function coefficients, 347
 - computer modeling of climate, 599–611
 - outdoor electronic cabinets, 735–736, 737–739(figs)
- Airtightness, 397, 412, 426
- ALC. *See* Autoclaved aerated concrete.
- Alumina fleece
- elasto-mechanical behavior, 71–73(figs)
 - ultrasonic investigations, 71–77(figs)
- Aluminosilicate materials, 741
- American Association of Textile Chemists and Colorists (AATCC)
- AATCC-M35-1980, 677, 681
- American Society of Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE)

Standards

- ANSI/IES/ASHRAE standard, 90, 365
 - ASHRAE air space resistance tables, 382
 - ASHRAE air space thermal resistance tables, 383
 - ASHRAE fundamentals handbook, 381, 386–387
 - ASHRAE handbook—1985 fundamentals, 451
 - ASHRAE handbook, 365
 - ASHRAE standard 90.2, 660–661
- Analytical design—insulation of outdoor electronic cabinets, 723–740
- Analysis
- magnesium oxychloride-based foam, 41–50
- Apparatus and technique
- gas diffusion measurement, 177–179(figs)
- Appliance insulation
- material properties, 52–65
- ASHRAE. *See* American Society of Heating, Refrigerating and Air-conditioning Engineers—Standards
- ASTM Standards
- See also* Standards—International, Building codes
 - A-240, 692
 - Bulletin no. 225, 689
 - C-39, 444(table)
 - C-78, 444(table)
 - C-165, 677, 680
 - C-167, 255, 677, 680
 - C-177, 163, 164, 170, 194, 217, 263, 382, 384, 444(table), 450, 451, 462, 496, 525, 677, 680, 710, 711, 720
 - C-182, 699
 - C-195, 693
 - C-202, 699
 - C-236, 164, 205, 208, 263, 382, 496
 - C-335, 525, 681
 - C-411, 681
 - C-417, 699
 - C-423, 681
 - C-449, 693
 - C-469, 444(table)

ASTM Standards (cont.)

- C-496, 444(table)
 C-518, 3, 163, 164, 170, 194, 208, 217, 244,
 263, 496, 518
 C-553, 677, 680
 C-567, 444(table)
 C-665, 636
 C-666, 444(table)
 C-687, 244, 253, 254, 255, 262, 263, 264,
 265, 267
 C-692, 681, 688–698
 C-739, 222, 636
 C-795, 680, 689
 C-871, 681
 C-892, 680
 C-945, 143
 C-976, 163, 263, 382, 383, 437, 448, 451,
 461, 518
 C-1029, 143
 C-1041, 496
 C-1046, 451, 462, 496
 C-1094, 675–687
 D-226, 608
 D-312, 608
 D-XXX (in preparation), 143
 D-471, 681
 D-751, 677, 681
 D-1117, 677, 679, 681
 D-1434, 184
 D-1682, 677, 681
 D-1683, 681
 D-1894, 681
 D-2176, 677, 679, 681
 D-4157, 677, 679, 681
 E-84, 677, 681
 E-108, 144
 E-119, 681
 E-228, 444(table)
 E-230, 444
 E-408, 385
 E-596, 681
 G-1, 651
 G-26, 681

Attics

- acoustics for evaluation of thermal insulation, 319–342
 insulation, 548
 loose-fill thermal insulation, 231, 290–318
 loose-fill rock wool insulation, 237–243
 radiation heat transfer, 545–560

Austenitic stainless steel—corrosion testing, 688

Autoclaved aerated concrete, 15–37

Autoclaved lightweight concrete. *See Autoclaved aerated concrete.*

Automated control system—high temperature apparatus, 714

B

- Barometric pressure,** 9(fig)
Blocks, 20
Blowing, 254–255
Bond strength, 28–29
Building codes
 BOCA, 144
 ICBO, 144
 SBCCI, 144
 Underwriters Laboratory, UL 790, 144

- Building envelope**
 cellular plastics applications, 141–155
 lightweight structural concrete, 438
 metal frame walls—insulating materials,
 362–377
 reflective insulation systems, 378–396
 roof systems—thermal performance, 483–
 495, 496–509

Building Foundations Research Review Panel, 657(table)

Building foundations—research and design, 655–662

Building materials, thermal insulation, 626

C

- Calibrated hot box**
 insulated cavity wall, 397
 test method for transfer function coefficients, 347(fig), 348
 thermal resistance testing, 363, 364–
 365(figs), 383–384, 389, 393–394
- California, State of, thermal insulation program,** 221–230
- Calorimeter—performance test methods,** 699–709

Calorimetric measurements, 584

Capillarity, 22

Cavity wall
 test wall, 397–400(figs)

Ceiling heat flux
 attic insulation, 545–560

Cellular concrete
 thermal conductivity, 401(fig)

Cellular glass, 123

Cellular plastics
 building envelope applications, 141–155
 gas-filled foams, 156–173

Cellular thermal insulations, 121–140

Cellulose—corrosiveness testing, 636–640,
 651–652

Cellulose loose fill, 268(table), 269(fig)

Cement-based foam, 39

Cenosphere, 741

Central heating/cooling plants, 672–673

- Chlorofluorocarbons**
 foam insulation aging, 189–196
 in closed-cell foams, 174–175
 in foundations, 661
 thermal testing for rigid insulating foams, 205–217
- Classification—Sweden**
 thermal insulation materials, 197
- Climate**
 computer modeling, 599–611
 foundations data base, 658
- Closed-cell foam insulation**
 physical properties, 109–120
- Coatings**
 foam-in-place insulation, 147
- Coefficient of thermal expansion**, 23
- Combustion**
 cellular thermal insulation, 138
- Compression sampling**, 253
- Compressive strength**, 27(fig), 741
- Computer modeling of climate**, 599–611
- Concrete, aerated**, 15–37
- Concrete—lightweight**
 heat transfer, 438–439
 physical and thermal properties, 444(table)
- Portland cement, 440–443
- Condensation**, 635
- Conduction heat transfer**
 in attic ceiling fiberglass composite, 545–560
 in fibrous insulation, 538–539
 polystyrene foam insulation, 561–574
- Conduction program—HEATING5**, 525–536
- Conductivity**
 closed-cell foam insulation, 110–112, 115–120(figs)
- Conduit. See Piping.**
- Conservation activities—homeowners**
 household/housing characteristics, 616–617
- Construction material**, 17
- Consumers**, 612
- Convection**
 loose-fill thermal insulation, 290–318
 reflective insulation systems, 378–396
 thermal performance of insulated wall cavity, 397–420
- Copper—corrosiveness testing**, 639–640(table)
- Copper pipe corrosion**, 652–653
- Corrosion**, 635
- Corrosion testing**, 688–698
- Corrosiveness study—test methods**
 residential thermal insulation materials, 635–664
- Costs**
 foam-in-place insulation, 145, 146(table)
 residential buildings—energy conservation standards, 587
- COSTSAVR computer program**, 587–588
- Covers. See Insulation covers.**
- Cracking**, 23
- Creep**, 23
- Cylinders**
 electromagnetic radiation, 95, 105
- D**
- Dana test—corrosion**, 689
- Data acquisition and control**, 714
- Data base—foundations research and design**, 657–659
- Degradation—foundation materials research and design**, 658
- Density**
 autoclaved aerated concrete, 23, 27(fig)
 cellular insulation, 130
 foam insulation, 40–42
 loose-fill insulations, 263–289
 loose-fill rock wool, 239–242
 mineral fiber insulations, 244–252
 pneumatically applied insulations, 246–251(figs), 253–262
- Design considerations**
 autoclaved aerated concrete, 21–22
 outdoor electronic cabinets—thermal insulation, 723–740
 standards—thermal insulation, 626–633
 underground heat systems, 666–668
- Deterioration resistance**, 23
- DIET. See Dynamic insulation efficiency tester.**
- Diffusion**
 closed-cell foam insulation, 111–112, 113(tables), 114, 174–186
- Dynamic insulation efficiency tester (DIET)**, 526–536
- Dynamic thermal performance**, 345
- E**
- Economic considerations**, 10–11
- Elasticity**, 27(table)
- Elasto-mechanical measurements**
 fibrous insulations, 70, 71(figs)
- Electric radiant panel**
 flammability testing, 221, 225–229
- Electrical resistance probes**, 653
- Electromagnetic radiation by cylinders**, 105
- Electronic cabinets, outdoor—thermal insulation**, 723–740

Electronic equipment—outdoor shelters, 725–727
 Emissivity, 699, 700, 704–705(tables), 708, 735
 Energy conservation, 612
 Energy conservation standards
 HUD manufactured housing, 587
 Energy considerations—autoclaved concrete, 32–33
 Energy-efficient homes
 cost analysis, 587
 foundations—design, 655–662
 wall moisture study, 464–482
 Energy simulation analyses, 346
 Environmental chamber for corrosion tests, 641–643(figs)
 Excitation function, 350–351, 357
 Expansion, moisture, 25

F

Failure studies—underground heating systems, 673–674
 Fiberglass insulation, 66–78, 537–544, 548
 Fibrous assemblies, 79–105
 Fibrous insulation, 575
 Fire resistance, 24
 Fire resistance insulation covers, 677
 Flammability testing
 loose-fill cellulose insulation, 221–230
 Fly ash, 741
 Foam aging. *See Aging.*
 Foam-in-place cellular plastics
 building envelope applications, 141–155
 methods of applications, 141
 roof applications, 144
 walls, 144–145
 Foam insulation
 cellular thermal, 121–140
 closed-cell, 109–120
 foam-in-place cellular plastics, 141–155
 gas-filled foams, 156–173
 manufacturing process, 39–40, 158–160
 rigid insulating foams, thermal testing, 205–217
 Foil-faced polyisocyanurate.
 See Polyisocyanurate.
 Foundation walls, 630
 Foundations—insulation, 660–661
 Foundations—research and design energy savings potential, 655–662
 Frost resistance, 25
 Fumed-silica insulation, 3–14

G

Gas diffusion measurement
 in closed-cell foams, 174–186

Gas-filled foams, 156–173
 Gas radiant panel
 flammability testing, 222–225
 Gasbeton. *See Autoclaved aerated concrete.*
 Glass
 use in cellular thermal insulation, 121
 Glass fiber, 266(table), 267(fig), 274(table), 275(fig)
 Glass fiber—corrosiveness testing, 637–640
 Ground water, 666
 Guarded hot box, 292–293, 384–385, 389, 393–394
 Guarded hot plate measurement
 concrete mixes, 450–451
 fibrous insulations, 575
 thermal conductivity—high temperature apparatus, 710–715, 716–717(figs), 718–721
 windows, 429–431

H

Health and safety
 cellular thermal insulations, 138–139
 Heat conduction theory, 345
 Heat flow
 evaluation of attic insulation, 319–342
 transducers, 510–521
 Heat flow apparatus, 52–65, 530–531(figs)
 Heat flow measurement
 calorimeter, 707
 Heat-flux devices, 3
 Heat, specific, 26
 Heat transfer
 attic insulation, 336, 548–550
 building foundations, 655–662
 calibrated hot box, 346–347, 350(table), 351–355(figs)
 cenosphere base, 741
 closed-cell foam insulation, 110, 114
 extruded polystyrene, 203–204
 fiberglass/gypsum composite, 546–560
 fibrous insulation materials, 546–548
 insulated wall cavity, 402–403, 404–407(tables), 408–411(figs)
 lightweight structural concrete, 437–463
 low density insulators, 80–81
 polystyrene foam insulation, 561–574
 reflective insulation systems, 385
 windows, 421–436
 Heat transfer equations, 512–514
 Heat transfer measurements, 514–519
 Heat transmission. *See Heat transfer.*
 Heat treatment tests, 10–11
 HEATING5 conduction program, 525–536
 High temperature conditioning, 11(table)

High temperature measurement, guarded hot-plate apparatus, 710
 Homeowners—conservation/energy activities, 616–619
 Horizontal hot box, 293–295(figs)
 Hot box–cold box, 401, 402(fig), 432–433, 446–450, 454–455
 Humidity effects, 11

I

In situ thermal performance, 496–509
 Infrared properties, 578
 Injection methods for foam-in-place cellular plastics, 142
 Insulated pipe, 665
 Insulating concrete, 15–37
 Insulating gases, 191–194
 Insulation
See also Thermal conductivity, Thermal insulation
 cavity wall, 397–420
 ceiling fiberglass/gypsum composite, 545–560
 cellular thermal, 121–140
 closed-cell foam, 109–120, 174–187
 consumer activities, 612–623
 design standards, 626–633
 fiberglass, 537–544
 fibrous assemblies, 79–105
 for appliances, 52–65
 foundations—energy saving potential, 655–662
 gas-filled foams, 156–173
 handling, 4
 loose-fill cellulose insulation, 221–230, 231
 magnesium oxychloride-based foam, 38–51
 polystyrene insulation, 483, 561–574
 porous materials, 510–521
 residential, 635
 roofs, 496–509
 underground piping systems, 672(table)

Insulation corrosion testing, 688–698
 Insulation covers—removable/reusable, 675
 International Union of Testing and Research Laboratories for Materials and Structures (RILEM), 33

K

Karnes test—corrosion, 689

L

Labeling, 628

Life-cycle cost analysis of residential buildings, 587
 Lightweight aerated concrete, 15–37
 Lightweight structural concrete. *See* Concrete.
 Linear heat flow apparatus, 56, 57(fig)
 Lofting, 244
 Loose-fill insulation
 apparent thermal conductivity, 263–289
 blowing, 254
 convective effects, 291
 flammability testing, 221–230
 settling, 231
 Low-density insulators, 80–81

M

Magnesium oxychloride-based foam manufacture, 39–40
 physical properties, 40–41
 Manufacture and production
 autoclaved aerated concrete, 18, 19(fig)
 cellular insulations, 122–123
 magnesium oxychloride-based foam, 38–51
 Masonry foundations—design, 656
 Material density, 8(fig)
 Material handling
 fumed-silica insulation
 Material properties of appliance insulation, 52–65
 Material stability, 9
 Materials testing, thermal insulation, 626
 Mean specific heat, 741
 Mean temperature sensor, 711, 718, 720–721
 Measurement technique
 energy-calibrated hot box tests, 349
 for evaluating attic insulations, 320–324
 Mechanical properties
 cellular thermal insulations, 121
 foam-in-place urethanes, 152
 Microspheres, 741, 742(tables), 743–746(figs, tables)
 Mie theory, 575
 Mineral wool—airtightness/density, 412, 413–414(figs)
 Mineral wool—corrosiveness testing, 637–640
 Modeling of aging process
 gas-filled foams, 164–168
 Models
See also Physical model
 building foundations research and design, 655–658
 computer modeling of climate, 603
 Moisture content
 autoclaved aerated concrete, 22

- M**
- Moisture content (*cont.*)
 cellular thermal insulations, 121, 132, 133(table)
 extruded polystyrene, 201–204
 magnesium oxychloride-based foam, 40–42
 walls, 464–482
- Moisture effects
 condensation, 635
 corrosiveness testing, 653–654
 fibrous insulations, 537–544
 foundations—research and design, 659
 wall moisture study, 476–477
 water leakage in walls, 635
- Moisture expansion and shrinkage, 25
- Moisture migration, 25
- N**
- National Fire Protection Association (NFPA) Standards
 NFPA 701, 681
- Natural cooling, 723
- O**
- Optical methods, 580–581
- P**
- Panels, 20
- Passive conditioning, 723
- Percolation theory, 68
- Performance standards—insulation covers, 676–677
- Permeability
 autoclaved, aerated concrete, 25
 cellular insulation, 132
 closed-cell foam insulation, 109–120, 178–185
- Permeable insulation materials in attics, 310–313
- Phenolic, 123
- Physical model
 thermal insulation—outdoor electronic cabinets, 723, 727–728
- Physical properties
 cellular thermal insulations, 121, 124–125, 126–127(table), 130–140
 closed-cell foam insulation, 109–120
 foam-in-place urethane, 148–152, 149(table)
 fumed silica material, 5(table), 7(table)
 hardened concrete, 444(table)
 magnesium oxychloride-based foam, 40–48
- Pipes—corrosiveness testing, 639–640(table)
- Piping—underground heating systems, 667–673
- Plastic foams. *See* Foam insulation, Insulation.
- Pneumatically applied insulations, 244–252, 253–262
- Polycarbanilide, 141
- Polyisocyanurate, 122, 141, 205
- Polystyrene, 122, 197–204
- Polystyrene foam insulation
 thermal conductivity, 561–574
- Polyurethane
 aging, 189–196
 aging study for rigid insulating foams, 205–217
 building envelope applications, 141
 gas-filled foams, 158–159
 physical properties, 122–123
- Porosities, 29, 30–31(figs)
- Porous insulating materials
 thermal measurements, 510–521
- Production—autoclaved aerated concrete, 17(table, fig)
- Properties
 autoclaved aerated concrete, 22–31
- PROPOR (computer program for estimating thermal conductivity), 483, 504–506
- Protective coatings
 foam-in-place insulation, 147–148
- Q**
- Quality assurance, 254, 626, 630
- Quality control—Sweden
 extruded polystyrene, 197–204
- R**
- Radial heat flow apparatus, 54, 55(fig), 529–530(table)
- Radiant heat transfer
 fibrous low-density insulators, 79–105
- Radiant panels
 for flammability testing, 221–230
- Radiation
 fiberglass insulation, 537–544, 545–560
- Radiation transfer, 86–87
- Radiative heat transfer
 insulation material, 99, 575
 modeling, 540
 organic fibers, 578
- Refractive index of polymeric materials, 86–87
- Refractory fiber, 699
- Reproducibility, 718, 720
- Research needs—building foundations, 656–661

Residences
 consumer insulation activities, 612
Residential buildings—design standards, 626–633
Residential insulation—test methods, 634–654
RILEM (International Union of Testing and Research Laboratories), 33
Rock/slag wool, 272(table), 273(fig)
Rockwool—corrosiveness testing, 637–640
Roof systems
 thermal performance, 483–495, 496–509
Roofing membranes—sliding
 climatic effects, 599, 607–610
Round robin on ASTM C-687 loose-fill insulations, 284–289
Round robin on calorimeter performance, 699
Round robin on Nordic window *U*-value measurements, 434
Ruggedness test—calorimeter, 700–702, 703–705(tables)

S

Safety
 cellular thermal insulations, 138–139
Sampling for thermal testing, 208, 209(fig)
Scanning electron microscopy, 45
Scattering theory, 82–87, 88–93(figs), 105, 579
Settling—loose-fill insulation in attics, 232–233, 234–235(figs)
Shaping and working, 26
Shear and bond strength, 28–29
Shelter—outdoor electronic cabinets—insulation, 723–740
Shrinkage, moisture, 25, 40–42
Silica aerogel composite
 sample description, 4
Silica powder
 thermal resistance, 52–55
Silicate binder, 745(figs)
Soil properties data base, 658
Soil studies, 666–667
Solar radiation, 723
Solid conduction, 67–68
Sound absorption, 26
Specific heat, 26
Spraying method for foam-in-place cellular plastics, 142
Stainless steel—test methods for corrosion, 688–698
Standard reference material, 3–14
Standards—International
 See also ASTM, Building codes
AATCC 35-1980, 677

ANSI/ASQC standard Z-1.15-1979
ANSI/IES/ASHRAE standard 90, 365
ASME B31.1 Code for pressure piping
Federal Construction Council Technical reports
30-Underground heat distribution systems, 665
39-. . . components for underground heat distribution systems, 665–666
47-Field investigation—underground heat distribution systems, 666
66-Underground heat distribution systems, 666
German standard DION 52612, 428
German standard DIN 52616, 426
ISO/DIS 8301, 510, 511
ISO/DIS 8873, 143
ISO/DOC. 9288, 576
ISO/DP 8990, 421
MIL-I-24244, 689, 692–693
Minnesota Statutes chapters 325F.20 and 320F.21, 627
NSB standard reference material
 #1450b, 217, 526, 711
 #1451, 711
 #1470, 184–185
NFPA-701, 681
Nuclear regulatory guide, 1.36, 689
Swedish standard
 SS 024212, 421
 SS 024213, 421, 426
UL-1709, 681
US Army Corps of Engineers, CRD-36-73, 444(table)
US Army Corps of Engineers, CRD-C124-73, 444(table), 460
US fed std HH-I-515D, 636
Steel—corrosiveness testing, 639–640(table)
Stocking and shipping—autoclaved aerated concrete
 quality assurance tests, 20
Strength
 autoclaved aerated concrete, 26, 27(table), 28–29
 cellular thermal insulations, 134, 136(table)
 foam-in-place urethanes, 152
Structure of autoclaved aerated concrete, 29
Surface temperature
 computer modeling of climate, 599–611
Sweden
 window *U*-value measurements, 421–436

T

Temperature
 computer modeling of climate, 599–611

- Temperature measurement
calibrated hot box, 350
- Temperature resistance
autoclaved aerated concrete, 31
cellular insulation, 130, 131(fig)
- Tensile strength, 28
- Termite shields, 661
- Test house characteristics
wall moisture study, 470(table)
- Test methods
acoustic technique for measuring attic insulations, 327–333, 334–335(figs)
calorimeter performance, 699–709
corrosion—austenitic stainless steel, 688–698
fumed-silica specimens, 6
gas-filled foams, 156–173, 194–195
in situ thermal performance—roofs, 496–509
guarded-hot-plate apparatus—thermal conductivity measurement, 710–722
insulated cavity walls, 397–420
lightweight structural concrete, 446–451
pneumatically applied insulations, 245–246
radiant panels, gas and electric, 222–228
ramp test, 347
residential insulation, 635–654
rigid insulating foams, 207–217
thermal resistance
 metal frame wall construction—insulating materials, 366–369
 modeling, 525
thin fibrous insulations, 576
transfer function coefficients for calibrated hot box, 348–349
wall moisture study, 464–482
window *U*-value measurements, 421–436
- Thermal conductivity
autoclaved aerated concrete, 31
calorimeter performance study, 699–709
cenosphere, 745
closed-cell foam insulation, 115–119(figs), 174–186
extruded polystyrene, 197–204
fibrous insulations, 66–78, 537–544
fine powders, 60(table), 61–62(figs)
foam-in-place urethane, 148, 149–151(tables)
foam insulation aging, 189–196
fumed-silica insulation, 8–13
gas-filled foams, 156–173, 159(fig)
insulated cavity walls, 398
loose-fill insulations, 263–289
magnesium oxychloride-based foam, 40–44
- measurement, calorimeter performance, 699
measurement, guarded-hot-plate apparatus, 710–722
pneumatically applied insulations, 244–252
polystyrene foam insulation, 561–574
PROPOR computer program for estimating, 487–489, 492, 494
thin heaters, 526–527
- Thermal conductivity—calorimeter performance study, 699–709
- Thermal conductivity standard reference materials (SRMs), 3
- Thermal insulation
cavity wall, 397–420
cenosphere, 741
conductivity. *See* Thermal conductivity.
extruded polystyrene, 197–204
flammability testing of loose-fill cellulose, 221–230
low-density fiber materials, 575
outdoor electronic cabinets, 723–740
reflective insulation systems, 378–396
residential, 634–635
settling of loose-fill in attics, 231–236
settling of rock wool insulation in attics, 237–243
standards, 626–633
- Thermal insulation covers—removable/reusable, 675–687
- Thermal measurements, 70–77(figs), 510–521
- Thermal modeling, 56(table), 528–529
- Thermal performance
cavity wall, 397–420
metal frame wall constructions—insulating materials, 376
reflective insulation systems, 378
roof systems, 483–495
transfer function coefficients for calibrated hot box, 345
- Thermal properties—hardened concrete, 444(table), 448–462
- Thermal resistance
attic insulations, 336, 338–341(figs)
fine powders, 52–65
gas-filled foams, 156–173
loose-fill rock wool, 242
metal frame wall constructions—insulating materials, 362–369, 370(tables), 371–373, 374–375(tables)
modeling—on thin heaters, 526
reflective insulation systems, 378–396
- Thermal resistance measurements systems, 526–529, 575–576

Thermal resistance tests
gas-filled foams, 163–168
thin heaters, 525–536

Thermal test apparatus, 526–527

Thermal testing
calibrated hot box, 345–361
pneumatically applied insulations, 244–252
rigid insulating foams, 205–217

Thermal transmission
cellular thermal insulations, 124, 128–129(table, fig)
window *U*-value, 421–436

Thermocouple device, 701, 714

Thermogravimetric analysis, 46–47, 48(table)

Thermophysical properties—outdoor electronic cabinets, 732(table)

Thin heaters
thermal modeling, 525–536

Toxicity
cellular thermal insulation, 138

Transducers, heat flow, 510

Transfer function coefficients
calibrated hot boxk, 350–351(table, fig), 350(table), 351–357(figs)

Transient heat transfer tests, 537–544, 545–560

U

Ultrasonic investigation
fibrous insulations, 71–77(figs)

Underground insulated pipe systems, 665–674

Underwriters' Laboratory (UL), UL-701, 681

Urea-formaldehyde, 123

Urethane raw material production—US, 146(table)

V

Ventilation
wall moisture study, 477–479

Viscosity, 115

W

Wall constructions—thermal resistance
insulated cavity, 397
metal frame with insulating materials, 362–377
moisture study, 464–482

Wall simulation—test methods for corrosiveness study, 635–643

Walls—water leakage, 635

Water calorimeter, 699, 700(fig)

Water leakage. *See* Moisture

Water solubility, 26

Water vapor permeability, 132, 134(fig), 152

Windows—thermal transmission, 421–436

Wood moisture content, 472–476

X

X-ray diffraction, 44