

Subject Index

A

- Acetone, wastes containing, 61
- Adsorption, permanence evaluation, 33
- Alkalinity, solidified heavy metal sludges, 283
- Aluminum phosphate hardener, hazardous waste incinerator residues, 90
- Anion exchange resins, solidification, grout-based waste forms, 133
- ANS 16.1 test, 204
- Appraisal, full-size radioactive waste packages, 479
- Arsenic, metal-contaminated soils, 426

B

- Benzene, wastes containing, 61
- Binders, chemistry, 374
- Biogeochemistry, municipal solid waste incinerator ash, 119
- Bitumen, low-level radioactive waste disposal, 3
- Boiler ash, hazardous waste incinerator residues, 90
- Borate waste
 - cementation by adding slaked lime, 338
 - dried, solidification with polyester, 297

C

- Cadmium
 - GEODUR additive and leachability, 320
 - municipal solid waste incinerator ash, 119
- Calcium hydroxide, cement attack of water or undersaturated lime solutions, 227
- Calcium oxide, solidification with polyester, 297
- Calcium silicate hydrates, cement attack of water or undersaturated lime solutions, 227
- Cement
 - additives, 320
 - effect of water or undersaturated lime solutions, 227

- generalized acid neutralization capacity test, 361
 - hazardous wastes, 255
 - in-line grout meter, 394
 - low-level radioactive waste disposal, 3
 - wastes containing volatile organic compounds, 61
- Cementation, borate waste by adding slaked lime, 338
- Cemented boiling water reactor, cesium from evaporator concentrates, 182
- Cementing agents, hazardous organic wastes, 43
- Cement matrices, toxic element release, 171
- Cement waste forms
 - anion exchange resins, 133
 - leachability of Co-60, Sr-85, and Cs-137, 204
- Ceramic-clay matrices, incorporation of radioactive wastes, 86
- Ceramics, incorporation of radioactive wastes, 86
- Cesium
 - GEODUR additive and leachability, 320
 - leachability, 182
 - lysimeter data and performance assessment plans, 448
- Cesium nitrate, immobilized, hydrating water effect, 217
- Characterization, full-size radioactive waste packages, 479
- Chemical bonding, permanence evaluation, 33
- Chemical fixation, flue gas desulfurization sludges and fly ash, 103
- Chlorinated phenol contaminated soil, solidification and stabilization, 73
- Chlorobenzene, wastes containing, 61
- Chloroform, wastes containing, 61
- Chromium, metal-contaminated soils, 426
- Clays, incorporation of radioactive wastes, 86
- Clinoptilolite, leachability of Co-60, Sr-85, and Cs-137, 204
- Cobalt, lysimeter data and performance assessment plans, 448

Compressive strength tests, metal-contaminated soils, 426
Cone index test, 385
Copper
 generalized acid neutralization capacity test, 361
 GEODUR additive and leachability, 320
 municipal solid waste incinerator ash, 119
 toxic element release, 171
 waste sandblasting grit, 466

D

Degradation, modelling, cement attack, 227
Detonation, explosive-contaminated solid wastes, 378
1,2-Dichloroethene, wastes containing, 61
Differential scanning calorimetry, stabilization/solidification evaluation, 33
Diffusion coefficient, immobilized cesium nitrate release, 217
Diffusion models, environmental product certification, 149
Dilution, permanence evaluation, 33
Dolomite, generalized acid neutralization capacity test, 361
Durability testing, anion exchange resin solidification, 133
Dynamic compaction, radioactive waste, 440

E

Electrical resistance, in-line grout meter, 394
Environmental product certification, leaching characteristics, 149
Environmental Protection Agency, SITE demonstrations, uncontrolled hazardous waste sites, 409
Explosive reactivity, explosive-contaminated solid wastes, 378
Extraction procedure toxicity tests, metal-contaminated soils, 426

F

Filter dust, hazardous waste incinerator residues, 90
Flow-around leach tests, 204
Flue ash, hazardous waste incinerator residues, 90
Flue gas, desulfurization sludges and fly ash, chemical fixation, 103

Fly ash
 flue gas desulfurization, 103
 generalized acid neutralization capacity test, 361
 municipal solid waste incinerator, 119
Fourier transform infrared spectra, stabilization/solidification evaluation, 33

G

Gap test, explosive-contaminated solid wastes, 378
Generalized acid neutralization capacity test, 361
GEODUR process, 320
Grout
 in-line meter, 394
 in situ, radioactive solid waste burial trenches, 415
 waste forms, solidification of anion exchange resins, 133
 wastes containing volatile organic compounds, 6

H

Hazardous waste
 environmental product certification, 149
 long-term leaching performance, 242
 metal-contaminated soils, 426
 organic, effectiveness of stabilization and solidification, 43
 solidified, disposal, 283
 solidification and stabilization, 18
 short-term penetration testing, 385
 uncontrolled sites, 409
Hazardous waste incinerators, residue fixation, 90
Hazardous waste sites, public and regulatory acceptance of performance standards, 12
Heavy metals
 flue gas desulfurization sludges and fly ash, 103
 GEODUR additive and leachability, 320
 hazardous waste incinerator residues, 90
 solidified sludge, disposal, 283
 stabilization, 193
 stabilization/solidification in sediment, 304
High-integrity containers, low-level radioactive waste disposal, 3

Hydrating water, effect on diffusion release
of cesium nitrate, 217
Hydraulic conductivity, in situ grouting
with polyacrylamide, 415

I

Immobilization
heavy metals in sediment, 304
proper application, 18
toxic element release, 171
wastes containing volatile organic
compounds, 61
Internal ignition test, explosive-
contaminated solid wastes, 378
Ion exchange resins, leaching behavior of
Co-60, Sr-85, and Cs-137, 204

K

Kiln dust, generalized acid neutralization
capacity test, 361

L

Leachability
cesium, 182
Co-60, Sr-85, and Cs-137 from cemented
ion-exchange resin waste forms, 204
flue gas desulfurization sludges and fly
ash, 103
generalized acid neutralization capacity
test, 361
GEODUR additive and, 320
hazardous wastes
incinerator residues, 90
radioactive waste solidification
methods, 255
heavy metals in sediment, 304
hydrating water effect, 217
long-term, commercially stabilized waste,
242
lysimeter data and performance
assessment plans, 448
sandblasting grit, 466
solidified dried borate waste, 297
solidified heavy metal sludges, 283
stabilization/solidification of metal-
contaminated soils, 426
strontium, 182
waste constituents and, 193
Leaching mechanisms, environmental
product certification, 149
Leaching test, toxic element release from
solidified wastes, 171

Lead
generalized acid neutralization capacity
test, 361
GEODUR additive and leachability, 320
metal-contaminated soils, 426
municipal solid waste incinerator ash, 119
SITE demonstrations, uncontrolled
hazardous waste sites, 409
waste sandblasting grit, 466
LIMB ash, 103
Lime, generalized acid neutralization
capacity test, 361
Lime-pozzolan matrices, toxic element
release, 171
Lime solutions, undersaturated, cement
attack, 227
Lithium toxic element release, 171
Lysimeter, site specific performance
assessment plans, 448

M

Marine disposal
GEODUR additive and leachability, 320
municipal solid waste incinerator ash, 119
Marine sediment, municipal solid waste
incinerator ash, ocean disposal
effects, 119
Metal-contaminated soils, stabilization/
solidification, 426
Metal finishing waste treatment,
leachability, 193
Metals, SITE demonstrations, uncontrolled
hazardous waste sites, 409
Methyl ethyl ketone, wastes containing, 61
Municipal solid waste incinerator ash
cement additives, 320
ocean disposal and marine sediments,
119
Munitions, explosive-contaminated solid
wastes, 378

N

Netherlands Energy Research Foundation,
leach database, 149
New Bedford Harbor Superfund site,
stabilization/solidification of heavy
metals in sediment, 304
Nuclear waste See Radioactive waste

P

PCBs, SITE demonstrations, uncontrolled
hazardous waste sites, 409

- Penetration resistance, in situ grouting with polyacrylamide, 415
- Perchloroethene, wastes containing, 61
- Performance assessment
 - full-size radioactive waste packages, 479
 - site specific plans, lysimeter data, 448
- Performance standards, wastes in hazardous waste sites, 12
- Phenol contaminated soil, solidification and stabilization, 73
- Polyacrylamide, in situ grouting, radioactive solid waste burial trenches, 415
- Polyester
 - dried borate waste solidification, 297
 - resins, hazardous wastes, 255
- Polymer solidification, hazardous wastes, 255
- Porosity factor, immobilized cesium nitrate release, 217
- Port Hope Harbor, radioactive contaminated sediments, stabilization and in situ management, 266
- Pressurized water reactors, evaporator concentrate cementation, 338

Q

- Quality control, in-line grout meter, 394
- Quaternary ammonium modified clays, hazardous organic wastes, 43

R

- Radioactive ashes, incorporation into ceramic-clay metrices, 86
- Radioactive contaminated soil, cement additives, 320
- Radioactive waste
 - cesium leaching, 182
 - contaminated sediments, stabilization and in situ management, 266
 - dynamic compaction, 440
 - incorporation into ceramic-clay metrices, 86
 - in situ grouting with polyacrylamide, 415
 - low-level disposal, 3
 - lysimeter data and performance
 - assessment plans, 448
 - performance appraisal of full-size packages, 479
 - solidification methods, application to hazardous wastes, 255
- Residue fixation, hazardous waste incinerators, 90

- Risk assessment, wastes in hazardous waste sites, 12

S

- Salts, hazardous waste incinerator residues, 90
- Sandblasting grit, solidification/stabilization, 466
- Sediment
 - municipal solid waste incinerator ash, ocean disposal effects, 119
 - radioactive contaminated, stabilization and in situ management, 266
 - stabilization/solidification of heavy metals, 304
- Shallow land disposal, hazardous waste incinerator residues, 90
- Slag, hazardous waste incinerator residues, 90
- Slaked lime, borate waste cementation, 338
- Solidification
 - anion exchange resins, 133
 - dried borate waste with polyester, 297
 - effectiveness, hazardous organic wastes, 43
 - flue gas desulfurization sludges and fly ash, 103
 - hazardous waste, short-term penetration testing, 385
 - heavy metals in sediment, 304
 - heavy metal sludges, 283
 - in-line grout meter, 394
 - leachability and waste constituents, 193
 - metal-contaminated soils, 426
 - municipal solid waste incinerator ash, 119
 - permanence evaluation, 33
 - phenol and chlorinated phenol
 - contaminated soils, 73
 - proper application, 18
 - radioactive waste methods, application to hazardous wastes, 255
 - SITE demonstrations, uncontrolled hazardous waste sites, 409
 - toxic element release, 171
 - waste sandblasting grit, 466
 - wastes containing volatile organic compounds, 61
 - wastes in hazardous waste sites, 12
- Solid wastes, explosive-contaminated, explosive reactivity, 378
- Stability, long-term, commercially stabilized waste, 242
- Stabilization
 - cement additives, 320

effectiveness, hazardous organic wastes, 43
 flue gas desulfurization sludges and fly ash, 103
 hazardous waste, short-term penetration testing, 385
 heavy metals in sediment, 304
 in-line grout meter, 394
 in situ grouting with polyacrylamide, 415
 leachability and waste constituents, 193
 long-term leaching performance, 242
 low-level radioactive waste disposal, 3
 metal-contaminated soils, 426
 municipal solid waste incinerator ash, 119, 320
 permanence evaluation, 33
 phenol and chlorinated phenol contaminated soils, 73
 proper application, 18
 radioactive contaminated soil, 320
 sandblasting grit, 466
 SITE demonstrations, uncontrolled hazardous waste sites, 409
 wastes containing volatile organic compounds, 61
 wastes in hazardous waste sites, 12
 Static test, cesium leaching, 182
 Strontium
 leaching, 182
 lysimeter data and performance assessment plans, 448
 Sulfate wastes, cesium leaching, 182

T

Tank leach test, 149
 Thermogravimetric analysis, stabilization/solidification evaluation, 33
 Toxic element release, solidification and, 171

Toxicity Characteristic Leaching Procedures, 73
 commercially stabilized waste, 242
 SITE demonstrations, uncontrolled hazardous waste sites, 409
 Toxic waste, solidification/stabilization, 18, 73
 Trichloroethene, wastes containing, 61

U

Unconfined compressive strength test, 385
 Urea-formaldehyde resins, hazardous wastes, 255
 U S Nuclear Regulatory Commission, low-level radioactive waste disposal, 3

V

Vinyl ester styrene waste forms, anion exchange resins, 133
 Volatile organic compounds, wastes containing, stabilization/solidification, 61

W

Waste treatment, solidification and stabilization, 18
 Water, cement attack, 227
 Water glass, hazardous waste incinerator residues, 90
 Wetting/drying test, anion exchange resin solidification, 133

Z

Zeolon 900-Na, leachability of Co-60, Sr-85, and Cs-137, 204
 Zinc, GEODUR additive and leachability, 320