

Subject Index

A

- Accelerator, linear, 1043
- Accelerator Production of Tritium, 1109
- Aging, 343, 354, 1137
- Alloy 718
- Alpha-ferrite, 894
- Alpha-iron, 1029
- Aluminum alloy, 1093, 1137
 - vanadium-titanium-chromium-silicon-aluminum-yttrium, 1197
- Aluminum corner cubic reflector, 1176
- Aluminum oxide, 988
- American Iron and Steel Institute
 - AISI 304, 884, 944, 959
 - AISI 316, 944, 1093
 - alpha-ferrite formation, 894
 - coated, 1075
 - creep, 645, 655, 667
 - creep-fatigue response, 713
 - fracture toughness, 1243
 - friction welded joints, 988
 - grain boundary chromium depletion, 801
 - mechanical properties, 988
 - mechanical properties evolution, 1003
 - microstructure modeling, 816
 - neutron-induced evolution, 1003
 - shear punch-tensile yield strength correlation, 1018
 - stress modified welding, 935
 - tensile tests, 1018
 - void formation, 756
 - void volume fraction, 699
- Amorphization, 1147
- Amorphization of solids, 1122
- Annealing, 3, 98, 792, 1062
 - gamma-irradiation, 525
 - helium implanted stainless steel, 973
 - low copper steel, 435
 - martensitic steel, 448
 - stepped measurements, 1109
 - thermal, 1029, 1147
 - VVER, 323, 415, 460
 - WF-70, 306
- ASME Boiler and Pressure Vessel Code, 127, 306
 - K_{IC} curves, 143
 - SA533B, 383
- ASTM standards
 - A 302B, 33, 162
 - A 508, 69
 - A 533B, 560
 - E 208, 235
 - E 900, 33, 76
 - E 1921, 127, 143, 162, 177
- Atomic disorder, 1131
- Atomic displacement cascade, 1122
- Atomic order, long and short range, 1122
- Atom probe, 435
- Auger spectroscopy, 473
- Austenitic steels, 713, 739, 801
 - fracture toughness, 1243
 - irradiation creep, 645, 679
 - microstructure modeling, 816
 - segregation, composite model, 919
 - swelling, 655
 - void swelling, 767, 778

B

- Bead on tube welding test, 973
- Beryllium, 1051, 1062
 - steel/copper/beryllium layers, 1093
- Boiling water reactor, 548, 801
- BOR-60 fast reactor, 645, 792
- Boron, 612, 645, 679, 1226
 - pyrolitic boron nitride, 1084
 - transmutation, 366
- BR3 reactor, 162

British Prototype Fast Reactor,
778
Burgers vector anisotropy, 535

C

Cadmium, 366
Carbon, 645, 778
 iron-phosphorus-carbon, 473
Cascade
 atomic displacement cascade,
 1122
 displacement cascade
 simulations, 548
 vacancy clusters, 1186
Ceramics
 coatings, 1075
 pyrolytic boron nitride, 1084
Charpy impact, 162
 behavior, 579, 612
 energy, 76
Charpy notch toughness, 56
Charpy specimens, precracked,
 279, 295
Charpy v-notch, 127, 266, 415,
 626
 ductility, 16
 impact, 33, 118
 instrumented, 245
 transition curves, 306
Charpy v specimens, precracked,
 204
Charpy v transition curves, 98
Chinese RPV steel, 118
Chinese simulated forged
 cylinder, 69
Chromium
 chromium-molybdenum
 steel, 343
 chromium-molybdenum-
 vanadium forgings,
 16
 chromium-nickel, 874
 chromium-nickel-
 molybdenum, 399
 chromium-nickel-molybdenum-
 niobium, 645, 679
 chromium-tungsten, 448
 copper-chromium-zirconium,
 1093, 1243
 depletion, 801

 iron-chromium-nickel, 739,
 767, 859
 iron-chromium-nickel-
 titanium, 792
 steel, 579, 597, 612
 vanadium-chromium, 1212
 vanadium-titanium-chromium,
 1197, 1212
 vanadium-titanium-chromium-
 silicon-aluminum-
 yttrium, 1197
Cladding, fuel, 1159
Cladding properties, 220
Coatings, ceramic, 1075
Composite model, 919
Composites, polymer matrix,
 1043
Conductivity, radiation
 induced, 1075
Copper, 3, 33, 118, 235, 306, 836
 alloy, 1093, 1226, 1243
 copper-chromium-zirconium,
 1093, 1243
 copper-manganese-molybdenum
 steel, 366
 copper-manganese plate
 steel, 366
 copper-nickel-manganese-
 silicon clusters, 435
 copper-stainless steel joints,
 988
 creep regularities, 725
 iron-copper, 492, 516, 1029
 oxygen-free, 988
 precipitates, 366, 492, 560
 steel, 435
Correlation monitor
 materials, 33
Crack arrest, 245
Crack formation, 973
Cracking, intergranular, 944
Cracking, weld, 935
Crack notch, fatigue, 713
Cracks, 959
Crack tip constraint, 177
Creep, 688
 coefficients, 655
 fatigue, 713
 irradiation, 535, 645, 655,
 667, 679
 regularities of copper, 725
Cross-linking, 1043

Crystallization temperature,
thermal, 1147
Cyclotron, 1226

D

Damage, 1131
Damage analysis, 87
Damage dose, high, 645
Damage prediction, reactor
vessel materials
E 900, 33, 76
Damage production, 548
Damage rate, 816, 836
Damage structures, 516
Dedicated electron beam
facility, 1043
Defect clusters, 850
Defect free zones, 919
Defect production cross
sections, 548
Deformation, 143, 1186
mechanisms, 1243
rate, 688
Degradation, neutron induced,
525
Degradation, radiation induced
electrical, 1075
Density, alloy, 1212
DIN 1.4970, 778
Diffraction, neutron, 1122, 1131
Dislocations, 688, 725, 919
density, 679
line, 1186
loops, 354, 597, 816, 836
sliding, 725
stress-affected, 850
Displacement cascade
simulations, 548
Displacement damage, 626
Displacement measuring
system, 713
Displacement model 548
Displacement rate, 884
Doppler broadening, 354
Drop weight nil ductility
transition, 306
Drop weight tests, 235
Ductile-to-brittle transition, 460
irradiation effect during, 204

temperature, 399, 597, 612
chromium steel, 579
heat-affected zone
specimen, 266
small punch test
evaluation, 626
toughness, 177
Ductility, 579, 612, 894, 1003,
1093
post-irradiation, 1197

E

Eastern steels, 3
EBR-II, 767, 1051, 1062
Electrical degradation, radiation-
induced, 1075
Electrical insulator, 1075
Electrical resistivity, 1075
Electric Power Research Institute,
127
Electric power, thermoelectric,
1029
Electron beam facility, 1043
Electron microscopy, 492
high voltage, 699
Embrittlement, 3, 383, 399, 548
A 302B, 33
A 508, 69
A 533B-1, 33
AISI 304, 884
assessment model, 460
E1-847, 874
ferritic-martensitic steel, 579,
612
helium, 448, 1226
iron-phosphorus-carbon
alloy, 473
low alloy steel, 87
neutron-induced, 235
prediction and measured, 76
recovery prediction, 435
reirradiation, 415
thermal neutron influence
on, 366
void-induced, 874
VVER-440, 323, 460
WF-70, 306
Energy dispersive X-ray
microanalysis, 343
European Fusion Technology
Programme, 597

Experimental Breeder Reactor II,
767, 1051, 1062

F

Fast Flux Test Facility, 655, 1212
Fast Flux Test Facility/Materials
Open Test Assembly, 535,
667, 1003

Fast high-frequency treatment,
1159

Fatigue crack starter notch, 713

Fatigue, in-beam creep-fatigue
tester, 713

Fault formation, stacking, 1084

Ferrite, 884

Ferritic-martensitic steel, 535,
579, 597, 612, 1093a

Ferritic steel, 548, 1029, 1093

ASTM E 208, 235

ASTM E 1921, 127, 143, 162,
177

ASME SA533B, 383

JFMS, 535

Field emission gun scanning
transmission electron
microscopy, 343, 383, 801

Finite element model, 1018

Floating curve model, 460

Foil specimen, 1147

Foil surfaces, 699

Ford nuclear reactor, 16

Forging matrix, 118

Forging ring, 69, 98, 235

Fracture analysis, 597

Fracture mechanics, elastic
plastic, 143

Fracture resistance curves, 1243

Fracture toughness, 127, 162,
245, 415, 579

copper alloys, 1243

irradiation effect in transition
range, 204

prediction, 76

shifts, 279

static, 56, 220, 612

submerged arc weld samples,
295

thermal annealing effects, 306

Frank loops, 850

French steel, 435

Friction welding method, 988

Fusion zone cracking, 935

G

Gamma ray intensity control, 525

Gas tungsten arc welding, 935

German austenitic steel, 778

Gibbon statistical scheme, 1131

Gold, 836

gold-coated mirror, 1176

Grain boundary, 343, 801, 919,
973

composition, 473

energy release, 1084

segregation, 383, 399

Graphite, 525

H

Hafnium, 756

Halden reactor, 366

Hardening, 366, 612, 1186

ferritic-martensitic, 579

iron-copper alloy, 492

iron-phosphorus-carbon, 473

martensitic, 597

reduced-activation martensitic
steel, 448

Hardness measurements

Micro-Vickers, 266, 560

Vickers, 626

Heat-affected zone, 266, 944, 959

Heat sink material, 988

Heavy Section Steel Technology
Program, 415

Helium, 935, 959

Helium bubbles, 597, 944, 973

Helium embrittlement, 448, 1226

Helium generation, 1062

Helium implantation, 626

Helium release, 1062, 1109

High flux isotope reactor, 1212

High flux reactor, 579, 597, 612

High voltage electron
microscope, 699

Hoop stress, 778

Hot isostatic pressing, 1243

HT-9, 935

Hungary VVRSZM-5 research
reactor, 1137

Hydrogen release, 1109

Hyperbolic tangent fitting
model, 33

I

Impact, 1093
Impact tests, 597
Impurity effects on radiation
creep rate, 688
Intergranular fracture, 473
Interstitial atom, 688
Interstitial loops, 816
Iron alloys, 473, 548
alpha-ferrite, 894
ferrite, 884
iron-chromium-nickel, 739,
767, 859
iron-chromium-nickel-
titanium, 792
iron-copper, 492, 516, 560, 1029
iron-phosphorus-carbon, 473
iron-silicon, 492
zirconium-niobium-tin-iron,
1159
Iron lattice, 323
Isostatic pressing, high
temperature, 1093
Isostatic pressing, hot, 1243
ITER, 1093, 1243

J

Japanese curve, 204
Japanese steel, 204
SA 508-3, 118
Japan Materials Testing
Reactor, 204, 266, 492,
988, 1075, 1176
JFMS duplex ferritic steel, 535

K

KU quartz, 1176
Kyoto University Reactor, 836

L

LAHET code system, 1109
Life cycle management, 525
Light water reactor, 33
Linear accelerator, 1043

Loading, 713
biaxial, 177
Los Alamos National
Laboratory, 1109

M

Magnesium
aluminum-magnesium, 1137
magnesium oxide-aluminum
oxide, 1075
Magnetic response, 894
Magnox reactor pressure vessel,
295
Manganese
copper-manganese-
molybdenum, 366
copper-manganese plate, 366
copper-nickel-manganese-silicon
clusters, 435
manganese-molybdenum
A 302, 33, 162
A 533B, 33, 177, 204, 560
steel alloys, 894
Martensitic steel, 448, 597, 1093
Master curve, 127, 143, 177, 204,
279
ASTM method, 306
transition temperature, 245
Material test reactor database, 33
Matrix defects, 118
Medical devices, 1043
Micro-indentation, 1186
Microstructure, 323, 435, 597
beryllium pebbles, 1051
dislocation, 850
evolution, 778, 816, 859,
919, 1212
ferritic steel, 535
modeling, 816
radiation damaged, 959
radiation-induced changes,
354, 894
tantalum, 1186
thermally aged iron-copper
alloy, 492
Micro-Vickers hardness
measurements, 266
Microvoid, 560, 836
Midland Unit I, 306
Mirror, gold-coated, 1176

Molybdenum

- A 302, 33, 162
- A 533B, 33, 177, 204, 560
- chromium-molybdenum, 343
- chromium-molybdenum-vanadium, 16
- chromium-nickel-molybdenum-niobium, 645, 679
- chromium-nickel-molybdenum, 399
- copper-manganese-molybdenum, 366
- corner cubic reflector, 1176
- molybdenum-SIA, 801
- Monte Carlo calculations, 1109

N

National Research Institute for Metals, 713

Naval Surface Warfare Center, master curve tests, 177

Neutron multiplier, 1051, 1062

Neutron spectra, 473

Neutron spectrum effect, 87, 548

Nickel, 3, 448, 836

- A 302, 33, 162
- chromium-nickel-molybdenum, 399

chromium-nickel-molybdenum-niobium, 645, 679

copper-nickel-manganese-silicon clusters, 435

iron-chromium-nickel, 739, 767, 859

iron-chromium-nickel-titanium, 792

nickel-containing steel, 894

nickel-modified A-302 grade B, 162

segregation, 884

titanium-nickel, 1147

titanium-nickelide, 1131

zirconium-niobium-tin-iron, 1159

Nil-ductility transition

temperature, 245

Niobium

chromium-nickel-molybdenum-niobium, 645, 679

niobium stabilized chromium-nickel, 874

Nondestructive testing, ferritic

alloys, 1029

Novovoronezh-1 reactor, 98

O

Oak Ridge National Laboratory, 177

73W weld material tests, 279, 415

Oak Ridge Research Reactor, 935

Optical components, 1176

Optical element, 1176

Optical microscopy, 1051

OSIRIS test reactor, 87

Oxygen free copper, 988

P

Pacific Northwest National Laboratory, 655, 1109

PAS, 354

Phase diagrams, stainless steel alloys, 894

Phase instability, void-induced, 884

Phase stability, 1212

Phase transformation, 1147

Phénix fast reactors, 655

Phosphorus, 3, 16, 343, 366, 473

grain boundary, 473

iron-phosphorus-carbon, 473

segregation, 383, 399

Plasma diagnostic components, 1176

Point defects, 323, 548, 688, 850, 1131

solute complexes, 801

Polymer matrix composites, 1043

Positron annihilation, 560, 836

lifetime spectrometry, 448

measurements, 354

Positron lifetime measurement, 516, 560

Power reactor database, 33

Precipitates, 323, 366, 492, 756

copper, 366, 492, 516, 560

Pressure temperature curves, 76

Pressure Vessel Research

Council, 127

Pressurized tube experiment, 778

Pressurized water reactors, 3, 87,
118, 792
attenuation behavior, 548
end-of-life conditions, 874
first Russian, 98
microstructural evolution, 816
Novovoronezh-1 reactor, 98
Russian, 874
void swelling, 884
Prime Candidate Alloy, 935
Property-property correlation,
1018
Prototype Fast Reactor, British,
778
Punch test, small, 626

R

Radiation resistance, 16
Raman spectroscopy, 1084
Rate theory, 548, 816, 836
Reference materials, 33
IAEA, 220
Reference temperature, 279
Refraction spectrum, 1176
Ring forging, 69, 98, 235
Root bend test, 944
Russian alloys, 1159
Russian codes, 3
Russian steel, 415, 874

S

Sandvik HT-9, 935
Sapphire, 1176
Saturation, 767
Scanning electron microscopy,
597, 1051
Scattering, 33
small angle neutron (SANS),
323, 435
Segregation modeling, 383
Segregation, radiation-induced,
739, 801, 919
Shape memory alloy, 1147
Shear punch, 1003
shear punch-tensile yield
strength, 1018
Side bend test, 944
Silicon, 778, 859
carbide, 525
copper-nickel-manganese-
silicon clusters, 435
vanadium-titanium-chromium-
silicon-aluminum-
yttrium, 1197
SILOE CEA test reactor, 87
Single edge bend testing, 177
Site competition, 383
Small punch tests, 626
Soderberg theorem, 778
Solids amorphization, 1122
Solute addition, 756, 919
Specimen reconstitution, 56
SPECTRA, 548
Spectrometry, positron
annihilation lifetime, 448
Spectroscopy, auger, 399, 473
Spinoidal-like decomposition, 859
Stacking fault formation, 1084
Steels (See also specific types),
56, 245, 279
15Kh2MFA, 220, 323
AMCR, 894
austenitic, 645, 713, 739, 778,
1243
Chinese domestic, 118
E1-847, 874
eastern, 3
EP-172, 679
Heavy Section Steel Technology
Program, 415
Japanese SA 508-3, 118
low alloy, 87, 399
low copper, 435
plate, 366
Russian, 16, 874
stainless steel, 874, 973
dislocation development,
850
duplex, 1029
microstructural evolution,
859, 919
Type 316 (see AISI 316)
western, 3
X18H10T, 792
Sterilization, 1043
Strain rate, 667
Stress-affected dislocations, 850
Stress, applied, 679
Stress control, 713

Stress dependence, 725
 Stress, effects on mechanical properties, 713
 Stress-enhanced swelling, 655, 679, 778
 Stress, internal, 699
 Stress-modified welding, 935
 Structural transformations, radiation-induced, 1084
 Surface roughness, 1176
 Surveillance capsules, 87, 143
 Surveillance programs, 204, 235, 354, 1137
 reactor databases, 33
 specimens, 56, 220
 Swelling, 645, 667, 699, 1212
 austenitic steels, 655, 679
 stress-induced, 778
 suppression, 756
 void, 739, 767, 778, 792, 874, 884

T

Tantalum, 1186
 TEM disks, 1003
 Temperature dependence, copper
 creep rates, 725
 Tensile properties, 448, 612, 1003, 1018, 1197, 1226
 Tensile specimens, 235, 1003, 1243
 Tensile strength, 988, 1243
 Tensile stresses, 973
 Tensile tests, 162, 597, 944, 1093, 1197, 1243
 Tensile yield strength, 1018
 Tension tests, 988
 Thermal aging, 473, 492, 560, 1029
 Thermal annealing, 1147
 effects, 306
 Thermal crystallization
 temperature, 1147
 Thermal neutrons, 366
 Thermoelectric power, 435, 1029
 Three point bending, 162, 279, 1243
 Through wall trepans, 98
 TIG welded stainless steel, 959

Tin alloys
 zirconium-niobium-tin-iron, 1159
 Titanium, 778, 859
 iron-chromium-nickel-titanium, 792
 nickelide, 1131
 titanium-nickel, 1147
 vanadium-titanium-chromium, 1212
 vanadium-titanium-chromium-silicon-aluminum-yttrium, 1197
 Tomographic atom probe, 435
 Toughness index, 127
 Transition range, temperature
 determination, ferritic steel E 1921, 127, 143, 162, 177
 Transition temperature, 33, 56, 306
 Charpy, 473
 drop-weight nil ductility, 127
 ductile-brittle, 399, 597, 612
 chromium steel, 579
 heat-affected zone
 specimen, 266
 small punch test evaluation, 626
 toughness, 177
 elevation, 16
 shift, 118, 245
 shifts, VVER steels, 56
 VVER-440 steels, 460
 Transmission electron microscopy, 354, 516, 597
 beryllium pebbles, 1051
 disks, 1003
 TEM-invisible defects, 1186
 void structure analysis, 778
 Transmission microscopy, 473
 Transmission spectrum, 1176
 Transmutation, vanadium, 1212
 Trend curves, 366
 Trepans, 162
 through wall, 98
 Tube specimens, pressurized, 535
 Tungsten
 chromium-tungsten steel, 448
 tungsten targets, 1109
 Twinning, 492

U

- Upper shelf energy, 16, 266, 279, 306, 597, 612
- U.S. Naval Academy, master curve tests, 177
- U.S. Nuclear Regulatory Commission, 177
 - regulatory guide, 3, 33, 306
 - transition temperature elevations, 16
- U.S.-Russia Joint Coordinating Committee for Civilian Nuclear Reactor Safety, 415
- Uniform elongation, 1197
- Upper shelf energy, 16, 579, 612

V

- Vacancy, 354, 560, 688
 - binding, 756
 - clusters, 836, 1186
 - concentrations, 739
 - diffusion, 739
 - flux, 699
 - migration distance, 516
- Vanadium, 836
 - chromium-molybdenum-vanadium forgings, 16
 - vanadium-chromium, 1212
 - vanadium-titanium-chromium, 1197
 - vanadium-titanium-chromium-silicon-yttrium, 1197
- Voids, 679, 688, 836
 - denuded zone, 699
 - formation, 756
 - growth, 884
 - microvoid, 560
 - phase instability, 884
 - shrinkage, 699
 - strength, 1186
 - structure analysis, 778
 - swelling, 739, 767, 792, 859, 874, 884
- Von Mises yield criterion, 1018
- VVER, 98, 354, 399
 - welds, 415

- VVER-440 reactor, 16, 323, 415, 460
 - VVER-440/V-213, 56, 220
- VVER-1000, 56, 415
- VVRSZM-5 research reactor, 1137

W

- Weakest link theory, 204
- Weibull distribution, 204
- Weldability test, 944
- Welds, 76, 87, 220, 973
 - 73W, 279
 - core, 98
 - cracking, 935, 959
 - friction welding method, 988
 - joints, 944
 - multi-layer, 944
 - stress-modified welding, 935
 - submerged arc, 235, 295, 306
 - SZAV-1, 1137
 - upper shelf energy, 245
 - VVER, 415
 - WF-70, 245, 306
- Western steels, 3
- WWER, 3

X

- X-ray diffraction, 1084, 1122, 1159
- X-ray diffractometry, 894
- X-ray microanalysis, energy dispersive, 343

Y

- Yield strength, 850, 1003, 1018, 1197
- Yield stress, 473, 579, 850
 - copper, 725
 - increase, 626, 1197
 - shifts, 366
- Yttrium
 - vanadium-titanium-chromium-silicon-aluminum-yttrium, 1197

Z

Zircaloy, 1159

Zirconium, 756

copper-chromium-zirconium,
1093, 1243

zirconium-niobium, 1159

zirconium-niobium-tin-iron,
1159