

# Index

## A

additives  
 gear oil formulation, 404–406  
 lubricating greases, 467–469  
 metalworking and machining fluids, 519–528  
 air-fuel ratio, 300  
 air intake temperature control, 302  
 aldehydes, 278  
 ambient air quality standards, 280  
 analytical tests, gear lubricants, 407–408  
 anti-icing agents, 327  
 anti-wear agents, lubricants, 21  
 antistatic agents, 332  
 application-based formulations, metalworking and machining fluids, 529–530  
 approval process  
 lubricant additives, 211  
 lubricant testing, 531–532  
 automatic transmission fluids, 365–368  
 automotive aftermarket, lubricating greases, 484–485  
 automotive gear oils, 393–396

## B

base fluids  
 gear oil formulation, 402–404  
 lubricating greases, 463–467  
 metalworking and machining fluids, 500–505, 518  
 base oil properties, mineral base oils, 42–46  
 bearing lubrication, 482–484  
 bevel gears, 382  
 biocides, 331–332  
 biodegradability, lubricants, 595–598  
 biodegradable grease, 496  
 biodiesel, 311  
 biological (natural) base stocks, 92–99  
 composition of natural oils and structural modifications, 97–99  
 manufacture and processing, 95  
 melting point/pour point, 94  
 oxidative stability, 94  
 Blue Sky emissions standards, 292  
 brake fluids, 378–380

## C

California emissions standards, 286–288  
 carbon monoxide, 277  
 carboxylate esters, synthetic base stocks, 54–61  
 cetance improvers, 329  
 chassis grease, 495  
 chemical tests, 531  
 chemistry, lubricating greases, 463–469  
 classification  
 combustion engine lubricants, 216

lubricating greases, 446, 480  
 metalworking and machining fluids, 500–517  
 cleanliness agents, 325–327  
 combustion chamber  
 deposit buildup, 301  
 design, 302  
 combustion engine lubricants, 212–272  
 classifications, 216  
 emissions control, 256–259  
 engine oil classification based on end-use, 229–245  
 engine types, 213–215  
 European standards, 222–228  
 extended service, 260–267  
 formulating engine oils, 249–255  
 formulation examples, 268–269  
 fuel economy, 256  
 Indian standards, 229  
 Japanese standards, 229  
 lubricant-related causes of engine malfunction, 246  
 operation mode, 213–215  
 railroad diesel engine oil concentrates, 270–272  
 rating of engine parts, 247–248  
 specifications, 216  
 trends on new standards, 217  
 U.S. standards, 218–221  
 combustion modifiers, 330  
 composition  
 lubricating greases, 448–463  
 metalworking and machining fluids, 518–519  
 natural oils and structural modifications, 97–99  
 transmission fluid, 370–373  
 compression ratio, 302  
 compressor and refrigeration oils, 424–432  
 condition-monitoring, hydraulic fluids, 364  
 conservation, lubricants, 585–587  
 continuously variable transmissions, 373–376  
 lubricants, 376–378  
 controlled auto-ignition combustion, 302  
 coolant temperature effect, 302  
 corrosion  
 inhibitors, 331  
 protection, 477–478  
 criteria for suitable base stocks, lubricant additives, 103

## D

demulsifiers, 331  
 lubricant additives, 181–184  
 deposit control additives, 325–327  
 deposit formation, 322–325  
 desirable properties, lubricating greases, 471–480  
 detergents  
 lubricant additives, 137–148  
 in lubricants, 21  
 diagnostics, gear failure, 385  
 diesel combustion, 307–308  
 diesel emissions standards, 288–292

diesel engines  
 design and operating variables, 311–313  
 emissions control, 305–322  
 diesel fuel properties, 308–311  
 diesel ignition improvers, 329  
 diesel particulate filter, 291  
 dispersants  
 lubricant additives, 121–136  
 in lubricants, 21  
 displacement per cylinder, 302  
 disposal  
 lubricants and environment, 599–600  
 lubricating greases, 486  
 drag reducers, 332  
 dyes and markers, 332–333

**E**

emerging engine technologies, 303–305  
 emissions  
 engine design effect, 300–305  
 engine performance and, 279–280  
 gasoline properties versus, 296  
 in internal combustion engine, 273–333  
 emissions control  
 combustion engine lubricants, 256–259  
 via after-treatment, 313–314  
 via engine design changes, 314–322  
 emissions standards, 281–295  
 European Union, 293–296  
 U.S., 281–293  
 emulsifiers, lubricant additives, 181–184  
 end-use classification, metalworking and machining  
 fluids, 506–517  
 engine oil classification based on end-use, combustion  
 engine lubricants, 229–245  
 engines  
 design effect, emissions, 300–305  
 performance and emissions, 279–280  
 speed, 301  
 types, combustion engine lubricants, 213–215  
 environment  
 lubricant additives, 209  
 lubricants and, 591–593, 599  
 lubricating greases, 486  
 European standards, combustion engine  
 lubricants, 222–228  
 European Union emissions standards, 293–296  
 evaporative emissions standards, 292  
 exhaust back pressure, 301  
 exhaust emissions, 274–278  
 exhaust gas recirculation, 302–303  
 extended service, combustion engine lubricants, 260–267  
 extreme-pressure additives in lubricants, 21  
 extreme-pressure greases, 495

**F**

failure, gear, 386  
 film-forming agents, lubricants, 149–180

flow improvers, 330  
 fluid-based formulations, metalworking and machining  
 fluids, 529–530  
 fluid formulations and testing, metalworking  
 and machining fluids, 529  
 fluidizers, 327  
 foam inhibitors, 331  
 in lubricants, 22  
 food processing, lubricating greases, 485  
 formulated gasoline, 299  
 formulating  
 engine oils, 249–255  
 hydraulic fluids, 361–363  
 formulation examples, 363–364  
 combustion engine lubricants, 268–269  
 gear lubricants, 408–409  
 hydraulic fluids, 363–364, 378–381  
 industrial lubricants, 442  
 metalworking and machining fluids, 529–530  
 transmission fluids, 378–381  
 friction and lubrication, 3  
 friction modifiers in lubricants, 21  
 fuel additives, 322–333  
 fuel economy, combustion engine lubricants, 256  
 full-scale testing, lubricants, 573–575

**G**

gas cans emissions control program, 293  
 gas to liquid technology, mineral base oils, 46  
 gasoline benzene control program, 292–293  
 gasoline engines  
 emissions control, 296–304  
 standards, 283–288  
 gasoline properties versus emissions, 296  
 gear failure, 385–390  
 cause of failure, 386  
 diagnostics, 385  
 modes, 385  
 gear lubricants, 382–409  
 analytical tests, 407–408  
 formulation examples, 408–409  
 lubricating greases, 484  
 methods, 391  
 performance tests, 408  
 physical tests, 407  
 selection, 393–401, 406–407  
 tests, 407–408  
 gear oil formulation, 402–405  
 additives, 404–406  
 base fluids, 402–404  
 gears  
 diagnostics, 385–386  
 metallurgy, 383–384  
 types, 382–383  
 ground level ozone, 278

**H**

handling, lubricating greases, 486

heat resistance, lubricating greases, 476  
 helical bevel gears, 382  
 helical gears, 382  
 humidity effect, 302  
 hybrid vehicles, 303–304  
 hydraulic fluids, 333–363  
     condition-monitoring, 364  
     formulating, 361–363  
     formulation examples, 363–364, 378–381  
     types, 349–361  
 hydrocarbon analysis, mineral base oils, 41  
 hydrocracking, mineral base oils, 37  
 hydrogen cracking, mineral base oils, 37

I

ideal air air-fuel mixture, 279  
 ignition timing, 301  
 in-service lubricant analysis, 558–573  
 Indian standards, combustion engine lubricants, 229  
 industrial applications, industrial lubricants, 432–438  
 industrial gear oils, 396–397  
 industrial hydraulic fluids, 335–349  
 industrial lubricants, 410–442  
     compressor and refrigeration oils, 424–432  
     formulation examples, 442  
     industrial applications, 432–438  
     machine tool lubricants, 438–439  
     mining industry, 439–440  
     synthetic fluids, 440–442  
     turbine, 411–424  
 industry trends, lubricating greases, 496  
 intake manifold pressure, 301  
 inter-grease compatibility, lubricating greases, 481–482

J

Japanese standards, combustion engine lubricants, 229

L

light-duty vehicle cold temperature emissions standards, 292  
 liquid lubricants versus lubricating greases, 444–445  
 load-carrying capacity, lubricating greases, 478–480  
 load or power level, 301  
 low-temperature operability additives, 330  
 lubricant additives, 100–211  
     approval process, 211  
     criteria for suitable base stocks, 103  
     desirable properties, 103  
     detergents, 137–148  
     dispersants, 121–136  
     emulsifiers and demulsifiers, 181–184  
     environmental impact, 209  
     film-forming agents, 149–180  
     new additives, 210  
     oxidation inhibitors, 110–120  
     performance additives, 104–211  
     polymeric additives, 185–205

    stabilizers/deposit control agents, 105–109  
 lubricant base stocks, mineral base oils, 32–41  
 lubricant classifications, 20  
 lubricant-related causes of engine malfunction, 246  
 lubricant selection criteria, 19  
 lubricant testing, 531–578  
     approval process, 531–532  
     full-scale testing, 573–575  
     in-service lubricant analysis, 558–573  
     mechanical or tribological tests, 554–558  
     new product introduction, 531–532  
     physical and analytical tests, 532–554  
     quality testing, 575–578  
 lubricants  
     composition, 20–22  
     continuously variable transmissions, 376–378  
     types, 19  
 lubricants and environment, 579–600  
     biodegradability, 595–598  
     conservation, 585–587  
     disposal issues, 599–600  
     environmental compatibility, 591–593  
     environmentally acceptable lubricants, 599  
     lubricant deterioration in service, 579–583  
     oil reconditioning, 588–591  
     re-recycling, 589  
     reclamation, 589  
     standardized testing, 593–595  
     toxicity, 598–599  
     used oil, 583–585  
     used oil recycling, 587–588  
 lubricating greases, 443–496  
     additives, 467–469  
     automotive aftermarket, 484–485  
     base fluids, 463–467  
     bearing lubrication, 482–484  
     chemistry, 463–469  
     classification, 446, 480  
     composition, 448–463  
     corrosion protection, 477–478  
     desirable properties, 471–480  
     development history, 445–446  
     disposal, 486  
     environmentally compatible, 486  
     food processing, 485  
     gear lubrication, 484  
     handling, 486  
     heat resistance, 476  
     industry trends, 496  
     inter-grease compatibility, 481–482  
     versus liquid lubricant, 444–445  
     load-carrying capacity, 478–480  
     manufacture, 469–471  
     market, 447–448  
     modern grease characteristics, 480–481  
     nonsoap, 459–463  
     oxidation stability, 476  
     rheological properties, 472–476  
     selection, 482  
     soap, 448–459  
     specialty, 492–496

steel mills, 485  
 storage, 485–486  
 storage stability, 476  
 testing, 486–492  
 textiles, 485  
 water sensitivity, 477  
 lubrication, 1–22  
   friction and, 3  
   market, 1  
   metalworking and machining fluids, 499  
 lubricity agents, 328–329

## M

machine tool lubricants, industrial lubricants, 438–439  
 manufacture  
   biological (natural) base stocks, 95  
   lubricating greases, 469–471  
 market, lubricating greases, 447–448  
 mechanical or tribological tests, 554–558  
 melting point/pour point, biological (natural) base stocks, 94  
 metal deactivators, 333  
 metalworking and machining fluids, 497–530  
   additives composition, 519–528  
   application-based formulations, 529–530  
   base fluid classification, 500–505  
   base fluid composition, 518  
   classification, 500–517  
   composition, 518–519  
   end-use classification, 506–517  
   fluid-based formulations, 529–530  
   fluid formulations and testing, 529  
   formulation examples, 529–530  
   lubrication, 499  
   viscosity, 500  
 methods, gear lubrication, 391  
 mineral base oil manufacture, 34  
 mineral base oils, 23–46  
   base oil properties, 42–46  
   effects of sulfur and nitrogen compounds, 42  
   gas to liquid technology, 46  
   hydrocarbon analysis, 41  
   hydrocracking, 37  
   hydrogen cracking, 37  
   lubricant base stocks, 32–41  
   mineral base oil manufacture, 34  
   naphthenic base oils, 33  
   oil field and refinery chemicals, 24–27  
   oxidation properties, 42  
   paraffinic base oils, 33  
   petroleum composition, 23–27  
   petroleum refining, 28–31  
   refinery process chemicals, 31  
   refinery processes, 28–31  
 mineral oils mixed with solids, 495  
 mining industry, industrial lubricants, 439–440  
 modern grease characteristics, 480–481

## N

naphthenic base oils, mineral base oils, 33

new additives, lubricant additives, 210  
 new product introduction, lubricant testing, 531–532  
 nitrogen oxides, 277–278  
 nonsoap lubricating greases, 459–463

## O

octane improvers, 327–328  
 odor, exhaust, 278–279  
 oil field and refinery chemicals, mineral base oils, 24–27  
 oil reconditioning, lubricants and environment, 588–591  
 on-board diagnostics, 303  
 operation mode, combustion engine lubricants, 213–215  
 oxidation inhibitors  
   lubricant additives, 110–120  
   in lubricants, 21  
 oxidation inhibitors/stabilizers, 333  
 oxidation properties, mineral base oils, 42  
 oxidation stability  
   biological (natural) base stocks, 94  
   lubricating greases, 476

## P

paraffinic base oils, 33  
 particulate matter, 278  
 performance additives, lubricant additives, 104–211  
 performance tests, gear lubricants, 408  
 petroleum  
   composition, 23–27  
   refining, 28–31  
 petroleum base stocks versus synthetic base fluids, 76–91  
 physical and analytical tests, lubricant testing, 532–554  
 physical tests, 531  
   gear lubricants, 407  
 pitting, 389  
 poly(alkylene glycols), synthetic base stocks, 62–66  
 polymeric additives, lubricant additives, 185–205  
 pour point depressants in lubricants, 22  
 power steering fluids, 381  
 power transmission fluids, 368–370  
 PuriNOx technology, 311

## Q

quality testing, lubricant testing, 575–578

## R

railroad diesel engine oil concentrates, combustion engine lubricants, 270–272  
 rating of engine parts, combustion engine lubricants, 247–248  
 re-recycling lubricants and environment, 589  
 reclamation, lubricants and environment, 589  
 refinery process chemicals, mineral base oils, 31  
 reformulated diesel fuel, 310–311  
 reformulated gasolines, 299–300  
 refrigeration oils, industrial lubricants, 424–432  
 rheological properties, lubricating greases, 472–476

roll neck greases, 495–496  
 rust and corrosion inhibitors in lubricants, 21

**S**

selection  
     gear lubricants, 406–407  
     gear lubrication, 393–401  
     lubricating greases, 482  
 shock absorber fluids, 380–381  
 smoke suppressants, 330  
 soap lubricating greases, 448–459  
 soot, 278  
 spalling, 389  
 specialty lubricating greases, 492–496  
 specifications, combustion engine lubricants, 216  
 spur gears, 382  
 stabilizers/deposit control agents, lubricant  
     additives, 105–109  
 standardized testing, lubricants and environment, 593–595  
 standards  
     ambient air quality, 280  
     Blue Sky emissions, 292  
     California emissions, 286–288  
     combustion engine lubricants, 218–221  
     diesel emissions, 288–292  
     emissions, 281–295  
     European, 222–228  
     European Union, 293–296  
     evaporative emissions, 292  
     gasoline engines, 283–288  
     Indian, 229  
     Japanese, 229  
     light-duty vehicle cold temperature emissions, 292  
     trends, 217  
     U.S., 281–293  
 steel mills, lubricating greases, 485  
 storage  
     lubricating greases, 485–486  
     stability, lubricating greases, 476  
 stroke-to-bore ratio, 302  
 sulfur and nitrogen compounds effects, mineral base oils, 42  
 sulfur dioxide, 278  
 surface temperature, 301–302  
 surface-to-volume ratio, 302  
 synthetic base fluids versus petroleum base stocks, 76–91  
 synthetic base stocks, 47–91  
     carboxylate esters, 54–61  
     versus petroleum base stocks, 76–91

poly(alkylene glycols), 62–66  
 synthetic hydrocarbon (SHC) polymers, 47–53  
 synthetic fluids, industrial lubricants, 440–442  
 synthetic hydrocarbon (SHC) polymers, 47–53

**T**

testing  
     gear lubricants, 407–408  
     lubricating greases, 486–492  
     transmission fluid, 370–373  
 textiles, lubricating greases, 485  
 toxicity, 583  
     lubricants and environment, 598–599  
 track roller lubricants, 495  
 tractor hydraulic fluids, 335  
 transmission fluids, 364–378  
     automatic, 365–368  
     composition and testing, 370–373  
     formulation examples, 378–381  
     power, 368–370  
 trends on new standards, combustion engine lubricants, 217  
 turbine, industrial lubricants, 411–424  
 turbo-charging, 303

**U**

unburned hydrocarbons, 276–277  
 U.S. standards  
     combustion engine lubricants, 218–221  
     emissions, 281–293  
 used oil recycling, 587–588

**V**

valve overlap, 301  
 viscosity  
     metalworking and machining fluids, 500  
     modifiers in lubricants, 22  
     and wear, 8–18

**W**

water sensitivity, lubricating greases, 477  
 wax modifiers, 330  
 wear, viscosity and, 8–18  
 worm gears, 382–383