

Subject Index

A

- Air sampling
 - for volatile metals, 140(illus)
- Alcohol fuel oil
 - polychlorophenol analysis, 6(table)
- Analysis of variance (ANOVA), 21
- ANOVA (*See* Analysis of variance)
- Antimony
 - EPA reference values, 63(table)
 - hydride generation atomic-absorption spectroscopy, 62-66, 64-65(tables)
- Arsenic
 - EPA reference values, 63(table)
 - hydride generation atomic-absorption spectroscopy, 62-66, 64-65(tables)
- Ash (*See* Bottom ash; Coal ash; Fly ash)
- ASTM Standards
 - C 192-81: 70
 - C 305-82: 70
 - D 559-76: 69

B

- Beilstein flame emission test, 153
- Bottom ash
 - extraction procedure, 112-129, 114(table)
 - TCLP vs extraction procedure, 115-129, 116-119, 121-127(tables)
- Butyltins
 - liquid chromatography-graphite furnace atomic absorption spectroscopy, 133

C

- Cement pastes
 - ASTM Standard C 191-81: 70
- CERCLA (*See* Comprehensive Environmental Response, Compensation, and Liability Act)
- Chemical speciation
 - organometals, 130-143, 132, 138(illus)
 - in solution/gases, 130-139
 - on surfaces, 140-143

- Chlorooctadecane
 - in crankcase oil, 163(table)
 - flame photometry, 163(table)
 - in waste oil, 163(table)
- Chromatography
 - gas, 136-139
 - liquid, 133-139
- Clay
 - 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, analysis, 8, 9(table)
- CLP (*See* Contract Laboratory Program)
- Coal ash
 - extraction procedure, 112-129, 114(table)
 - TCLP vs extraction procedure, 115-129, 116-119, 121-127(tables)
- Coal-fired power plant waste
 - extraction procedure, 112-129, 114(table)
 - TCLP vs extraction procedure, 115-129, 116-119, 121-127(table)
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)
 - impact on other state/federal programs, 146-151
- Concrete test specimens
 - ASTM Standard C 305-82: 70
- Contaminants (*See* Antimony; Arsenic; Butyltins; Chlorooctadecane; Dibenzo-*p*-dioxins, chlorinated; Dibenzofurans, chlorinated; Halogenated solvents; Inorganic compounds; Mercury; Metals; Organometals; Pesticides; Selenium; Semivolatile organic compounds; Sodium chloride; Tetrachloroethane; Tin; Toxicity characteristic contaminants; Trace elements; Trichlorobenzene)
- Contract Laboratory Program, 15, 81-86, 146-151

D

- Data quality objectives
 - groundwater monitoring, 103(table), 103-111, 106, 107, 108(tables)

Dibenzo-*p*-dioxins, chlorinated
analysis in complex matrices, 1-13
Method 8280, 3(illus)
method detection limits, 7(table)

Dibenzofurans, chlorinated
analysis in complex matrices, 1-13
Method 8280, 3(illus)
method detection limits, 7(table)

Drinking water
analytical laboratory certification, 81-86
health-based criteria, 149(table)
maximum contaminant levels, 149(table)
method detection levels, 149(table)

E

EC/EPA/AEC/Industry Cooperative Study,
67-75

EPA (*See* U.S. Environmental Protection
Agency)

Epifluorescence microscopy, 140

Extraction procedure (EP)

EPA round-robin study, 112-129

modification of, 14

TCLP vs extraction procedure, 115-129, 116-
119, 121-127(tables)

F

Flame photometry (*See* Photometry, flame)

Fly ash

2,3,7,8-tetrachlorodibenzo-*p*-dioxin,
11(table)

extraction procedure, 112-129, 114(table)

interlaboratory study, toxic contaminants,
18-61, 76-80

octachlorodibenzo-*p*-dioxin, 12(table)

TCLP vs extraction procedure, 115-129,
116-119, 121-127(tables)

trace element analysis, 76-80

Fuel oil

dibenzo-*p*-dioxins, chlorinated, analysis, 6,
7(tables)

dibenzofurans, chlorinated, analysis, 6,
7(tables)

polychlorophenol analysis, 6, 7(tables)
recycled

halide content, 152-165

G

Groundwater monitoring, 101-111

H

Halide testing

in crankcase oil, 162-163(tables)

in waste oil, 152-165, 160-163(tables)

Halogenated solvents

in crankcase oil, 162-163(tables)

in waste oil, 152-165, 160-163(tables)

Hazardous waste

analysis (*See* specific wastes, e.g. Fly ash,
Mining sediments)

regulations (*See also* Quality assurance;
Quality control)

EPA compliance monitoring, 101-111

EPA organizational chart, 102

HG-AA [*See* Hydride generation-atomic ab-
sorption (HG-AA) spectroscopy]

Hydride generation-atomic absorption (HG-
AA) spectroscopy, 62-66, 87-89

I

ICP-AES (*See* Inductively coupled plasma-
atomic emission spectroscopy)

Inductively coupled plasma-atomic emission
spectroscopy, 62-66, 76-80, 87-99

Inorganic compounds

accuracy of analysis, 107, 108(tables)

in coal-fired power plant waste, 112-129,
114, 116-119, 120-128(tables)

Interlaboratory evaluation

dibenzo-*p*-dioxins, chlorinated, 1-13, 7-9,
11, 12(tables)

dibenzofurans, chlorinated, 1-13, 7-9, 11,
12(tables)

inductively-coupled plasma-atomic emis-
sion spectroscopy, 76-80

TCLP vs extraction procedure, 112-129

Toxicity Characteristic Leaching Proce-
dure, 14-61

L

Laboratory Certification Program, 81-86,
146-151

Laboratory quality control

metal/inorganic/organic analysis, 103(ta-
ble)

Land waste disposal

EPA monitoring of, 101-111

organizational chart, 102

Leaching tests, 112-129

dynamic type, 69

equilibrium type, 68-69

Toxicity Characteristic Leaching Proce-
dure, 14-61, 68-69, 112-129

contaminants/methods/regulatory lev-
els, 16-17(table)

flowchart, 20

M

MDL (*See* Method detection limit)

Mercury

gas chromatography-element selective detector, 136-139

Metals (*See also* Organometals)

bacterial transformation of, 130-131

methylation of, 132, 137-138, 138(illus)

regulatory levels, 16-17(table)

TCLP analysis, 31-33(tables), 38-40(tables), 44, 48-49(tables)

Method detection limits, 5-7

dibenzo-*p*-dioxins, chlorinated, 7(table)

dibenzofurans, chlorinated, 7(table)

drinking water contaminants, 149(table)

Method validation (*See also* Interlaboratory evaluation)

Toxicity Characteristic Leaching Procedure, 15

Microbial processes

and metal transformation, 130-131, 139

Thiobacillus ferrooxidans, 139

Microscopy, epifluorescence, 140

MID (*See* Multiple ion detection descriptors)

Mining sediments

organometals analysis, 136-138

Mortars

ASTM Standard C 191-81: 70

Multiple ion detection descriptors, 2, 4, 10

Multivariate statistics

and TCLP accuracy, 15, 21-27

N

National Pollutant Discharge Elimination System, 146-151

NPDES (*See* National Pollutant Discharge Elimination System)

O

Oils

alcohol

polychlorophenol analysis, 6(table)

fuel

dibenzo-*p*-dioxins, chlorinated, analysis, 6, 7(tables)

dibenzofurans, chlorinated, analysis, 6, 7(tables)

field screening, 152-165

halide content, 152-165

shale

liquid chromatography-graphite furnace atomic absorption spectroscopy, 134

Organometals

bacterial transformation, 130-131

as environmental pollutants, 131(table)

flame photometry defector (FPD) analysis, 136-139

waste analysis, 130-143

Oxygen bomb method, 160(table)

P

PCDDs (*See* Dibenzo-*p*-dioxins, chlorinated)

PCDE (*See* Polychlorinated diphenyl ethers)

PCDFs (*See* Dibenzofurans, chlorinated)

Pesticides

accuracy of analysis, 106, 107(tables)

regulatory levels, 16-17(tables)

TCLP analysis, 33-35(tables), 37-38(tables), 42, 45, 50-51(tables)

Photometry, flame, 136-139, 152-165, 157(illus), 158(illus)

Polychlorinated diphenyl ethers (PCDE), 2, 4

Polychlorophenols
in industrial waste, 1-13

Pore water

liquid chromatography-graphite furnace

atomic absorption spectroscopy, 134

organometals analysis, 134

Q

Quality assurance

drinking water, 81-86

groundwater monitoring, 103-111

project plan, 103

New Jersey Department of Environmental Protection, 146-151

waste analysis, 81-86

New Jersey requirements, 147

wastewater, 81-86

Quality control

metal/inorganic/organic analysis, 103(table)

reporting form, 147(table)

R

RCRA (*See* Resource Conservation and Recovery Act)

Regulatory levels

toxic contaminants, 16-17(table)

Resource Conservation and Recovery Act (RCRA)

laboratory certification, 81-86

Method 8280, 1-13

flow chart, 3(illus)

round-robin study, leaching methods, 112-129

TCLP vs extraction procedure, 115-129

Round-robin evaluation (*See also* Interlaboratory evaluation)
 extraction procedure, 112-129
 leaching methods, 112-129
 TCLP vs extraction procedure, 115-129

S

Safe Drinking Water Act, 146-151
 Sandblasting grit
 liquid chromatography-graphite furnace atomic absorption spectroscopy, 133
 SDWA (*See* Safe Drinking Water Act)
 Sediment
 selenium analysis, 92-97, 96, 97

 Selenium
 analysis techniques, 87-99
 EPA reference values, 63

 hydride generation atomic-absorption spectroscopy, 62-66, 64-65

 in sediment, 92-97, 96, 97

 in vegetation, 92-97, 94, 95, 96, 97

 in water, 91, 91-92, 92

 Semivolatile organic compounds
 regulatory levels, 16-17

 TCLP analysis, 28-31

, 35-36, 40, 41, 43, 46-47

 Shale oils
 liquid chromatography-graphite furnace atomic absorption spectroscopy, 134
 Sludge
 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, 6, 11

 dibenzo-*p*-dioxins, chlorinated, analysis, 6-9, 11, 12

 dibenzofurans, chlorinated, analysis, 6-9, 11, 12

 extraction procedure, 112-129, 114

 inductively-coupled plasma-atomic emission spectroscopy, 76-80
 octachlorodibenzo-*p*-dioxin analysis, 12

 polychlorophenol analysis, 6

 TCLP vs extraction procedure, 115-129, 116-119, 121-127

 Sodium chloride
 in crankcase oil, 163

 flame photometry, 163

 in waste oil, 163

 Soil
 2,3,7,8-tetrachlorodibenzo-*p*-dioxin analysis, 6, 11

 octachlorodibenzo-*p*-dioxin analysis, 6, 12

 polychlorophenol analysis, 6

 Solid waste (*See* Waste, solid)

Speciation (*See* Chemical speciation)
 Spectroscopy, absorption
 Fourier-transform infrared (FTIR), 140-143
 heated graphite-atomizer atomic, 88-99, 133-143
 hydride generation-atomic, 62-66, 88-99
 Spectroscopy, emission
 inductively coupled plasma-atomic, 62-66, 76-80, 87-99
 Statistics, multivariate
 and TCLP accuracy, 15, 21-27
 Still-bottom waste
 2,3,7,8-tetrachlorodibenzo-*p*-dioxin analysis, 7, 11

 dibenzo-*p*-dioxins, chlorinated, analysis, 7, 11, 12

 dibenzofurans, chlorinated, analysis, 7, 11, 12

 interlaboratory study, toxic contaminants, 18-61, 76-80
 octachlorodibenzo-*p*-dioxin analysis, 12

 trace element analysis, 76-80
 Superfund, 148

T

TCLP (*See* Toxicity Characteristic Leaching Procedure)
 Tetrachloroethane
 in crankcase oil, 162

 flame photometry, 162

 Tin
 gas chromatography-element selective detector analysis, 136-139
 Toxicity characteristic contaminants
 analytical method, 16-17

 CAS number, 16-17

 regulatory levels, 16-17

 Toxicity Characteristic Leaching Procedure (TCLP), 14-61, 16-17

, 68-69, 112-129
 Trace elements
 inductively-coupled plasma-atomic emission spectroscopy of, 76-80
 Trichlorobenzene
 in crankcase oil, 162

 flame photometry, 162

U

U.S. Environmental Protection Agency (EPA)
 CERCLA monitoring requirements, 146-151

cooperative studies, 14-61, 67-75, 112-129
 groundwater monitoring, 101-111
 hazardous waste testing, 14-61, 101-111
 laboratory certification, 81-86, 146-151
 polychlorinated dibenzo-*p*-dioxins/dibenzofurans
 Method 8280, 1-13
 sludge waste testing
 Method 6010, 76-80

V

Vegetation
 selenium analysis, 92-97, 94, 95, 96, 97(tables)
 VOCs (*See* Volatile organic compounds)
 Volatile organic compounds (VOCs)
 accuracy of analysis, 106, 107(tables)
 regulatory levels, 16-17(table)
 TCLP analysis, 42-50, 52-60(tables)

W

Waste, solid
 analysis
 laboratory certification for, 81-86, 84(table)
 evaluation methods
 overview, 67-69

freeze/thaw resistance, 74
 solidification of, 68-69
 stabilization of, 65-75
 wet/dry resistance, 69-75, 71(table)
 ASTM Standard D 559-76: 69

Waste contaminants
 analytical methods, 16-17(table)
 CAS numbers, 16-17(table)
 regulatory levels, 16-17(table)

Waste oil
 halide content
 field screening, 152-165

Wastewater
 analytical laboratory certification, 81-86
 Water (*See also* Drinking water; Groundwater; Pore water; Wastewater)
 dibenzo-*p*-dioxins, chlorinated, analysis, 7(table)
 dibenzofurans, chlorinated, analysis, 7(table)
 selenium analysis, 91, 91-92, 92(tables)

Weathering, waste
 measurement of, 69-75, 71(table)
 Wood-preserving industry waste, 2

Z

Zero headspace extractor (ZHE), 16