SYMPOSIUM ON METHODS OF MEASURING VISCOSITY AT HIGH RATES OF SHEAR

Presented to

API COMMITTEE ON PETROLEUM PRODUCTS
Chicago, Ill., November 7, 1949
and to

RESEARCH DIVISION VII ON FLOW PROPERTIES
ASTM COMMITTEE D-2 ON PETROLEUM PRODUCTS
AND LUBRICANTS

Washington, D. C., February 24, 1950



Special Technical Publication No. 111

Published by the

AMERICAN SOCIETY FOR TESTING MATERIALS

1916 Race Street, Philadelphia 3, Pa.

SYMPOSIUM ON METHODS OF MEASURING VISCOSITY AT HIGH RATES OF SHEAR

Presented to the API COMMITTEE ON PETROLEUM PRODUCTS Chicago, Ill., November 7, 1949 and to RESEARCH DIVISION VII ON FLOW PROPERTIES ASTM COMMITTEE D-2 ON PETROLEUM PRODUCTS

AND LUBRICANTS
Washington, D. C., February 24, 1950



Special Technical Publication No. 111

Published by the
AMERICAN SOCIETY FOR TESTING MATERIALS
1916 Race Street, Philadelphia 3, Pa.

Copyright, 1951 BY THE American Society for Testing Materials

FOREWORD

The papers and discussion in this Symposium on Methods of Measuring Viscosity at High Rates of Shear were presented to the API Committee on Petroleum Products on November 7, 1949 at Chicago, Ill. and to Research Division VII on Flow Properties of ASTM Committee D-2 on Petroleum Products and Lubricants, held at Washington, D. C., February, 1950. This particular study was arranged by Section B on Non-Newtonian Liquids of the Research Division VII of which J. C. Geniesse is Chairman.

Note.—The Society is not responsible, as a body, for the statements and opinions advanced in this publication.

CONTENTS

PA	AGE
Introduction—J. C. Geniesse	1
Viscosity-Shear Behavior of Two Non-Newtonian Polymer-Blended Oils—M. R. Fenske, E. E. Klaus and R. W. Dannenbrink	3
The Kingsbury Tapered-Plug Viscometer for Determining Viscosity Variations With Temperature and Rate of Shear—S. J. Needs	24
The Comparison of Viscosity-Shear Data Obtained with the Kingsbury Tapered Plug Viscometer and the PRL High Shear Capillary Viscometer	45

