

Subject Index

A

- Subject Index**
- Abrasive wear, 362, 375
- Acid solution, extraction of, 148
- Adhesive resistance, 349
- Adhesive wear, 375
- Aerospace applications, 362, 375, 386
- Aluminum, 297
- American Iron and Steel Institute 440C, 414
- Antifriction bearings, 47
- ASTM standards
 - A 295, 113
 - A 295 52100, 27, 113, 330
- Austemite, retained, 320, 330, 399 control, 309
- heat treatment generation, 244
- life extension relationship, 285, 297
- Automotive applications, 164, 285

B

- Bend fracture strength, 349
- Bending strength, rotating, 3
- Boundary lubrication, 226

C

- Carbide, 309, 349, 459
 - banding, 27
 - coarse eutectic, 414
- Carbon, 414, 427
- Carbon alloy, high, 27
- Carbomitride, 309
- Carbonitriding bearing steel, 297
- Carbon reduction, 3, 27
- Carburized layer, 427
- Carburizing, 330, 399, 459
 - stainless steel, 362, 375
- Case hardenable steels, 244
- Casting techniques, 164

- Ceramic ball hybrid bearings, 349
- Chip formation, 71
- Chromium, 349, 399, 414
 - chromium-molybdenum steel, 113
 - reduction, 3
- Cleanliness, 138, 176, 226, 443, 509
 - assessment, internal, 101
 - improvement, 263
 - macro-cleanliness, 164
 - ultra clean steel, 47
- Contact stress, uniform, 330
- Continuous casting, 3, 27, 309
- Corrosion resistance, 349, 362, 375, 414
- Coulter counter method, 148
- Cracks, 197, 213
 - microcracks, 297
 - nucleation, 493
 - propagation, 443, 493
- Cromdur 30, 362, 375
- CSS-42L, 362, 375
- Cutting forces, 71

D

- Damage**
 - mechanisms, 197, 244
 - surface, 320, 330
 - surface initiated, 263
- Debris denting, 330
- Defects, 164
- Dents
 - effects, 244
 - raceway, 263
- Dimensional stability, 244
- Distortion, 86
- Duplex hardening, 386
- Dynamic capacity, 213

E

- Elastic modulus, 427
- Elastohydrodynamic film parameter (λ), 226
- Elastoplastic properties, 427

530 BEARING STEEL TECHNOLOGY

Endurance limit, 459

Environmental issues, 86

ES1 steel, 414

Evaluation program, bearing
steel, 138

Extraction, 148, 176

F

Fatigue endurance, 101

Fatigue failure, 125, 148

ultra-long, 113

Fatigue life, 113, 309, 414, 493

carbonitrided bearing, 297

characteristics, 349

distribution, 197

extension, 285, 459

nonmetallic inclusion

evaluation, 148

prediction, 474

testing, 138, 226, 244, 375

testing, duplex hardened

components, 386

Fatigue limit, 101

stress, 474

Fatigue, spalling, 443

Fatigue strength, 113, 176

Fatigue tests, 263, 330, 509

flat washer, 493

life tests, 138, 226, 244, 375

Finite element method, 427

52100, 3, 349, 375, 474

5280, 3

Flaking, 226

surface originated, 213

Fracture

delayed, 226

reverse, 226

test, 138

toughness, 362

G

Generalized Pareto distribution,
125

German standard, 164

German steel industry, 164

Grain boundary, 226

Grain growth inhibition, 27

Grain size, 297

Grinding, 86

Groove formation, 509

H

Hardening, 47

distortion, 86

duplex, 386

strain, 427

Hardness, 3, 309, 414

hot, 349, 362, 375, 399

micro-hardness, 297

recovery, 362

surface, 386

Heat treatment, 113, 399, 474

applied, 443

carbonitriding, 297

characteristics for life

extension, 285, 309

optimization, 244

performance, 330

property development, 27

quenching, 86

response, 3

Hertzian stress, 47

High speed steels, 399

Hoop stress, 459

Hydrogen, 113

embrittlement, 226

I

Image analysis, 176

Immersion tests

tap water, 414

ultrasonic testing, 164

Impact bending, 3

Impact toughness, 349

Inclusion, 113, 459, 493

micro-inclusion, 509

nonmetallic, 101, 164, 226,

459

elastic modulus, 427

evaluation method, 148,

176

hard, 47

hydrogen trapping, 113

spalling effects on, 320

population, 493

ratings, 125

size prediction, 125

size ratings, 509

Indentation, 197, 263, 427

simulation, foreign particle,

244

Ingot size, 27
Inhomogeneity, 459
International Organization for Standardization (ISO)
ISO 3685, 71

K

KE bearings, 285

L

Light interferometry, 330
Load, equivalent bearing, 213
Loading, 125, 197, 320, 349
 applied, 493
Local stress, 213
Lubrication, 474
 contaminated, 244, 263, 309,
 320
 life estimation under, 213,
 297
 film, 330
 water-infiltrated, 226, 309
Lundberg-Palmgren
 bearing life theory, 213
 life equations, 474

M

Machinability, 71
Machining, hard, 86
Manganese increase, 3
Martensitic stainless steel, 414
Material optimization, 244
Mechanical properties, chemical composition effects, 297
Metallography, quantitative, 101
Metal particles, hard powder, 330
Metal shaping, 474
M50, 349, 375, 386, 399
Microhardness, 297
Microplasticity, 427
Microscopic image analysis, 176
Microscopy, 138
Microstructural change, 443
Microstructural optimization, 244
Microstructural stability, 443
Microstructure, 3, 330
 chemical composition
 effects, 297
Micro-yield shear, 459

Micro-yield stress, 427
M1, 399
Modeling, 197
 bearing fatigue life, 509
 endurance limit, 459
 fatigue life distribution, 197
 statistical, 493
Molybdenum, 113, 399
M2, 399

N

Nano-indentation
 measurements, 427
Nickel, 226, 297
Nitrided layer, 427
Nitrided steel, 362, 459
Nitrogen, 414
Noise level measuring test, 414
Nondestructive testing, 125
Nonmetallic inclusions, 101,
 164, 226, 459
 elastic modulus, 427
 evaluation method, 148, 176
 hard, 47
 hydrogen trapping, 113
 spalling effects on, 320
Notch effects, 244
Notch impact strength, 3

O

Oil lubrication life test, 414
Optical emission spectroscopy,
 101
Optically dark area, 113
Oxygen, 47
 analysis, 138
 content, 176

P

Particle indentation simulation,
 foreign, 244
Particle metallurgy, 349
Peeling, 226
Plastic deformation, 244
Process evaluation, 138

532 BEARING STEEL TECHNOLOGY

Production costs, 414
Pyrowear 675, 362

Q

Quenching, 3, 86, 113

R

Railway, 164
Reduction ratio, 27
Rig testing, 386
Roughness, 197

S

Saltwater spray test, 414
Sample preparation
 requirements, 138
SCM435, 113
SEP 1927, 164
Slag refining, 148
Sliding wear, 386
Soaking time, 27
Society of Automotive Engineers
 (SAE)
 SAE 5140H, 297
 SAE 52100, 3, 176, 309, 320
 comparison with CSS-42L,
 375
 fatigue failure, 113
Society of Tribologists and
 Lubrication Engineers
 (STLE), 474
Sodium chloride immersion
 test, 414
Softening, 443
Solidification, 27
Spalling, 493
 fatigue, 443
Spectroscopy
 optical emission, 101
Stability, microstructural, 443
Statistics of extreme method,
 125, 176, 509
Stress analysis, 263
Stress conditions, 3
Stress, contact, 474, 509
Stress, cyclic, 443
Stress distribution, 125
Stress, fatigue limit, 474
Stress level, applied, 443

Stress-life method, 474
Stress, local, 213
Stress, micro-yield, 427
Stress, residual, 386, 399
Sulphur reduction, 27
Supplier evaluation techniques,
 138

Surface dents, 263

Surface hardened steel, 427, 459

Surface hardness, 386

Surface initiated damage, 263

Surface integrity, 71

T

Teeming/casting temperature, 27
Temperature resistance, 285
Tempering stability, 320
Tensile strength, 3
Tension-compression fatigue
 tests, 113
Test lives, 213
Thermal-induced
 transformation, 244
32CDV13, 362
Through-hardened steel, 459
Titanium, 47
Tool life, 71
Tool steel, 349
Tungsten, 399
Turning test, single point, 71

U

Ultrasonic testing, 47, 138
 cleanliness level
 characterization, 101
 higher frequency method, 176
 immersion, 164
 nonmetallic inclusion
 evaluation, 148

V

Vacuum arc degassing, 47
Vanadium, 297, 349, 399

W

Water-infiltrated lubrication,
 226
Water submerge life test, 414

INDEX 533

- Wear resistance, 3, 27, 309, 349
aerospace applications, 386
Cronidur 30, 362
CSS-42L, 362, 375
nitrided steel, 362
Pyrowear 675, 362
XD15NW, 362
- Weibull distributions, 386, 493
- X**
- XD15NW, 362
X-ray diffraction analysis, 443