

Subject Index

A

Atomic absorption
spectroscopy, 16

B

Barium, 16
Bioceramics, 198
Bonding strength, 9
Bone bonding, 80, 111, 124,
140, 199
Bone graft, 1, 9, 43, 163
Bony ingrowth, 80, 149

C

Calcium ion, 170
Calcium oxide, 16
Calibrated method, 25
Cobalt-chromium-molybdenum, 80
Committee F-4, ASTM, 198
Composites, 63, 80
Contaminants, coating, 63
Corrosion product release,
metal, 111
Crystallinity, 9, 54
characterization of, 124, 140
determination, 25
evaluation of, 99
measurement of, 16
percent, 63
phases, 33
standards, 25
variations, 43

D

Data collection, 633
Deconvolution, 33
Degradation mechanisms, 124,
198
corrosion, 111
Density, powder, 9, 80, 163
Dental implant, 1, 54, 80, 149

Dental products, 185
Dissolution, 43, 111, 163

F

Food and Drug Administration,
draft guidelines, 185
Fourier transform infrared
spectroscopy, 16, 163

G

Grain texture, 54

I

Implant-tissue interactions, 124
Ion implantation, 170

L

Labeling, 185
Lamellae, 124

M

Mechanical properties, 80
Metallic devices, 149
Modeling, bone, 198

N

Nondestructive testing, 54

P

Particle characteristics, 9, 198
Phase analysis, quantitative, 63,
163
Phase transformation, 111, 140
Plasma spray, 25, 43, 80, 111
contaminants and, 63
nondestructive characterization,
54
powder control, 9
Porosity, 80, 163

Powder diffraction standards,
 joint committee, 33
 Precipitation, 140, 170

R

Reactivity, 43
 Reference material, calcium
 phosphate, 99
 Resorption, 1, 80, 163
 Revision surgery, 149
 Ringer's solution, 124
 Roughness, 124

S

Scanning electron microscopy,
 163
 Solubility, 163
 thermodynamic, 99
 Spectroscopy
 atomic absorption, 16
 Fourier transform infrared,
 16, 163
 infrared, 140
 Stability, 43, 63, 111
 thermal, 99

Standards
 ASTM, 198
 crystallinity, 25
 FDA draft guidance, 185
 powder diffraction,
 committee, 33
 Surface-modified layer, 170
 Surface morphology, 124

T

Tetracalcium phosphate, 111,
 140
 Thermal spraying, 25, 124
 Thermal stability, 99
 Titanium, 80, 170
 Tricalcium phosphate, 16,
 140

X

X-ray diffraction
 characterization, 63
 composition determination, 43
 crystallinity determination,
 16, 25, 33, 99
 nondestructive
 characterization, 54
 phase measurement, 163