

Subject Index

A

Alkali dissociation, 613
 Alloy processing, 304, 368
 Alloy chemistry changes, 461
 Amorphization, 683, 718
 Anisotropy parameters, 62, 119, 198
 Annealing parameters
 cumulative measurements, 319, 758
 fabrication schedules, 279
 heat treatments, 304, 461, 566
 mechanical properties, 35, 156
 recrystallization, 566
 stress relief, 566
 temperature measurements, 346, 683, 718
 Aqueous corrosion analysis, 566, 740
 ASTM standards
 B-350, Specification for Zirconium and Zirconium Alloy Ingots for Nuclear Application, 99
 general, 99
 Atomic absorption spectroscopy, 613
 Atom probe technique, 461
 Automatic frequency control operations, 230

B

Black oxide transformation, 740, 758
 Boiling water reactors
 autoclave testing, 566, 683
 annealing temperatures, 35
 cladding tube liners, 35, 198
 corrosion resistance parameters, 319, 476, 683
 oxidation mechanisms, 3, 368, 437

C

CANDU power reactors, 156, 246, 613, 665
 Charpy, 246
 Cladding tubing, 62, 80, 198 (*see also* Cold piling, Cold-worked parameters and Deformation)
 Cold piling
 cladding tubing, 62, 80
 Q-values, 35, 80, 304

Cold-worked parameters
 cladding tubing, 62, 177, 198
 fuel tubing, 304, 683, 718
 pressure tubing, 48, 156, 218
 production schedule, 461
 spacer strips, 279
 Compression tests
 constitutive flow behavior, 48
 deformation testing, 80, 368
 hot extrusion, 48
 Computer modelling, 539
 Conductivity, 437
 Constant energy dissipation, 198
 Corrosion parameters (*see also* Nodular corrosion)
 alloy composition, 140, 156, 368
 chemical effects, 3, 80, 437
 development, 346
 electrochemical properties, 499, 758
 in-reactor, 346, 595, 665
 intermetallic morphology, 499
 irradiation, 665
 lithium adsorption, 613
 mechanisms, 3, 279, 461
 modelling, 539, 758
 out-of-reactor, 3, 346, 476
 resistivity, 476
 weight gains, 279
 Crack initiation, 35
 Crack propagation, 35
 Creep
 in-reactor, 198, 218
 resistance 156
 Crystallographic orientation, 198, 437
 Crystallographic texture analysis, 80, 119, 718
 Curved compact toughness, 246

D

Deformation
 ductility, 230, 246
 cladding tubing, 35, 177, 198
 mechanisms, 62
 plasticity, 198
 pressure tubing, 156, 218
 texture analysis, 80
 Department of Energy (DOE), 3
 Diffusion profiles, 416

Dislocation density, 246
 Dissolution, 476, 643, 718 (*see also*
 Oxidation)
 Ductile fracture surfaces, 230
 Ductile material testing, 99
 Dynamic recrystallization, 48

E

Elastic strain, 230
 Electrical resistivity, 476
 Electrochemical characteristics, 437, 499
 Electrochemical-mechanical passivity
 model, 499
 Electron conductivity, 643
 Electron microscopy, 156, 319, 346
 Extended fuel residence, 628, 683
 Extrusion experiments, 48

F

f-factor, 119
 Fabrication parameters, 35, 319
 Fatigue behavior, 230
 Fourier-transform infrared interferometry,
 643
 Fracture toughness, 99, 230, 246
 Fuel costs analysis, 3
 Fuel cladding
 borated water environments, 628
 fabrication parameters, 35
 lithiated water environments, 628
 mechanical properties, 718
 nodular corrosion characteristics, 683,
 395
 rod dimensional changes, 177
 rod equilibrium vapor pressure, 230
 thermomechanical processing
 parameters, 758
 uniform corrosion characteristics, 461

G

Galvanic coupling, 499

H

Heat flux analysis, 628
 Heat transport fluid, 246
 Heat-treated pressure tubing, 99, 156, 279
 Heat treatments, 368, 437, 461
 Hexagonal crystal structure, 80
 Hideout, 628
 Hot extrusion, 48, 99

Hydride precipitation, 99, 566, 683
 Hydrogen parameters
 absorption, 368, 395, 437
 concentration, 99, 279, 368
 diffusion, 740
 embrittlement, 566
 ingress, 740
 isotopes, 246
 solubility, 566, 595

I

Impedance measurements, 476, 643
 Impurity contents, 156, 368
 Infrared reflection absorption
 spectroscopy, 613
 Inner microfissures, 35
 Intergranular corrosion, 499
 Intermetallic precipitates
 amorphization, 683, 718
 annealing parameters, 758
 corrosion behavior, 346, 395
 mechanical properties, 346
 particle size distribution, 319
 International Atomic Energy Agency, 3
 Irradiated fuel cladding tubes, 230
 Irradiated pressure tubing, 246
 Irradiation
 creep, 177
 cycles, 539
 electron, 718
 ion, 718
 neutron, 198, 230, 665
 oxide growth mechanisms, 3, 218, 683
 synergistic effects, 566
 temperatures, 246
 Isothermal investigations, 628

J

J-integral resistance curve method, 246

K

Kinetics transition point, 416

L

Lattice registry, 140
 Light water reactors, 683
 Liner grain size, 35
 LiOH concentrations, 595, 613
 Lithium isotropic ratio, 613
 Loop performance, 539

M

- Macroscopic stress analysis, 119
- Manufacturing
 - cladding tubes, 62
 - cold-worked pressure tubes, 48, 80, 461
 - spacer strip material, 279
 - statistical models, 62
- Materials processing techniques, 48, 437
- Matrix microanalysis, 461, 539
- Mechanical properties
 - anisotropy, 119
 - creep, 62
 - microstructural stability, 140, 156, 718
 - tensile strength, 62, 346
- Metal-oxide interface
 - corrosion resistance, 461, 665
 - cracking, 683
 - hydride formation, 566, 683, 740
 - porosity, 613, 740
- Microstructural properties
 - fracture toughness evolution, 246
 - general, 3, 35, 304
 - heat flux analysis, 628
 - heat treated specimens, 156, 461
 - precipitate analysis, 319, 683
 - strain rate instability, 48, 218
 - texture analysis, 319
- Monoclinic transition, 368, 416

N

- Nuclear fuel cladding, 461
- Nuclear microanalysis, 416
- Neutron absorption, 156
- Neutron cross sections, 3
- Neutron fluence, 218
- Neutron irradiation
 - anisotropy, 198
 - fatigue behavior, 230
 - fracture toughness, 246
 - precipitate amorphization, 683, 718
 - synergistic effect, 566
- Nodular corrosion resistance (*see also* Uniform corrosion)
 - alloy processing, 279, 304
 - chemical composition, 279, 437
 - intermetallic morphology, 499, 683
 - matrix concentrations, 319, 476
 - oxide growth mechanisms, 395, 437, 476
- Nondestructive testing, 758

O

- Open circuit potential, 499
- Open porosity measurements, 395
- Optical microscopy, 643
- Oxidation
 - alloying elements, 368, 499
 - enhanced, 643
 - fuel cladding tubes, 177
 - in-reaction, 3
 - rate kinetics, 177, 665
- Oxide films, 416, 437, 476, 499
- Oxide growth mechanisms
 - conductivity, 437, 499, 643
 - crystallization, 395, 613
 - diffusion profile, 416
 - dissolution, 643
 - ductility, 499
 - porosity, 395, 613, 740
 - rate kinetics, 177, 416
 - stress, 177
 - structural transformation, 499, 740
- Oxide-metal interface, 461 (*see also* Metal-oxide interface)
- Oxygen diffusion, 416

P

- Plastic deformation, 80, 140
- Pole orientation, 80, 119
- Precipitate amorphization, 683, 718
- Precipitate behavior, 476, 718
- Precipitate particle analysis, 140, 156, 319
- Pressure tubing
 - deuterium absorption, 665
 - lithium adsorption, 613
 - microstructural analysis, 48, 156
 - processing parameters, 80
- Pressurization testing, 198
- Pressurized water reactors
 - calandria tubes, 198
 - corrosion resistance parameters, 319, 346, 683
 - electrochemical properties, 499
 - fuel cladding parameters, 177, 346, 461
 - irradiation cycles, 539
- Pressurized heavy water reactors
 - cladding tubes, 198, 595
 - calandria tubes, 198
 - pressure tubes, 48, 99
- Pretransition, 643
- Primary coolant containment, 246
- Processing parameters, 48, 319, 758
- Power dissipation characteristics, 48

Q

Q-ratio, 35, 80, 304

R

Raman spectroscopy, 416
 Radial hydrided materials, 99
 Reactor operating parameters, 177, 198, 539
 Recrystallization, 119, 198, 304
 Reduction parameters, 304

S

Scanning electron microscopy, 499, 566, 665, 683
 Secondary ion mass spectrometry, 613, 740
 Second phase particle analysis, 499
 Semiconducting characteristics, 437
 Solute concentration, 319, 346
 Steam autoclave testing
 computer model, 539
 intergranular corrosion, 499
 nodular corrosion resistance, 304, 319, 566
 uniform corrosion resistance, 279
 Static autoclave testing, 279
 Statistical models, 62
 Strain rate parameters, 48, 62
 Strain ratios
 axial, 177
 biaxial, 198, 218
 contractile, 80
 general, 140
 relaxation, 218
 statistical models, 62
 tensile deformation, 119
 Static autoclaves, 628, 683
 Stress analysis, 304, 416
 Substrate strength, 319
 Supercritical water analysis, 595

T

Tensile deformation, 119, 140
 Tensile strength testing
 uniaxial, 230
 solute concentrations, 346
 statistical models, 62
 texture parameter, 80
 Tetragonal structure, 156, 368, 416
 Texture analysis, 279, 304
 Texture coefficients, 80, 119
 Thermal cycle efficiencies, 3

Thermomechanical processing, 279, 304, 319
 Tooling parameters, 62
 Transmission electron microscopy, 461, 476, 683, 740
 Tubing processing parameters, 80, 319

U

Uniform corrosion resistance, 279, 395, 461

V

Valence theory, 437

W

Water-cooled reactors, 3, 99
 Water-modulated reactors, 3, 99

X

X-ray diffraction, 156, 198, 416
 X-ray spectroscopy, 156

Z

Zr-2.5Nb
 deuterium absorption, 665, 740
 fracture toughness, 99, 246
 hydrogen adsorption, 740
 irradiation growth, 218
 LiOH corrosion, 613
 microstructural analysis, 156
 oxide characteristics, 416, 665, 740
 Zircaloy-2
 creep anisotropy, 198
 deuterium absorption, 665
 fabrication procedures, 35
 fatigue behavior, 230
 hot working characteristics, 48
 intermetallic composition, 461, 499, 304
 irradiation, 718
 LiOH corrosion, 643
 oxidation rates, 665
 oxides, 395, 643
 nodular corrosion, 304, 319, 683
 precipitate behavior, 476
 tensile deformation, 119
 texture processing controls, 80
 uniform corrosion, 279
 Zircaloy-4
 borated water, 628
 corrosion models, 539

creep anisotropy, 198
hydride precipitation, 566
intermetallic composition, 346, 461, 499
irradiation, 718
fuel cladding corrosion, 758
LiOH concentrations, 595, 628
manufacturing models, 62
nodular corrosion, 319
oxidation rates, 177
oxides, 395, 416, 437
tensile deformation, 119, 346
texture processing controls, 80

Zirconium alloys
chromium, 346, 368, 461, 476
iron, 346, 368, 461, 476
liner grain size, 35
lithium, 613
molybdenum, 346
nickel, 368, 461, 476
niobium, 346
oxides, 395, 416, 437
tantalum, 368
tin, 140, 346, 368, 476
vanadium, 368