

Subject Index

A

Abrasion, 278
 Abrasive wear, 13, 90
 Actuators, 200
 Additives, oil, 563
 Adhesion, 3, 278
 Air cleaner fine test dust, 190
 Aircraft, 370
 hydraulic system problems, 489
 Aluminum alloy, 549
 Amines, 450
 Analytical ferrography, 179, 225
 Anti-foaming agent, 167
 Army, U.S., fluid failure mode analysis, 167
 Asperities, 3

B

Barium dinonylnaphthalene sulfonate, 489
 Barrier, storm surge, hydraulic system, 150
 Bearings, 31, 299
 life, 500
 Biodegradable fluids, 75, 427, 575
 Blistering, 450
 Bottle sampling, 190
 Boundary lubrication, 3
 Brinelling, 299
 Bronze/steel, 427
 Bulk modulus, 318

C

Cam ring, 333
 Cavitation, 119, 214, 278, 299
 cavitating-jet apparatus, 563
 damage, 357
 pump, 299, 318
 Ceramic parts, hydrostatic pumps and motors, 417
 Ceramics, 402

Cerium, 549
 Coatings, 402, 427, 500
 Composites, titanium-nickel matrix, 382
 Compressibility, 318
 Construction equipment, 263
 Contact resistance, 535
 Contacts, lubricated, abrasive wear, 13
 Contamination, 13, 167, 340
 control, 190, 474
 diamond, 13
 particle, 299
 quartz, 13
 recirculating, 3
 sensitivity, 248
 water, 214
 Contradiction elimination, TRIZ, 340
 Copper, 462
 Corrosion, 214, 263, 278, 299
 damage prediction, 357
 Corrosive wear, 119, 382
 resistance, 535, 549
 Cracking, 450
 CrAIN, 427
 Cylinders, 31

D

Damage prediction, 357
 Debris, wear, 200
 Degradation, 370
 Delta Works, The Netherlands, 150
 Density, 318, 563
 Density analysis, ferrous, 225
 Design, hydraulic system, 318
 Design paradigms, system components, 340
 Deterioration, oil, 263
 Deutsches Institut für Normung standards (DIN), 75
 Diffusion, 462
 Drilling applications, 427
 Drive system, storm surge barrier, 150

598 HYDRAULIC FAILURE ANALYSIS

Dry sand/rubber wheel abrasion
tester, 90
Dryness, target, 214
Durability, 462
Dust, test, 190

E

Elastic modulus, 90
Elastic-plastic finite element
stress analysis, 59
Elastohydrodynamic lubricants, 3
films, 333, 500
Electrochemical corrosion, 119
Electrochemical scratch, 535
Endurance life, 417
Energy management issues, 340
Engines, hydrostatic, 427
Environmentally acceptable
hydraulic fluids standard,
137
Erosion, 357, 382, 563
corrosion, 119
Ester based fluids, 575
Excavator, 263

F

Failure mode, hydraulic system,
119, 137, 167
common, 299
Failure probability, 150
ceramic parts, 417
Fatigue, bearing, 500
Fatigue life, 333
Ferromagnetism, 225
direct reading, 179
Ferrous density analysis, 225
Film, elastohydrodynamic, 333,
500
Film, hydrodynamic, 13
Film, lubricant, 370
Filters, 474
component design studies,
self cleaning, 340
testing, 190
Finite element analysis, 90
Finite element stress analysis, 59
Fire resistant fluids, 137, 263
Fluid analysis technologies, 225
Fluid, chemical properties, 167
Fluid lubrication properties, 75

Fluid, physical properties, 167
Fluid power components, 563
Fluoro elastomer, 450
Flywheel test, 575
Foaming, 563
resistance, 167
Foil bearing, 13
Forestry equipment, 523
Fourier transform infrared
spectroscopy, 489
Friction, 200, 402, 462
behavior, 549
characteristics, 41
coefficient, 427, 441, 474
data, load capacity test, 105
Function analysis, TRIZ, 340
FZG test, 75

G

Gas turbine, 105
Gear pumps, 105, 119
Grease, 462, 500, 549
Growth, microbial, 214

H

Hardness, differential, 13
Hertzian distribution, 59, 333
HfCg, 427
Hydrodynamic effects, surface
roughness, 31
Hydrodynamic film, 13
Hydrogen-induced wear, 214
Hydrolysis, 214
Hydrostatic components, 575
Hydrostatic machinery, 417, 427
Hydrostatic transmission, 402,
575

I

Ideal final result, TRIZ, 340
Incubation period, 357
Integrated Drive Generators, 370
International Organization for
Standardization (ISO)
ISO 11158, 137
ISO 12922, 137
ISO 15380, 137

K

Komatsu HPV35 + 35 pump
test, 263

L

Lacquer formation, 263
Laminar flow, 31
Laser surface texturing, 441
Lattice sites, 90
Leak-free coupling, 340
Load capacity, 441
tests, 105
Load conditions, 417, 462
Loading, 402
Lube analysis monitoring, 179
Lubricated contacts, 13

M

Maintenance, 200
condition-based, 225
Martensitic transformation,
reversible, 382
Mechanical components,
performance
improvement, 441
Mechanical testing of hydraulic
fluids, 75, 575
Metal, friction, 549
Metal parts, 417
Metal, yellow, 462
Metallic materials, surface
behavior, 357
Microbial growth, 214
Microhardness, 535
Micro-indentation tests, 535
Microscopic analysis, 179
Micro-scratch tests, 535
Military aircraft, 489
Military standards
MIL-H-5606, 190
MIL-H-46170, 167
MIL-PRF-6083, 489
MIL-PRF-83282, 489
Milling applications, 427
Mineral oil hydraulic fluid, 137,
427, 575
Misalignment, 299
Models and modeling
abrasive wear, 13

analytical, 248
computer, 90
finite element, 59
friction and wear, 462
plasticity, 59

Moisture, 225

Motors, 3, 31, 41, 402
hydrostatic, 417, 427
radial piston, 137, 333

Multiaxial fatigue, 59

N

Netherlands, storm surge
barrier, 150
Newton's law of motion, 90

O

Oils, 263, 450, 462, 549, 563
analysis, 225
contamination, 474
gas turbine, 105
hydraulic fluids, water
contamination in,
214
mineral, 427
oxidation, 299
products, 179, 474
properties, 225
Omega theory, 248
O-rings, 462
Oxidation, 225
Oxide-film bonding, 549
Oxygen-active element, 549

P

Particle analysis, 179
Particle concentration, 190
Particle counting, 190
Particle exposure rate, 248
Particles, 225
Particulate contamination, 13,
167, 179, 190, 299
Patch analysis, 179
Performance characteristics, 500
Piston, hydraulic log, 370
Piston profile, 41
Piston pumps, 41, 119, 137, 263
Piston rings, 31
Plastic deformation, 59, 357

600 HYDRAULIC FAILURE ANALYSIS

Plastic flow, 59
Plastic strain, 90
Polarization behavior, 535
Polishing, 370
Polymer molecular weight, 523
Pressure drop, 523
Propellers, 462
Pseudoelasticity, 382
Pumps, 3, 31, 200, 402
 axial piston, 299, 523
 chamber, 248
 failures, 137
 gear, 248
 gear pump failure analysis, 105
 hydrostatic, 417, 427
 inlet conditions, 318
 Komatsu HPV35+35, 263
 piston, 41, 119, 137, 263
 test, 523
 vane, 137, 563
 Vickers V-104 vane pump, 75
 wear problems, 278
PVD coatings, 427

R

Radial lip seal, 450
Roller bearings, 137
Rolling contact fatigue, 278
 failure, 137
Rolling contact, two
 dimensional, 59
Rolling elements, 333
 bearing life, 500
Root cause analysis, 137, 278, 340
Rotary lip sealing, 450
Roughness, 41
Roughness, surface,
 hydrodynamic effects, 31
Rubber, 462
 epidermoid layers, 450
Running in tests, 41
Russian Theory of Inventive
 Problem Solving, 340
Rust, 214
 inhibitors, 489

S

Scanning electron microscopy, 549
Scratch resistance, 427
Screening test, 575
Scuffing, 3, 105, 263
Seals, 31, 462, 500
 radial lip sealing, 450
 rotary lip sealing, 450
Sensitivity coefficients,
 contaminant, 248
Separation voltage, 41
Service life, 500
Shear degradation, 523
Shear stability, 523
Sliding surface, lubrication
 characteristics, 41
Sliding wear, 382
Slipper assembly, 370
Solvent extraction, 474
Spark discharges, 474
Spectrometric testing,
 ultraviolet, 179
Spectroscopy, 225
 infrared, 489
Standards
 DIN, 75
 ISO, 137
 military, 167
Steels
 bearing, 500
 quality, 137
 stainless, 535
 Type 304, 535, 549
Stiffness, 41
Storm surge barrier, 150
Strain, 59
 distribution, 90
 hardening, 357
Stress analysis, elastic
 plastic, 59
Stress conditions, 417
Stresses, 333
Stribeck curves, 3, 41
Sulfonate, 489
Sulfuric acid, 549
Surface
 analysis, 535
 failure analysis, 105
 fatigue, 370
 laser, texturing, 441

profile, 333
 ratchetting, 59
 roughness, 31, 357
 sliding, lubrication
 characteristics, 41
 texturing, 441
 topography, 333
 Swashplate unit, 402

T

Temperature, fluid, 523
 Texturing, surface, 441
 Thermal stability, 225
 TiAlN/ Al_2O_3 , 427
 Titanium-carbon, 382
 Titanium-nickel matrix
 composites, 382
 Titanium-nitrogen, 382
 Tolerance profile, contaminant,
 248
 Traction data, load capacity
 test, 105
 Trends of evolution, TRIZ, 340
 TRIZ, 340
 Turbine oil, gas, 105

V

Valves, 200
 hydraulic, problems, 474
 stuck servovalve, 489
 Vane pump, 137
 test, 75, 119
 Vapor pressure, 318
 Varnish, 225
 Velocity, relative, 462
 Vibration testing, 179
 Vickers 20VQ test, 563
 Vickers V-14, 75
 Viscosity, 225, 318, 563
 index improvers, 523

W

Water, 333
 Water-based fluids, 402,
 500
 Water contamination,
 214
 Water lubrication, 462
 Water monitoring, 214
 Water removal, 214
 Wear, 3, 263, 402, 575
 abrasive, 13
 coatings, 427
 contaminant, hydraulic
 pump, 248
 corrosive, 119, 549
 debris, 200, 225
 gear, 105
 hydraulic, processes, 278
 hydrogen-induced, 214
 mechanism, 370
 oil type, effect on, 563
 o-ring, lubrication influence
 on, 462
 particle analysis, 179
 performance, 382
 pump, 248
 resistance, 441
 simulation, 90
 sliding, 535
 titanium-nickel shape
 memory alloy, 382
 Work hardening, 90

Y

Yellow metal, 462
 Yield strength, 90
 Yttrium, 535, 549