

Subject Index

A

- Aerospace industry
 - applications of Beta-C for, 163
 - applications of titanium and zirconium in, 123
- Alkali chloride industry, titanium applications in, 7-9; table, 8, 10
- Aluminothermic reduction of oxide, 103-4, 105-6
- Aluminothermy, 103-4, 106
- Aluminum, as alloy on corrosion resistance of titanium, 137, 145
- American Society of Mechanical Engineers (ASME), Boiler and Pressure Vessel Code, 117
- ASTM standards
 - B 337: 44, 48-49, 53
 - B 600: 124
 - E 23: 46
 - E 606: 48
 - E 813: 46
 - G 2: 121
 - G 30: 133-34
- ASTM Committee B-10, 122-28
- Austenitic stainless steels, behavior of, in comparison with zirconium and titanium, for corrosion, 71-75; illustration, 71-73
- Autoclave corrosion testing, in the waste treatment industry, 22; illustration, 23; table, 23

B

- Beta annealing, 148, 150; illustration, 149
- Beta-C
 - in aerospace industry, 163
 - applicability of, for seawater piping, 163
 - chemical composition of, 145; table, 145
 - corrosion
 - hydrogen absorption, 161; table, 161
 - localized corrosion, 158; illustration, 159; table, 159
 - stress-corrosion cracking, 158, 160; table, 160
 - uniform attack, 152-53, 158; illustration, 156-57
 - formability of, 163
 - heat treatment of, 148, 150-51; illustration, 150
 - industrial applications for, 144-163
 - physical metallurgy, 145-47; illustration, 146
 - processing of, 148
 - properties of, 151-52; illustration, 153; table, 152, 154-55
 - structure property relations, 147-48; illustration, 149
 - weldability of, 162
- Bhabha Atomic Research Centre, 100, 102-3

Bimetallic tubing, *See* Zirconium-steel bimetallic tubing

Blended elemental approach to powder metallurgy, 195-96; illustration, 196, 197; table, 196

Brine electrolysis, 4-5

C

Calciothermic reduction of oxide, 103, 107-8

Calciothermy, 106

Calcium reduction of tantalum oxide, 105

Carbon deoxidation, 102

Carbothermy, 101

Castings, as titanium net shape technology, 200-203, 206; illustration, 201, 202; table, 203

Charpy impact testing, for titanium alloys, 46, 49; table, 49

Chemical processing industry, tantalum applications in, 111

Chlor-alkali industry

commercialization of dimensionally stable anodes technology for, 3-4

use of graphite anode technology for brine electrolysis, 4

Chromium, as alloy on titanium, 137-38, 145

Cold deformation, applications of zirconium for, 165

Corrosion resistance, ix

effect of chemical composition on, 123-25

effect of surface finish on, 125-26

effect of thermo-mechanics on, 125

of high strength titanium alloys, 130-143; illustration, 134, 135, 137, 138; table, 132, 133, 136-140

reliability of reactive metals, 118, 121

Crevice corrosion resistance, 13

Beta-C performance, 158; illustration, 159; table, 159

of titanium alloys, 9, 139; table, 140, 141

Crevice corrosion tests, for titanium alloys, 132-33; illustration 134; table, 133

Cutting tool industry, hafnium applications in, 111

D

Dimensionally stable anodes technology, commercialization of, for chlor-alkali production, 3-4

Ductibility, of Beta-C, 152; illustration, 153

E

Elastic-plastic fracture toughness testing, for titanium alloys, 46-47, 49; table, 50.

Electrochemical industry, applications of titanium anodes in, 120

Electrolytic industry

titanium as a electrode support in, 3-6

use of titanium fabrications, ix

Electron beam melting, in the nitride-denitride process, 104-5

Electrowinning industry, titanium applications in, 5

Explosive bonding billet process for bonding copper and zirconium, 87, 90-91

expansion method, 87, 90; illustration, 89

implosion method, 87, 90; illustration, 89

F-G

- Fatigue behavior, of titanium alloys, 48, 49-51; illustration, 50, 51
- Federal Clean Air Act of 1970, 30
- Ferric chloride, effect of Beta-C on corrosion resistance, 153, 158
- Ferro-niobium, 109-10
- Flue gas desulfurization (FGD) systems titanium for, 30-2
 - experimental procedure, 31-34; illustration, 32; table, 33
 - inlet ducts, 34, 37, 40
 - mechanism of corrosion, 40-41
 - outlet ducts, 34, 38; illustration, 37; table, 35
- Formability, of reactive metals, 126-28
- Fracture toughness, of Beta-C, 152; table, 155
- Fused salt electrolysis, 101, 106-7
- Graphite anodes, replacement of, with titanium anodes, 8

H

- Hafnium
 - applications of, 111
- calciothermic reduction of oxide, 107-8
- ferro-niobium, 109-10
- halide decomposition, 101, 108-9; table, 109
 - halide reduction, 106, 108
- Halide decomposition, 101, 108-9; table, 109
- Halide reduction, 106, 108
- Heat exchangers, use of titanium fabrications for, ix
- Heterogenous joints
 - between zirconium and titanium and stainless steel, 181, 183, 185-90, 192
 - flanged joints, 183; illustration, 185

- nondismountable joints, 183, 185-90; illustration, 186
- HIP'ing, 198-99, 201; illustration, 199, 202
- Hydrochloric acid, effect of, on corrosion resistance of titanium alloys, 134-36; illustration, 135, 137; table, 136
- Hydrofluoric acid, influence of, on corrosion resistance of zirconium, 77-78, 82; table, 79
- Hydroforming, 167; illustration, 169
- Hydrogen absorption, for Beta-C, 161; table, 161

I

- Industrial applications
 - for Beta-C, 144-63
 - for hafnium, 111
 - for molybdenum, 110
 - for molybdenum trioxide, 110
 - for niobium, 110-11
 - for niobium pentoxide, 110
 - for niobium-Vandium, 111
 - for tantalum, 110-11
 - for tantalum pentoxide, 110
 - for titanium, ix, 3-6, 7-13, 30-42, 43-54, 118, 120, 123; illustration, 32, 44; table, 8, 10, 11
 - for zirconium, ix, 85-99, 123, 165; illustration, 88, 89; table, 92
- Iron
 - effect of alloyed in titanium and zirconium, 124-25
 - effect of, as alloy on corrosion resistance on titanium, 137-38
 - effect of, on corrosion resistance of reactive metals, 124-25
- Irradiated fuel-reprocessing installations, use of zirconium in, 164
- Isostatic forming, 167; illustration, 170

Isothermal precision forging, as titanium net shape technology, 203-5, 206; illustration, 204, 205

J

J-integral test, for titanium alloys, 47-48

Joinability, of reactive metals, 128

M

Membrane technology, use of, by alkali chloride plants, 8

Metallothermy, 101

Microstructure analysis, of titanium alloys, 48, 51, 53; illustration, 52

Molybdenum

as alloy, on titanium, 137, 138, 145, 153

industrial applications of, 110

Molybdenum trioxide, industrial applications of, 110

N

New Source Performance Standards (NSPS), 30

Niobium

aluminothermic reduction of oxide, 103-4; table, 104, 105

calciothermic reduction of oxide, 103

corrosion resistance of, 59

industrial applications of, 110-11

nitride-denitride process, 104-5

Niobium pentoxide, industrial applications of, 110

Niobium-vandium alloy, industrial applications of, 111

Nitric acid environment

behavior of zirconium in, 75-76; table, 70

effect of Beta-C on corrosion resistance, 153

Nitric acid environment corrosion studies

use of zirconium in, 69-84; table, 70

comparative study of zirconium, titanium and austenitic stainless steels, 71, 74-75; illustration, 71-75

influence of hydrofluoric acid, 77-78; table, 79

influence of phosphoric acid, 77; illustration, 79

stress corrosion cracking experiments, 79-81; table, 80

tests in nitric acid, 75-76; table, 70

tests in water at 200°C, 77; illustration, 78

zirconium/austenitic stainless steel galvanic coupling, 76

Nitric acid hypochlorite services, titanium applications in, 118

Nitric acid solutions

zirconium for, 57-68; illustration, 58

advantages of, 67

effect of solution impurities, 61-64; table 62-63

limitation of, 67

pure acid, 59-61; illustration 60; table, 60

stress corrosion cracking (SCC) susceptibility, 64-66; table, 65

Nitride-denitride process, 104-5

Nuclear industry, application of titanium and zirconium in, 123

O

Oil and gas wells, use of zirconium-steel bimetallic tubing for, sour gas corrosion resistance,

85-98; illus. 88-89, 94-95; table, 92

Oxide film on reactive metals, corrosion resistance of, 120

Oxygen, effect of, on corrosion resistance of reactive metals, 124, 125

P

Petrochemical industry, reliability of titanium and zirconium equipment in, ix

Phosphoric acid, influence of, on corrosion resistance of zirconium, 77, 82; illustration, 79

Piping systems, use of titanium fabrications for, ix

Platinum-iridium titanium anode technology, 4

Powder metallurgy, as titanium net shape technology, 195-99, 206; illustration, 196, 197, 199; table, 196

Prealloyed approach to powder metallurgy, 198-99; illustration, 197, 199; table, 196, 200

Pressure vessels, use of titanium fabrications for, ix

Process industry, required reliability of reactive metals in, 115-29

R

Reactive and refractory metals, *see also* hafnium; niobium; tantalum

effect of iron on corrosion resistance of, 124-25

effect of oxygen on corrosion resistance of, 124, 125

effect of sulfur on corrosion resistance of, 124, 125

effect of surface finish on corrosion resistance of, 125-26

formability of, 127-28

industrial applications of, 110-11

in-service mechanical properties of, 126

joinability of, 128

production of, 100-103

required reliability of, in the process industry, 115-29

thermo-mechanical history of, 125

Ruthenium oxide, 8

effect of, on titanium, 4

S

Seawater piping

applications of Beta-C for, 163

titanium alloy applications in, 43-54; illustration, 44

charpy impact toughness, 49; table, 49

chemical analyses, 46; table, 47

elastic-plastic fracture toughness, 49; table, 50

experimental procedure, 46-48

extrusion to plate, 45

fatigue behavior, 49-51; illustration, 50, 51

heat treatment, 45; illustration, 46

ingot and billet production, 45

material, 45

microstructures, 51, 53; illustration, 52

stress corrosion cracking performance, 51

tensile properties, 48-49; table, 48

welding, 45

Shaking autoclave corrosion testing, for toxic wastes, 17-18

Sodium chlorate cell technology, 5

- Solution treatment, *see* Beta annealing
- Sour gas corrosion resistance, use of zirconium-steel bimetallic tubing for, in oil and gas wells, 85-98; illustration, 88-89, 91; table, 93
- Steel electrogalvanizing, use of titanium anodes for, 5
- Steel industry
niobium applications in, 110
tantalum applications in, 110-11
- Stress corrosion cracking (SCC) susceptibility studies
Beta-C performance, 158, 160; table, 160
effect of thermal stress relief in prevention of, 125
evaluation for, in waste treatment, 17-18
of titanium alloys, 48, 51, 131, 134, 140-41; table, 52
of zirconium, 64-66; table, 65, 66, 82
- Sulfur, effect of, on corrosion resistance of reactive metals, 124, 125
- Sulfuric acid service, zirconium applications in, 118
- Superconductor industry, niobium applications in, 110

T

- Tantalum
aluminothermic reduction of oxide, 105-6; table, 105
calcium reduction of tantalum oxide, 105; table, 104
corrosion resistance of, 59
fused salt electrolysis, 106-7
halide reduction, 106

- industrial applications of, 110-11
- Tantalum pentoxide, industrial applications of, 110
- Tensile strength, of Beta-C, 152; illustration, 153; table, 154
- Thermal stress relief, effect of, on stress corrosion cracking, 125
- Ti-0.3Mo-0.0.8Ni simulated tests, 12
- Ti-3Al-2.5V, *see* Titanium alloys
- Tin
effect of, as alloy on corrosion resistance on
titanium, 137-38
effect of, on titanium, 145
- Titanium
applications of, in alkali chloride and refined salt industries, 7-13, table, 8
applications of, for flue gas desulfurization (FGD) systems, 30-42; illustration, 32
experimental procedure, 31-34; illustration, 33; table, 33
inlet ducts, 36, 37, 40; table, 39
mechanism of corrosion, 40-41
outlet ducts, 34, 36; illustration 37; table, 35
applications of, in alkali chloride industry, 7-9; table, 8, 10
applications of, in vacuum refined salt industry, 10, 12; table, 11
behavior of, in comparison with zirconium and austenitic stainless steels in nitric environments, 71-75; illustration, 71-73
benefits of using Grade 12 over Grade 2, 28
effect of alloyed iron in, 124
as electrode support in industrial applications, 3-6
in nitric acid hypochlorite services, 118
properties of, 6

- susceptibility of, to form passive or non-conducting oxide, 5
- susceptibility of, to hydrogen embrittlement, 4
- use of, in treatment of toxic and hazardous wastes, 14-28
 - Grade 12 titanium, 25-26; illustration, 26
 - operating experience, 21-22; table, 22
 - process description, illustration, 15-16
 - process equipment, 16-17; illustration, 17
 - screening test results on feed wastes, 22-23; illus. 23; table, 23
 - test program for materials selection, 17-18; table, 18
 - test program results, 18-21; illus. 20; table, 18
- Titanium alloy, *see also* Beta-C
 - applications of, in alkali chloride and refined salt industries, 7-13, table, 8
 - fundamental corrosion characterization of high-strength, 130-43; illustration, 134; table, 132
 - properties of, 6
 - for seawater piping applications, 43-54; illus. 44
 - charpy impact toughness, 49; table, 49
 - chemical analyses, 46; table, 47
 - elastic plastic fracture toughness, 49; table, 50
 - experimental procedure, 46-48
 - extrusion to plate, 45
 - fatigue behavior, 49-51; illustration, 50
 - heat treatment, 45; illustration, 46
 - ingot and billet production, 45
 - material, 45
 - microstructures, 51, 53; illustration, 52
 - stress corrosion cracking performance, 51; table, 51
 - tensile properties, 48-49; table, 48
 - welding, 45
- Titanium anodes, applications of, in electrochemical industry, 120
- Titanium equipment, reliability of, ix
- Titanium fabrications, industrial applications of, ix
- Titanium net-shape technology, 194-208
 - castings, 195, 200-3; illus. 201; table, 203
 - isothermal precision forging, 195; 203-5; illustration, 205
 - powder metallurgy
 - blended elemental, 195-96; illustration, 196, 197; table, 196
 - prealloyed approach, 195, 198-99; illustration, 199; table, 196
- Titanium substrate electrode technology
 - advantages of, 3-4
 - limitations of, 4-6
- Toxic and hazardous waste treatment
 - use of titanium in, ix, 14-29
 - Grade 12 Titanium, 25-26; illustration, 25
 - operating experience, 21-22; illustration, 23; table, 22
 - process description, 15-16; illustration, 16
 - process equipment, 16-17; illustration, 17
 - test program for materials selection, 17-18; table, 18

test program results, 18-21; illustration, 20; table, 18

Tramp iron, 124

U

U-bend specimen testing

for stress corrosion cracking, 64-65; table, 65

for titanium alloys, 133-34; table, 140, 141

Utility flue gas desulfurization systems, use of titanium equipment for, ix

V

Vacuum refined salt industry, titanium applications in, 10, 12; table, 11

Vanadium, effect of, as alloy on corrosion resistance on titanium, 137, 145

W

Welding

of zirconium, 167-68

risk incurred by lack of protection, 179, 181; illustration, 182; table 180

structural changes and effects, 170, 172, 174, 178; illustration, 171, 173; table, 173

weld defects, 168-70

Wet air oxidation (WAO) waste treatment process, 15

Grade 12 Titanium, 25-26; illustration, 26

operating experience, 21-22; illustration, 23; table, 22

process description, 15-16; illustration, 16

process equipment, 16-17; illustration, 17

test program for material selection, 17-18; illustration, 18

test program results, 18-21; illustration, 18

Z

Zirconium

effect of alloyed iron in, 124-25

effect of, as alloy on corrosion resistance on titanium, 137-38

effect of, on titanium, 145

in nitric acid services, 57-67; illustration, 58

advantages of, 67

effect of solution impurities, 61-64; table, 62-63

limitations of, 67

pure acid, 59-61; illustration, 59; table, 60

stress corrosion cracking susceptibility, 64-66; table, 65

in nitric environment corrosion studies, 69-84; illus. 71-75, 77; table, 70

influence of hydrofluoric acid, 77-78, table, 79

influence of phosphoric acid, 77; illustration, 79

stress corrosion cracking experiments, 79-81; table, 80

tests in water at 200°C, 77; illustration, 78

zirconium/austenitic stainless steel galvanic coupling, 76

in sulfuric acid services, 118

Zirconium equipment, reliability of, ix

Zirconium fabrication, 164-93

forming, 165-67; illustration, 165-170

heterogeneous joints, 181, 183,

- 185-90, 192; illustration, Zirconium-steel bimetallic tubing,
- 185-188, 191, 192 use of, for improved sour gas
- welding, 167-70, 172, 174, 178- corrosion resistance in oil and
- 79, 181; illustration, 171-173, gas wells, 85-99; illustration,
- 178, 182, 183, 184; table, 88-89, 91; table, 92
- 173, 174-78, 180, 181