

## Subject Index

### A

- Absorbed specific energy until fracture (ASFE) measurement, 118–123
- Accidents (*see* Loss of coolant accidents; Over-cooling accidents; Reactor pressure vessels)
- Accelerated irradiation experiments, 26
- Aging
  - strain, 14, 16, 17, 23, 24
  - thermal, 14, 16, 17, 22, 28
- Aluminum content, 28, 201
- American Nuclear Society seminar (1983), 149
- American Society of Mechanical Engineers (ASME)
  - Code, 134, 144
  - Section XI, 170
- Specification for A508 Class 3 steel, 14, 15
- Annealing
  - behavior, 66, 68
  - irradiated steels, 66–68
  - postirradiation, 9, 235, 242
  - reirradiation response and, 242–259
- Antimony, 22
- Arsenic, 22
- ASTM Committee E-10, Subcommittee 6 Task Groups, 149
- ASTM Standards
  - E 23-82, 58, 97, 112, 262
  - E 185-82, 6, 7, 17, 107, 178, 179, 183
  - E 208-81, 40

### E 399-83, 74, 262

- E 560-77, 10
- E 693-79, 8, 39
- E 813-81, 74, 76, 89, 122, 244
- E 853-81, 10

### ASTM-EURATOM Symposium on Reactor Dosimetry, 66, 162

- Atomic Energy Act, German (Atomgesetz), Article 20, 181
- Atomic Energy Agency, International (IAEA)
  - Coordinated Research Programme (CRP), 22–25, 31, 58, 62, 71
  - Specialists Meeting (1981), 19
- Atomic Energy Commission (French), 71

### B

- Bainite microstructure, 260–262, 265–268, 273–275
- Boiling water reactor (BWR) pressure vessel surveillance program, 106–117

### C

- Central Electricity Generating Board, 14, 17, 26
- Charpy specimens, ASFE measurement of, 118–122

- Charpy upper-shelf energy, 245–252, 272–277
- Charpy V-notch (CVN) data trends analysis, 207–228
- mechanical property-CVN parameter relationships, 217
- structure-property relationships, 217
- synthesis, 228–234
- Charpy V-notch impact testing, 7, 23, 58, 62, 243–252
- microstructure, 272–275
- results, 112, 113, 116
- transition temperature and, 82
- Chemistry factor, 150, 152–155, 207, 210
- Cladding
- austenitic, 136
  - effects of, 167, 175
- Code of Federal Regulations, U.S., 18
- Coolant temperature variation, 169, 170, 174
- Copper
- content, 99–105, 150–159, 178, 179, 199–201, 204, 208
  - diffusion in iron, 255
  - distribution, 188–190, 217
  - embrittlement effects of, 15, 19, 24–26, 252–255, 258
  - nickel and, 101–105, 150–155, 159, 229, 234, 235
  - precipitates, 25–31, 192–199, 229, 232, 233, 236–238
  - damage due to, 252–255, 258
  - temperature shift and, 207, 212–215, 218–223, 234, 235
- Copper sulfide, 192, 195, 204
- formation of, 201, 203
- Crack (*see also* Flaws)
- arrest, 136, 144, 167, 169
  - geometries, 136, 140, 141, 147
  - crazed pattern, 167
  - growth, 89
  - initiation, 168, 174
  - propagation and fracture toughness, 8
- Crack-opening displacement (COD) measurement, 118
- Crack tip opening (CTOD) monitoring, 62
- D**
- Damage
- attenuation of, 161, 162
  - prediction, U.S. regulatory position on, 18–22
  - rates (*see also* Embrittlement, rates; Re-embrittlement rate), 258
- Danish Reactor DR 3, Riso National Laboratory, 262
- Design Codes, 18
- Directorate for Safety and Protection (DISP), 97
- Displacements per atom (dpa), 8, 9
- equivalent formula, 162
- Dosimetry
- component integrity testing, 38, 39
  - embrittlement-neutron, 10–12
  - embrittlement-related, 6
  - neutron, 182
- Drop-weight testing (*see also* Impact testing), 40, 43, 45
- E**
- Elasto-plastic toughness, 70–95
- Electric Power Research Institute (EPRI)
- annealing research, 243
  - surveillance data, 29, 30, 152, 210
- Embrittlement
- aspects of, 7
  - levels, 244, 245
  - monitoring in light-water reactors, 177–183
  - neutron irradiation studies, 13–33, 55–69
  - NRC regulatory requirements for, 6, 7
  - prediction, 255

- rates, 60, 258  
 reactor pressure vessel structural implications of, 163–176  
 residual elements influence on, 59
- E**  
**Embrittlement-neutron dosimetry**, 10, 11  
**Energy**, Charpy upper-shelf, 245–252, 272–277  
**Energy criteria** (*see also* Absorbed specific energy until fracture (ASFE) measurement), 119
- F**  
**Failure criteria**, 169  
**Ferrite**, composition of small regions, 199–201, 223  
**Ferrite-perlite structure**, 260–262, 267, 268, 274, 275  
**Flaws** (*see also* Crack)  
 evaluation, outside, 8, 9  
 finite length, 166, 167  
 infinitely long, 167  
 influences on, 168–175  
**Fluence**  
 attenuation, 172  
 distribution, 38, 39, 130  
 embrittlement effects, 59  
 end-of-life (EOL), 132, 133, 211  
 factor, 150, 153, 155–159  
 hardening and, 219–221  
 monitoring, 63–66  
 predictions, 8, 10  
 temperature shift and, 207–209, 211, 212  
**Fluence-embrittlement extrapolation model**, 8  
**Flux**  
 distribution, 131, 132  
 hardening and, 221, 223  
 level shifts, 10, 11, 211  
**Fracture behavior**, brittle, of pressure vessel, 127–148  
**Fracture criteria evaluation**, static, 118–124
- Fracture mechanics behavior of flaws**, 165  
**Fracture stress**, 272  
**Fracture testing**, dynamic, 118  
**Fracture theory**, stress-controlled cleavage, 217  
**Fracture toughness**  
 change in, 8  
 determining, 134, 136  
 effective, 147  
 radiation-induced loss of, 242  
 testing, 26, 35, 39, 243–247  
 upper shelf, 16, 243, 247  
**French Atomic Energy Commission (CEA)**, 71
- G**  
**German KTA Rule 3203**, 49, 177–183  
**Guthrie data base**, 150–155  
**Guthrie formula**, 49, 98–99, 171
- H**  
**Hardening mechanism**, 229, 238, 239  
 irradiation-induced, 254, 275  
**Hardness properties** (*see also* Vickers hardness), 40, 43  
 changes, 218–223  
 irradiated steel, 66–68  
 prediction, 230, 232  
**Hardness testing**, 35, 40  
 rehardening studies, 67  
**Heavy-Section Steel Technology (HSST) program**, 165–167
- I**  
**Impact energy of materials**, 37, 43–49  
 measurements, 118  
**Impact testing** (*see also* Charpy V-notch impact testing; Drop-weight testing), 26  
 fracture toughness and, 35  
 instrumented, 43, 44  
 results, 112, 113, 115, 116

- Impurity, effect on material, 230, 231, 236, 237
- Indian Point-2 reactor, 9
- Iron
- content, 199
  - copper diffusion in, 255
  - isotopes, 132, 147
- Irradiation, effect of microstructure on Ni-Mo-Cr response to, 260–278
- Irradiation effects, 5–12
- embrittlement (*see also* Embrittlement), 14
  - on elasto-plastic toughness, 70–95
- Irradiation experiments, 74–76
- Italian Comitato Nazionale per l'Energia Nucleare ed Energie Alternative (ENEA), 97
- predictions, 103–105
- J**
- $J_c$ , determination of, 89, 90, 94
  - $J_{lc}$ , measurement, 118, 122–123
  - fracture toughness tests, 243–247
- $J$ - $R$  resistance curves, 74, 76–89, 94
- K**
- Kerntechnischer Ausschuss (KTA) (*see also* KTA Rule 3203), 177
  - KTA Rule 3202 (German), 49, 177–183
- L**
- Lead factor, 181, 183
  - Least square fit (LSF) regression analysis, 236, 239
  - Light Water Reactor Study Group, 14–17
  - Light-Water reactors
    - embrittlement of pressure vessels, 187
    - monitoring embrittlement in, 177–183  - Linear elastic fracture mechanics method, 134, 141, 144
  - applicability of, 165–167, 174, 175
- Loviisa Nuclear Power Plant embrittlement research, 55–69
- Loadings
- critical transient, 134–136
  - dynamic and static, 119
  - embrittlement from, 8
  - stress intensity and, 142, 143
  - thermal-shock, 166
- Loss of coolant accidents (LOCAs), 134, 136, 137, 170
- M**
- Manganese content, 199–203
  - Manganese silicate inclusions, 192–195, 202, 203
  - Martensite microstructure, 260–264, 267, 268, 273–275
  - Material degradation, mechanisms of, 14, 15
  - Materials test reactors data, 211–215, 230, 234–239
  - Metallographic techniques, 189–192, 223
  - Metallurgical microstructure effects, 160–178
  - Microanalysis of pressure vessel weld materials, 187–205
  - Microscopy
    - field ion (FIM), 217, 228
    - scanning electron (SEM), 189, 201
    - scanning transmission electron (STEM), 189
    - transmission electron (TEM), 217, 223, 227  - Microstructures, metallurgical, 260–278
  - Microvoids, 216–218, 229
  - Molybdenum carbide, 195
  - Molybdenum content, 199
- N**
- National Energy Plan (PEN) (Italy), 97
  - National Nuclear Corporation (England), 14, 17

- Neutron irradiation (*see also* Irradiation; Irradiation effects)  
 reference transition temperature increase due to, 96–105  
 studies in United Kingdom, 13–33
- Nickel  
 beneficial effects of, 104  
 content, 19, 24–26, 30, 99–105, 192, 195, 198–203, 208  
 copper and, 101–105, 150–155, 159, 229, 234, 235  
 depletion, 192  
 distribution, 188  
 embrittlement due to, 253, 254  
 hardness and, 238, 239  
 temperature shift and, 207, 213, 214, 218, 219, 234, 235, 238, 239
- Niobium, 63, 65, 66, 132
- Notch strength ratio (NSR), 272, 277
- Nuclear Regulatory Commission, U.S., 242
- Guides, 6  
 Appendix G, 6, 7, 160  
 Appendix H, 6  
 draft proposal, 22  
 General Design Criterion, 31, 6  
 Guide 1.99, 14, 179  
 Revision 1, 10, 18–20, 22, 102, 103, 149, 171  
 Revision 2, 7, 10, 102, 149–162  
 trend curves, 45, 49, 50, 116, 117  
 perspective on irradiation effects in reactors, 5–12  
 regulation and licensing of reactors, 5, 149  
 requirements for embrittlement, 6, 7  
 screening criteria (SC), 165, 171, 174  
 Unresolved Safety Issue A-49, 164, 165
- Nuclear Safety Standards Commission in Federal Republic of Germany (*see* Kerntechnischer Ausschuss)

**O**

- Odette data base, 152–155  
 Ostwald ripening process, 253, 254  
 Over-cooling accidents (OCAs), 164, 165, 174

**P**

- Parametric analysis, 165–175
- Phosphorus  
 content, 178, 179  
 embrittlement effects, 15, 18, 19, 22, 25, 31  
 shift and, 212, 214, 215, 234
- Positron annihilation studies, 25
- Precipitate growth model, 237
- Pressure-temperature limits, 7
- Pressure vessel steels  
 boiling water reactor surveillance program, 106–117  
 elasto-plastic toughness of, 70–95  
 integrity (*see also* Reactor pressure vessel, safety), 136–147  
 irradiation embrittlement mechanisms, models, and data correlations, 206–241  
 studies of, 13–33  
 regulatory considerations (*see also* Nuclear Regulatory Commission, Guides), 149–162  
 reirradiation response of and annealing, 242–259  
 weld materials, 187–205
- Pressure water reactors (PWR), 97  
 Italian Design Criteria, 97, 98  
 safety of against brittle fracture, 127–148  
 threat to integrity, 164
- Pressurized-thermal-shock (PTS) (*see also* Thermal shock)  
 accidents, 8, 9, 11  
 analyses, 7, 8, 243  
 equation, 98, 99 (*see also* Guthrie equation)

- Pressurized-thermal-shock (PTS) (*continued*)  
 issue, resolution of, 149, 160, 161  
 reactor pressure vessel structural implications of embrittlement to, 163–176
- R**
- Rancho Seco accident, 169  
 Reactor heatup and cool-down limits, 150  
 cool-down rates, 169, 170  
 Reactor pressure vessels (*see also* Pressure vessel steels)  
 accidents, ability to withstand, 96, 97  
 attenuation of damage in walls, 161, 162  
 brittle fracture behavior, evaluation of, 127–148  
 component integrity research, 34–51  
 embrittlement aspects, 7  
 end-of-lifetime, 114, 177  
 irradiation behavior, 34–51  
 irradiation effects in, 5–12  
 irradiation embrittlement of, 206–241  
 Loviisa, Finland, 56–68  
 monitoring embrittlement of, 177–183  
 safety analyses, 11  
 PWRs against brittle fracture, 127–148  
 regulations (*see also* Nuclear Regulatory Commission, 5, 6 standards, 177–183  
 structural implications of embrittlement, 163–176  
 surveillance program, Loviisa, 56–68  
 wall temperature cool-down rates, 169, 170  
 Reactor vessel beltline definition, 6
- effect of irradiation in, 182  
 Re-embrittlement rate, 247, 252, 254, 255, 258  
 Reirradiation response, 247–258  
 Residual elements (*see also* Copper; Nickel; Phosphorus), 59, 161  
 micro-distribution of, 187–205  
 Runge-Kutta technique, 141  
 Russell-Brown hardening model, 228, 237
- S**
- Silicon content, 28, 192, 199  
 Safety (*see also* Nuclear Regulatory Commission, Guides)  
 German KTA 3203 standard, 49, 177–183  
 PWR pressure vessel against brittle fracture, 127–148  
 Sizewell pressure vessel reactor (Suffolk), 14, 15, 19–21  
 studies on, 17  
 Small-angle neutron scattering techniques, 24, 25, 28, 29, 218, 224, 226–229, 237  
 Small specimen, static fracture criteria evaluation of, 118–124  
 Static fracture criteria evaluation, 118–124  
 Steels  
 A302 B, 97, 98, 107  
 chemical composition, 108  
 constant chemistry analysis, 99–104  
 A508 Class 3, 14, 15, 22, 23, 35, 71, 90–94, 97, 127  
 chemical composition, 72  
 constant chemistry analysis, 99–104  
*J-R* curves, 78, 87  
 tensile properties, 73  
 A533 B Class 1, 22, 23, 35, 71, 90–94, 97

- chemical composition, 72  
 constant chemistry analysis, 99–104  
*J-R* curves, 77, 80, 83  
 plate material, 243  
 tensile properties, 73
- Cr-Mo-V, 56  
 ferritic type, 106  
 15H2MFA, 120, 121  
 Linde 80 welds, 244  
 Magnox, 14, 26–30  
 manganese-molybdenum-nickel weld wire, 243  
 20 MnMoNi 5 5, 35, 36, 40, 179  
 NiCrMo 1, 179  
 22 NiMoCr 3 7, 35, 36, 40, 127, 179  
 nickel-molybdenum-chromium BH 70, 260–278  
 reactor pressure vessel (*see also* Pressure vessel steels)  
     component integrity, 34–51  
     elasto-plastic toughness of, 70–95  
     embrittlement studies in United Kingdom, 13–33  
     irradiation behavior, 34–51  
     irradiation effects in, 5–12  
 S3 NiMo 1, 179  
 weld material properties, 72, 73, 79, 81, 82, 84–86
- Stress intensity factors, 136, 140–147
- Sulfur content, 28
- Surveillance data  
     analysis of, 206, 207  
     trends, 207–211  
     commercial power reactor, 150–152
- Surveillance programs, 17, 23, 31  
     boiling water reactor, 106–117  
     German program, 179, 180  
         plan of, 181, 182  
         requirements for, 178, 179  
     in-service inspections, 147  
     Loviisa Nuclear Power Plant research, 55–69
- Surveillance testing, 119, 122  
     irradiation tests, 10, 18
- T**
- Tarapur Atomic Power Station (TAPS) reactors, 107–116
- Technical University of Budapest tests, 119
- Temperature  
     adjusted reference, 150  
     hardness and, 219–223  
     impurity-induced shift, 230, 231  
     monitoring, 182  
     transition  
         Charpy-V tests, 82, 250, 252, 253, 255, 257, 258, 275, 277  
         ductile-brittle shifts, 22, 29, 30, 243  
         impact energy and, 43–50  
         index, 112–117  
         influence of, 88, 89, 93, 94, 121  
         prediction of increase, 96–105  
         reference, 97–99, 150  
         shifts in, 16, 17, 58, 60, 61
- Temperature-pressure limits, 7
- Tensile properties, 40–42  
     BH 70 steel, 270–272
- Tension testing, 35, 39, 74, 243, 244, 247  
     determination of  $J_c$  from, 89, 90  
     microstructure, 269, 272  
     results, 112, 115  
     static, 119, 120
- Thermal shock (*see also* Pressurized-thermal-shock), 141, 146, 147
- Tin, 22
- U**
- Ultrasonic investigations, 147
- United Kingdom, neutron irradiation embrittlement studies, 13–33
- University of Virginia Research Reactor, 244, 247

V

Vickers hardness (*see also* Hardness properties), 40  
microhardness, 218  
of BH 70 steel, 261, 272

W

Warm prestressing (WPS), 168, 175  
path, 145, 147  
Weld materials  
  microanalysis of, 187–205  
  properties, 72, 73, 79, 81, 82, 84–  
    86

Weld versus base metal data, 155–161  
Weld seam, end-of-life, 144, 148  
Westinghouse capsule, 17, 18

X

X-ray energy dispersive detectors (EDX), 189

Y

Yield strength, 40, 42  
  copper precipitation and, 26–30  
  recovery, 245, 247, 249  
Yield stress, 252, 253, 256, 258