

Subject Index

A

Adhesive bonding, 222, 268
 Aircraft, aging, 546, 557
 Alumina, 19
 Aluminum, 222
 alloys, 358, 467, 546
 copper alloy, 502
 lithium alloy, 502
 Antiplane shear effect, 191
 Asperity, 484
 ASTM standards
 A 710, 533
 E-813, 415
 Asymptotic analysis, 156
 Asymptotic stresses, 309

B

Bending, effects on partially
 bonded strips, 206
 Bending moment crack growth
 method, 255
 Body force method, 591
 Bonded orthotropic infinite
 strips, 156
 Boundary simulation, moving,
 622
 Box beam, cellular, 518
 Brittle fracture, 71

C

Calibration factor, 380
 CCT specimens, 380
 Cellular automata, 328
 Cellular box beam, 518
 Ceramic coatings, 177
 Ceramics, 46
 piezoelectric, 61
 structural, 19
 zirconia-containing, 3, 31
 Charpy specimen testing, 294,
 343
 Chemicals, time release for
 crack repair, 268

Cladding, 637
 Cleavage, 448
 Collinear cracks, 156
 Compact tension, 31, 358
 Composites
 cementitious, 268
 patch repair, 546
 polymer, 140
 polymer matrix, 125
 sapphire fiber, 241
 Concrete, 46, 268, 283
 Conduction coupled
 thermoelectric cell, 646
 Copper and aluminum alloy, 502
 Corrosion resistance, 546
 Crack analysis, 591
 Crack closing stress, 283
 Crack closure, 484
 Crack, collinear, 156
 Crack distribution, 557
 Crack effects, 61
 Crack, equilibrium, 622
 Crack growth
 bending moment method, 255
 crack tip to tip bridging
 method, 255
 fatigue, 467, 484
 stable, 106
 subcritical, 71
 thermal stressing method, 255
 zirconia-containing ceramics, 3
 Crack, indentation, 255
 Cracking, interfacial, 89, 140, 177
 Crack initiation, 380
 Crack, mixed mode, 467
 Crack model, cohesive, 46, 433
 Crack mouth opening displacement, 397
 Crack opening displacement, 283
 Crack path deflection, 502
 Crack, planar, 622
 Crack, repair, 268
 Crack resistance, 31
 Crack, semi-elliptical, 397
 Crack, shallow edge, 309
 Crack shearing stress, 283
 Crack sliding displacement, 283
 Cracks, long, 518

Cracks, multiple-ended, 518
 Cracks, subsurface, 606
 Cracks, surface, 606
 Crack tip, 191
 constraint, 685
 deformations, 177
 fields, 685
 growth method, 255
 opening angle, 358
 Crack tunneling, 358
 Crack-wake bridging, 31
 Creep, 309
 Crystallographic cracking, 502
 Crystals, large grain, 467
 Cylinder correction factor, 575

D

Damage growth, 671
 Damage tolerant evaluation, 557
 Debonding
 bimaterial problem of strip, 206
 interfacial, 125
 Decohesion, 89
 Defect, 591
 Deformation, 343
 quasi-three-dimensional, 191
 Degradation, 671
 Delta process, rip-driving-force variation, 575
 Diffusion problems, nonlinear, 622
 Dimensional similarity, 660
 Direction dependence, interfacial cracking, 89
 Discontinuities, 533
 Dislocation emission, 89
 Displacement behavior, 433
 Double cantilever beam specimens, 31
 Double hull, 518
 Ductile brittle transition, 89
 Ductile damage, 328
 Ductile failure, 397
 Ductile fracture, 106
 Ductile tearing, 415
 Dundurs' constants, 206

E

Edge-cracked geometries, 309
 Edge-cracked T-section, 660
 Elasticity, 591
 Electromechanical response, piezoceramics, 61
 Ellipsoidal cavity, 591
 Elliptical cavity, problems of, 61
 Elliptical hole, 591
 Energy separation method, 380
 EPDM, 380

F

FALSTAFF, 502
 Fastener joint, 557
 Fatigue cracks, 518
 Fatigue resistance, 546
 Fatigue thresholds, 484
 Fiber fragmentation tests, 140
 Fiber-matrix interface, 125, 140
 Fiber pullout, 125
 Finite element code, 358
 Finite element analyses, 125, 309, 637
 boundary layer formulation, 685
 crack prediction, 646
 dynamic, 283
 models, 328, 397, 622, 660, 671
 three dimensional, 222
 two dimensional, 222, 358
 Finite size effects, 380
 Flaw tolerance, reactor pressure vessels, 415
 Flexural toughening, 268
 Fluorescence, 241
 Frictional contact, 606

G

Gas cylinder, 575
 Glass transition, interphase, 140
 Grinding, 19
 Groove welds, 533

H

Heat-treated low-alloy steels, 575
 Heavy Steel Section Technology Program, 415

Hoop stress, 575
HSLA steel, 518
HSLA-80, 533
Hydrotest, 575

I

I-beams, 533
Ice, 433
Impact testing, 294
instrumented, 343
Indentation microcracks, 255
Initiation toughness, 294
Integro-differential equations, 606
Interaction, 591
Interface, 156
Interfacial cracking, 89, 177, 191, 206
Interfacial debonding, 125
Interfacial fracture, 191
Interfacial microcracking, 140
Interfacial shear strength, 140
Interfacial toughness, 89

J

J-integral, 309, 380, 397
nozzle steel characterization, 415
Joints
fastener, 557
T-peel, 222
Josephson junctions, 255
J-Q theory, 685
J-R curve, 448
J-resistance curve, 415

K

K_R curve, 31

L

Lanthanum aluminate, 255
Lapping, 19
Lithium and aluminum alloy, 502
Load, applied, 106, 358
Load displacement curves, 46, 484
Loading, dynamic, models, 343

Loading phase angle
dependence, 89
Loading, shear, 191
Loading, structural degradation
under, 671
Loading, tensile, 191
Load motion, contact, 606
Load, nonlinear, 433
Load ratio, 484
Load separation, 397
Load transfer, 140
Load transmission, 557

M

Magnesia, 255
Mapping, 671
Martensitic phase, 3
Mesoscale, 328
Microindentation techniques, 255
Microstructure, 328
Mismatch stress, 646
Mixed mode conditions, 106
Mixed mode crack, 467
Mixed mode loading, 283
Models and modeling
cohesive crack, 46, 433
dislocation, 484
ductile damage, 328
fatigue crack growth, 533
finite element, 397, 622, 660, 671
focal point, 46
Gurson, 343
hierarchical, 328
hydraulic fracturing
processes, 622
loading, dynamic, 343
micromechanical, 343
single fiber cylindrical
composite, 125
stochastic variability of
toughness, 448
Modulus of elasticity, 177
Moire interferometry, 283
Monte Carlo method, 71

N

Nonlinear load behavior, 433
Nozzle corner flaw tests, 415
Numerical analysis, 3, 591

O

Orthotropic layers, 156

P

Photoelasticity, dynamic, 294
Piezoelectric ceramics, 61
Piezo-spectroscopy, 241
Plasticity, 309, 484, 502
Plate thickness, effect on stress intensity factors, 191
Polymer, 380
Pores with liquid, 606
Powder metallurgy, 546
Pressurized cylindrical shells, 671

R

Random hole array experiments, 328
Rebond fibers, 268
R curve, 433
Residual stresses, 19, 241, 518
Resistance curve, 31
Rip resistance, 575
Roughness induced closure, 502
Roughness, surface, 502
Rubber, 380
Ruby, 241

S

Sapphire-fiber composites, 241
Scatter, 71
Sea ice, 433
SENB specimens, 343
SENT specimens, 309, 380
Shear decohesion mechanism, 467
Shear strains, 3
Shear stress, resolved, 467
Ship design, 518, 533
Short rod beam specimens, 46
Silicon nitride, 19, 71
Single edge notched beam specimens, 31
Single separation technique, 397
Singular integral equations, 156, 591
Slip system, 467
Small scale yielding, 106, 685
Splitting cavities, 606

Stability, 3

Stable ductile tearing, 415

Statistical Fracture Mechanics approach, 71

Steel

A710, 533
ferritic, 448
heat-treated low-alloy, 575
HSLA, 518
HSLA-80, 533
low alloy, 415
reactor grade, 294
Stochastic, 71
Stochastic variability of toughness, 448
Strain energy release rate, 177, 646
Strain gages, 294
Strain rate effect, 343
Strain rate Gurson model, 343
Stress concentrations, 61, 591
Stress, crack closing, 283
Stress, crack shearing, 283
Stress field, hydrostatic, 685
Stress intensity factors, 156, 191, 206, 518, 591
calculation, 637
solutions, 660
Stress, pre-, warm, 685
Stress, residual, 125, 241, 606
Strips, 156
partially bonded, 206
Superconductors, 255
Superplastic forming, 546
Surface flaws, 397

T

Tearing, 448
Tensile force, 206
Tensile stress distribution, 222
Tensile test, dynamic, 343
Thermal expansion, 646
Thermal expansion coefficient, 177
Thermal shock, 637
Thermal stressing method, 255
Thermal stress, residual, 646
Thermoelectric cell, 646
Thermomechanics, 125
Thermoplastic coating, 125
Thin web sections, 660

Three dimensional analysis, 191, 343
 Titanium aluminum matrix, 241
 Toughening, transformation, 3
 Toughness, lower bound, 294
 T-peel joint, 222
 Transformation toughening, 3
 Transition region, cleavage
 fracture, 448
 Transmission fluorescence
 spectroscopy, 241
 Tunneling, 358
 Two dimensional analysis, 222, 358

W

Water tests, 575
 Weakest link approach, 448
 Weibull distribution, 557

Weibull statistics, 448
 Weld, 533
 Weld bonding, 222

X

X-ray diffraction, 19

Y

Yielding, small scale, 106

Z

Zirconia, 3, 31