

SUBJECT INDEX

δ_s , 506

A

Adjusted compliance ratio, 60
 Adjusting parameter, 309
 AFGROW, 368
 Air and shielded gas, 589
 Aluminum alloy, 22, 124, 260, 506, 525, 557
 ductile, 182
 Angled pre-crack, 340
 Area-average, 506
 ASTM E 399, 433
 ASTM E 647, 60, 87, 124, 203
 ASTM E 1457, 457
 ASTM E 1820, 323
 ASTM E 1921, 385
 Axles, 368

B

Biaxial loading, 245, 385
 Block loading, 368
 Boundary constraint, 182
 Boundary element methods, 167
 Brittle fracture, 167

C

Closure threshold, 73
 Common format, 323
 Compact specimens, 87
 Compact tension specimens, 457, 557
 mini-extended, 221
 Compliance, 525
 Compression precracking, 43
 Concise format, 323
 Constant amplitude loading, 151
 Constraint-based failure assessment, 245
 Correlation, 525
 Corrosion, 355
 Crack, 309
 Crack arrest, 539
 Crack branching, 491
 Crack closure, 3, 22, 60, 405, 415, 491, 525, 557
 plasticity induced, 203
 Crack depth, 539
 Crack-front shape, 506
 Crack growth, 138, 167, 203, 221, 355, 368, 457, 491, 506
 mechanisms, 22, 557
 out-of-plane, 124
 rate, 60, 124, 281

Crack initiation, 457, 539, 589
 parameter, 472
 Crack length, 506
 Crack-mouth opening angle, 182
 Crack opening load, 525
 Crack propagation, 60, 281, 368, 405, 539, 589
 mismatch, 73
 Crack size effects, 415
 Crack threshold, 203
 Crack-tip opening angle, 182, 506
 Crack tip opening displacement, 260
 Crack volume ratio, 182
 Creep, 457, 589
 Cyclic *J*-integral, 87
 Cyclic tension, 281

D

Defect, 589
 small, 309
 surface, 457
 Ductile aluminum alloy, 182
 Ductile fracture methodology, 323
 Ductile metals, 3
 Ductile to brittle transition, 385

E

Elastic-plastic fatigue crack growth, 87
 Elastic-plastic stress and strain, 573
 Elastic-plastic fracture, 385
 Electron backscattered diffraction, 221
 Elevated temperature, 340, 589
 Endochronic theory, 573
 Endurance, 232
 limit, 299
 Energy dissipation rate, 182
 Environmental action, 557
 Environmentally assisted cracking, 151
 Equivalent initial flaw size, 60
 Eurcode 3, 167

F

Failure assessment diagram, 245
 Failure probability, 355
 Failure sensitivity factor, 232
 Fatigue, 3
 Fatigue endurance diagram, 309
 Fatigue limit, 309, 415
 Finite element analysis, 3, 43, 124, 405, 472, 506
 Flat fracture, 506
 Flaws, 589
 Fractals, 232
 Fractographic features, 151

FATIGUE AND FRACTURE MECHANICS

Fracture mechanics, 107, 138
Fracture toughness, 323, 433, 491
 temperature dependent, 340
Fretting fatigue, 472

H

Hardness, 415
High cycle fatigue, 87, 107, 299, 309
High strength steels, 151

I

Inconel 718, 87
Instability, 182

J

J-integral, 385
J-*R* curves, 323

K

K-concept, 167

L

Life prediction, 60, 457
Limit load, 245
Linear elastic fracture mechanics, 87
Load history, 107
Load ratio, 309, 525
Load reduction scheme, 405
Low cycle fatigue, 87, 573

M

Master Curve, 385
Material hardness, 415
Mean field theory, 573
Microdamage, 232
Micromechanics, 232
Microstructure, 73, 221
Mini-extended compact tension specimens, 221
Mixed-mode effects, 124
Mode I loading, 260, 491
Monte Carlo simulation, 457

N

NASGRO, 368
Near-threshold fatigue, 405, 557
Negative stress ratio loading, 107
Neuber's Rule, 573
Nickel superalloy, 340

Noise resistance method, 525
Notch, 589
Notch root, 573
 stress-strain hysteresis, 22

O

Opening load method, 60
Orientation imaging microscopy, 221
Out-of-plane crack growth, 124
Overload, 107
 plastic zone, 22
Oxidation, crack-surface, 589

P

Paris law, 539
Partial crack closure, 525
Particulate metal matrix composites, 573
Periodic overloads, 557
Pipe components, 539
Plane-strain, 433
Plane stress tearing, 182
Plasticity, 3, 340
Plasticity induced crack closure, 203
Plastic wake, 405
Plastic zone, 43
Plates, 457, 506
Power laws, 232
Probabilistics, 457

Q

Q method, 525

R

Railroad tank car, 355
Railway axles, 368
Reference temperature, 385
Residual stress, 22, 43, 60, 281, 472, 557
Resistance curve, 506
Roughness-induced shielding, 491
Rubber impression method, 260

S

Scaling relationship, 3
Scanning electron microscopy, 221
Series system, 355
Shallow cracks, 87
Shot-peening, 472
Similarity scaling, 3
Single crystal superalloy, 340
Size ratio, 491

Small cracks, 60, 107, 221, 415
 Small defect, 309
 Small-scale yielding, 3
 Stainless steel, 457, 539
 super duplex, 73
 Static fracture mode, 138
 Statistical approach, 491
 Statistics, 232
 Steels, 589
 high strength, 151
 Steel structures, 167
 Strain-stress, 573
 Stress biaxiality, 182
 Stress intensity, 151
 effective, 60
 Stress intensity factor, 124, 245
 threshold, 138, 415
 Stress ratio, 151, 415
 Stress relaxation, 472
 Strip-yield, 368
 Structural reliability, 355
 Super duplex stainless steel, 73
 Surface crack, 245, 355
 growth, 260
 Surface-cracked thin plate, 260
 Surface cracks, 245
 System reliability, 355

T

Tearing resistance, 433
 Temperature, 73
 Test evaluation, 323
 Test methods, 203
 Thermal fatigue, 539
 Three dimensional effects, 3
 Three point bend specimens, 87
 Threshold, 22, 43, 60, 73, 107, 309, 405, 415, 557
 Threshold stress intensity factor range, 138
 Ti-6Al-4V, 107, 299
 shot-peened, 472
 Time of flight diffraction, 539
 Toughness, 167
 Trajectory path, 151
T-stress, 245
 Tunneling, 506
 Two-criteria-diagram, modified, 589

U

Ultrasonic testing, 299
 Underloads, 107
 Unloading compliance, 506

W

Walker crack growth law, 355
 Welded joints, 281
 Welded structures, 167
 modeling, 245

X

X-ray, 281
 X-ray diffraction, 472