

Subject Index

A

Acceptability, modeling, 14
 Air sparging, 286
 Albuquerque Basin, 360
 Alluvial basin, 81
 Analytic equations, 154
 Analytic solution, 173
 Anisotropy, 137, 224, 348
 Anthropogenic stresses, 61
 Application model, land, 187
 Application reports, modeling, 3
 Aquifers, 97, 250, 268
 carbonate, 114
 confined, 224
 heterogeneities, 377
 homogeneity, 286
 karstic, 114
 multiple, 224
 protection, 331
 triple porosity, 114
 unconfined, 224
 variability, 360
 ARMOS, 348
 Assessment, 42
 ASTM standards, 24
 D 5447, 239, 348

B

Barriers, engineered, 250
 Block method, 137
 Boundary condition, 3

C

Calculated fixed radius, 154
 Calibration, 3, 24, 42, 81, 286
 automated, 301
 error, 316
 Capture/containment system, 377
 Carbonate aquifers, 114
 CERCLA, 3
 Characterization, quantitative, 61
 Codes, model, general use, 42

Conceptualization, 3, 61, 203
 six layer model, 81
 Confirming observations, 14
 Contaminant, 203
 transport, 3
 transport codes, 173
 evaluation, 61
 Core analyses, 286

D

Department of Defense, 203
 Depositional environments, 360
 Deterministic model, 331
 Dewatering, 301
 Disposal cells, 250
 Drawdown, 377

E

Electrical resistance
 tomography, 286
 Extraction systems, 268, 348

F

Fate modeling, 250
 Feasibility study, 301
 Federal Geographic Data
 Committee standards, 42
 Finite difference ground-water
 flow model
 MODFLOW, 114, 224, 239, 301
 Finite difference steady state
 two dimension, 331
 Finite element analysis, 173
 Finite element modeling, 224
 Finite layer analysis, 173
 Flow features, 81
 Flowlines, 154, 224
 Flow model, 316
 regional, 360
 three-dimensional, 301
 Flow, multiphase, 286
 Flow paths, 114
 Flow rates, 24

422 SUBSURFACE FLUID FLOW MODELING

Flow systems, 61
Flow/transport process
 investigations, 203

G

Geographic Information Systems,
 42, 239
Geospatial metadata, 42, 239
Geostatistical analysis, 360
Geostatistical interpretation, 203
Graphical user interface, 239
Graphic screen control, 224

H

Hydraulic conductivity, 137, 301
Hydraulic heads, 24
Hydrostratigraphy, 81

I

Infiltration tests, 348

K

Karstic aquifers, 114

L

Landfill design, 173
Light nonaqueous-phase liquid,
 377

M

Micro Fem, 224
Mineralization, 187
Mirrored data, 316
Mirror figure of merit, 316
MODFLOW, 114, 224, 239
Monte Carlo simulation, 187
Multiple simulation models, 203

N

Nitrate percolation model, 187
Numerical meshes, 203
Numerical models, 114, 137,
 154, 377

P

Parameter estimation, 3
Particle tracking, 301, 331
Percolation model, 187
Pneumatic testing, 268
Postaudit, 377
Pumping wells, 137

R

Radionuclides, 250
Raster data sets, 239
Recharge, 97
Recovery systems, 348
Regression line, best fit, 316
Remediation, 203, 301
 goals, 250
 systems, 61, 377
Resource Conservation and
 Recovery Act, 3
Risk assessments, 250
Risk management, 331
Runoff, upland, 97

S

Saturated zone, 250, 286
Scatter plot, 316
Screen interval abundance, 81
Seepage, 137
Sensitivity analysis, 24, 154, 331
Simulation
 definition, 42
 mathematical models for, 61
Site characterization, 203
Sludge application studies, 187
Slug tests, 286
Soil gas tracers, 268
Soil vapor extraction, 268
Solute transport model, 173
Spatial heterogeneity, 348
Spreadsheet block method, 137
Standards (See also ASTM
 standards), 14
 Content Standards for Digital
 Geospatial Metadata,
State Wellhead Protection
 Programs, 154
Steady state simulation, 154,
 301
Stochastic validation, 187

Stream infiltration, 97
 Subjective judgment, 14
 Sulfur hexafluoride, 268

T

TETRAD, 286
 Time of travel zones, 331
 Tracer data, 268
 Transport modeling, 173, 250

U

Uncertainty
 analysis, 187, 203
 modeling, 14, 24
 zone of, 331
 U.S. Geological Survey
 MODFLOW, 114, 224, 239,
 301

V

Validation, 187
 Valley fill aquifers, 97
 Vapor extraction, soil, 268
 Vector data, 239
 Verification, modeling, 14, 24,
 173, 348

W

Waste acceptance criteria, 250
 Water balance calculations, 224
 Water supply catchments, 331
 Well completion data, 81
 Well development patterns, 224
 Well efficiencies, 377
 Well field simulation model, 377
 Wellhead protection area, 154
 Wells, vadose monitoring, 268

Z

Zone of confidence, 331
 Zone of contribution, 154