

Subject Index

A

- Acid blue 9, 101
- Acrylic fiber, 51, 53–54
 - infrared spectra, 53, 57
- Airy disk, 6, 13–14
 - centrally obscured optical system, 19
 - three-dimensional view, 15
 - values of parameters related to, 16–17
- Aluminum foil coating, 94–95
- Analect fX-515 microscope module, 49
- Analect fX-6260 Fourier transform infrared spectrophotometer, 49
- Analect microscope, 29–31
- Apatite, infrared spectra, 58, 60

B

- Beam displacement, 20–21
- Benzotriazole, spectra, 102
- Blue circles, 21

C

- Capillary brush, preparation, 43–44, 47
- Cassegrainian infrared microscope objective, 18–19
- Cellulosic disk, contaminant spectra, 34–35
- Chromatic aberration, 21–22
- Coma, 21–22
- Contaminant identification, 97, 106

- Cotton fiber, 51, 53–54
 - infrared spectra, 55–56, 59, 71
- Cotton-polyester fibers, infrared spectrum, 70

D

- Diamond anvil cell, 62
- Diamond cell
 - high pressure, 50, 52, 62–63
 - moderate pressure, 50, 52, 61–62
- Diamonds, type II, spectra, 51, 53
- Dichroic measurements, 4, 6
- Differential scanning calorimetry, polypropylene thermogram, 81–82
- Diffraction (*see also* Airy disk), 12–20
 - combination of patterns close to each other, 14–16
 - equations and implications of, 14
 - Rayleigh criterion, 16
 - Sparrow criterion, 16
 - specimen size, 17–18
- Digilab FTS-15 spectrometer, 97
- Dispersion, 24
- Dissecting forceps, 36

E

- Ethylene/olefin copolymer
 - infrared microtransmittance spectra, 87–88, 90
 - optical micrographs, 87–88
- EVAL, infrared spectrum, 79

F

Failure analysis tool, 27

Fiber

analysis (*see also* Single-fiber spectroscopy; specific fibers), 64–73

30 to 50 μm in diameter, 65–67

equipment used, 65

less than 30 μm in diameter, 67–69

small clumps, 69–72

identification, 51–60

specimen

acting as lens, 20

preparation, 53, 60

types, 64

Fourier transform infrared microspectrophotometry, 27–38

required tools, 36

Fourier transform infrared spectroscopy, 84

fXA-515 FT-IR microscope, 27

G

Gels, 84

H

Handi-Anvil technique, 67, 72

Heart tissue, cross section, under slightly uncrossed polars, 42

I

Identification

contaminant, 97, 106

microscopic particles, 49

Infrared microspectrometry, 39, 64, 74

fiber-shaped specimen as lens, 20

resolution limit, 14

Infrared microspectroscopy, polymeric materials, 84–96

heterogeneous polymeric materials, 86–91

instrumentation, 85

multilayer polymer structures, 91–94

optical micrographs, 86

specimen, 85

Infrared polarizer attachment, 89

Infrared reflectance microspectroscopy, polymeric materials, 94–95

Infrared spectroscopy, 84

Infrared ultramicrospectrometry, 21, 23–26

layout, 24

polystyrene, 24–25

Ind additive, micro Fourier transform infrared spectrophotometry, 100–102

Internal reflection spectroscopy, polymer systems, 76

IRMA, schematic diagram, 77

L

Laminate, 84

multilayer, micro Fourier transform infrared spectrophotometry, 104–107

M

Mercury cadmium telluride detector, 65

Micro Fourier transform infrared spectrophotometry, 97–107

additive in ink, 100–102

applications, 99–100

lubricant in formed polyamide block, 100, 102

microliter volume of contaminant, 106

multilayer laminate, 104–107

permanent microscope mount, 97–99

Microsampling, 12, 27, 84
 Microscope, optical path, 39–41
 Microscopic infrared spectroscopy,
 polymer systems, 76–78
 Microspecimens, flattening, 20
 Microspectrometry, 27, 49–63
 comparison with ultramicrospec-
 trometry, 23–24
 custom-built accessory, 50–51
 fiber identification, 51–60
 high-pressure diamond cell, 50,
 52
 moderate-pressure diamond cell,
 50, 52
 Microspectroscopy, 84
 Morphology, 84

N

Nylon fishing line, high-pressure
 diamond cell, 62–63

O

Off-axis aspherical mirrors, 21–22
 On-axis Cassegrainian optics, 21
 Optical theory/diffraction, 12
 Orlon, 65–67

P

PET
 fiber, spectrum, 6, 8
 infrared spectra, 68–70, 72
p-phenylene terephthalamide
 dichroic spectrum, 6, 8–9
 single fiber, dichroic spectrum,
 6, 9
 Polarization studies, 6, 8
 Poly(acrylonitrile-co-ethyl acrylate)
 fiber, 65–67
 Polyamide
 contaminant spectra, 34–35
 formed block, lubricant in, 100,
 102

Polyester fiber, infrared and Raman
 spectra, 60, 71
 Polyethylene film
 gel in, infrared microtransmit-
 tance spectra, 86–87
 optical micrograph, 86
 spectra, 32–33
 Polyethylene terephthalate fiber
 (see PET)
 Poly(ethylene-vinyl alcohol), in-
 frared spectrum, 79
 Polyglycol, contaminant spectra, 37
 Polymeric materials, 74–84
 analysis, 39
 heterogeneous, infrared micro-
 spectroscopy, 86–91
 infrared reflectance microspec-
 troscopy, 94–95
 internal reflection spectroscopy,
 76
 microscopic infrared spectros-
 copy, 76–78
 multilayer, infrared microspec-
 troscopy, 91–94
 position and function of materials
 in multilayer films, 75
 pyrolysis, 39
 simultaneous DSC/FT-IR, 78–83
 Polypropylene
 DSC thermogram, 81–82
 infrared spectrum, 79
 melting, changes in infrared spec-
 trum, 83
 spectra of thread cross sections,
 43
 Polysulfone fiber, in epoxy matrix
 spectrum, 5, 7
 subtraction spectrum, 6–7
 Polytetrafluoroethylene, spectra of
 thread cross sections, 43
 Polyurethane 3, 91–93
 Potassium bromide window, 27–28
 Pressure anvil cell, 66

R

Rayleigh criterion, 16
 Redundant aperturing, 21
 Reflective on-axis optics, 18–19
 Refrigerator door gasket, infrared spectra, 61
 Reproducibility, 47
 Rubber cement, infrared spectra, 58, 60

S

Simultaneous DSC/FT-IR apparatus, 78, 80–81
 polypropylene thermogram, 81–82
 Single-fiber spectroscopy, 4–11
 experiment, 4–5
 physical aperturing at specimen, 6, 8
 specimen size and reliability of results, 5–6
 transmission curve, 5
 Specimen preparation, 36, 39–48
 applying drop of solvent to capillary, 45–46

applying pyrolyzate solution to salt plate, 46
 capillary brush preparation, 43–44, 46
 fibers, 53, 60
 microspecimen flattening, 20
 polymeric materials, 85
 pyrolyzing particle in closed capillary, 45–46
 technique, 42–48
 Spectrophotometer, 39–40
 Stereo-zoom microscope, 36

T

Thermal analysis, 74
 Tungsten needles, 40–41

U

Ultramicrospectrometry, compared with microspectrometry, 23–24

W

Wedge cell effect, 20
 Wool fiber, 51, 53–54, 56