

Subject Index

A

AFGROW, 154
 AFNOR, 24
 Airbus, 127
 Aircraft, 53, 99, 113, 127, 140, 171, 232, 251, 521
 Aluminum alloy, 81, 186, 278, 299, 320, 468, 482
 Angle-ply laminates, 408
 ANSI, 24
 ASTM, 24
 ASTM E 647, 36
 Automation, 53
 Automobiles, 349, 395, 381, 557

B

Bauschinger effect, 453
 "Beat like" load, 67
 Bending, 567
 Biaxial loading, 505
 Biaxial stress, 544
 Biaxial Test Facility, 557
 Block fatigue, 408
 Buffet, 113

C

Carbon fiber reinforced epoxy, 408
 CARLOS, 395
 Cast iron, 567
 nodular, 215
 CFRP, 408
 Classification rules, 535
 Cold expansion, 171
 Complex stress fields, 335
 Compounding method, 521
 Compression, 278
 Compressive underloads, 154
 Constant amplitude, 24
 Constraint, 232, 278
 Corner notch, 81
 Correlation factor, 567
 Coupons, 171
 Crack closure, 154, 215, 232, 278, 299, 320, 482
 plasticity-induced, 453
 Crack front incompatibility, 299
 Crack initiation, 186, 492
 Crack propagation rate, 482

Crack simulation, 435
 Cycle counting, 381

D

Damage
 accumulation, 3, 395
 summation, 369, 381
 tolerance, 127
 Degradation, 408
 Delay, induced by overload, 468
 Digital signal processing, 53
 Direct current potential crop calibration, 81

E

ECISS, 24
 Elastic-plastic stress-strain response
 algorithm, 251
 Electromagnetic test facility, 67
 Endurance limit, 24
 Engine fan blades, 200
 Environment, 468
 Epoxy, carbon fiber reinforced, 408
 Equivalent amplitude, 200
 ESIS, 24
 Eurocycle load program, 557
 Experimental proof, 3
 Experimental spectrum tests, 3
 Extra-hardening, 505

F

FALSTAFF, 53
 Fasteners, fatigue-resistant, 171
 FASTER, 140, 154, 232, 278
 Fatigue, 171
 Fatigue crack growth, 53, 81, 154, 232, 251, 278, 299, 320, 369, 420, 453, 468, 492
 testing, 36
 Fatigue crack nucleation, 395
 Fatigue design, 420
 Fatigue life, 186
 assessment, 3
 Fatigue testing, 36, 300
 full-scale, 99
 FEM analysis, 453
 First order reliability method, 521
 Flight spectrum loading, 278
 Fractography, 154

Fracture mechanics, 186, 232, 278
Full-scale testing, 113
Fuzzy modeling, 521

G

Gassner-lines, 3
Green's function, 251

H

High cycle fatigue, 215, 395, 544

I

ISO, 24

L

Life improvement, 171
Life prediction, 140, 154, 186, 215, 395,
420, 435, 492, 544, 567
Load interaction, 278
Load spectrum, 127
Load time history, 67
Local strain, 186
Long cracks, 320, 482
Low carbon steel, 435
Low-cycle fatigue, 505

M

Mean value effect, 381
Microstructural defect, 186
Mini-TWIST flight spectrum, 53, 232
Multiaxial fatigue, 349
Multiaxial loading, 395, 557, 567
Multiple site damage, 521
Multiple two-step loading, 369

N

Nickel-base super-alloy, 299
Nodular cast iron, 215
Nonlinear stress field, 335
Non-proportional loading, 544, 567
Notch, 186
plasticity, 251

O

Optical microscopy, 435
Overloads, 154, 232, 369, 453, 468, 492
periodic, 482

P

Palmgren-Miner rule, 369
Periodic overloads, 482
Plasticity, 232, 468
cyclic, 505
notch, 251
Plasticity-induced crack closure, 453
Plastic zone, 492
Poisson's ratio, 408
Probabilistic analysis, 521, 535

R

Rainflow algorithm, 381, 544
Rainflow counting, 3
Random fatigue resistance, 200
Random loading, 67, 320, 544
Random vibration, 200
Reconstitution, 3
Reliability analysis, 492
Residual stress effect, 299
Resonance control, 67
Resonance test facility, 67
Response surface, 521

S

Safety factors, 535
Semi-probabilistic, 535
Servo-hydraulic closed-loop control, 53
Ships, 420, 535
Short cracks, 81, 186, 320, 435, 482
Small-crack life prediction, 140
Spectrum editing, 113, 278
Spectrum fatigue, 140
Spectrum loading, 3, 36, 67, 232
Spectrum testing, 171, 544
Stainless steel, duplex, 505
Standardization, 36
Standards, international, 24
Static testing, full-scale, 99
Steel, 395
low carbon, 435
Stiffness, 408
Stochastic resonance, 200
Storm model, 420
Strain amplitude, 505
Strain energy density parameter, 544
Strain measurement, 99
Stress envelope, 200
Stress intensity factors, 232, 251, 335
Stress intensity range, threshold, 482
Stress-strength interference analysis, 381
Structural analysis, 127

Structural certification, 99
 Structural integrity, 24
 Suspension modules testing, 349

T

Temperature, 154
 Tensile overloads, 154
 Test acceleration, 349
 Threshold of stress intensity range, 482
 Thresholds, 299
 Titanium alloy, 154, 232
 Torsion, 567
 Transient loads, 154
 Truncation methodology, 113
 TWIST spectrum, 186
 Two-step loading, 369

U

Underloads, 154, 369, 453

V

Variable amplitude fatigue, 3, 24, 215
 Variable amplitude loading, 36, 53, 67, 81,
 140, 186, 232, 299, 349, 369, 381,
 395, 420, 453, 535, 557, 567

W

Weight function, 335
 Welded joints, 492, 535
 Welding irregularities, 420
 Wheel/hub subassembly, 557