

Subject Index

A

Anisotropic properties, 337, 583, 740

Annealing

- dislocation loops, 318
- embrittlement, 172
- high temperature, 556
- hardening, 151
- isochronal, 406
- kinetics, 151, 875
- mechanical properties, 1103, 1122
- positron techniques, 172, 472, 486, 495
- recovery mechanisms, 151
- solute segregation, 603, 645
- thermal treatments, 50, 64, 337
- vacancy defects, 172, 472

ASTM standards

- A 203—Specification for Pressure Vessel Plates, Alloy Steel, Nickel, 311
- A 706—Specification for Low-Alloy Steel Deformed Bars for Concrete Reinforcement, 1304
- A 508—Specification for Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel forgings for Pressure Vessels, 23
- A 533—Specification for Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, 238
- E 208—Method for Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, 251
- E 693—Practice for Characterizing Neutron Exposures in Ferritic Steels in Terms of Displacements per Atom, 420
- Atomic clustering processes, 437
- Atomic displacements, 3, 172
- Auger electron spectroscopy, 633, 645, 1061
- Auger sputter profiling, 621

Austenitic stainless steels

- boron microalloying, 1122
- cavity formation, 1051
- cold-worked, 1083
- creep rate, 995, 1034, 1083
- dislocation loops, 1015, 1034
- dislocation structure, 1015, 1051, 1061
- displacement damage, 1051
- ductility, 995, 1051, 1071
- fatigue crack growth, 1083, 1095, 1103
- fluence levels, 1071
- fracture toughness, 1071, 1103
- hardness testing, 1061
- mechanical properties, 1071, 1083, 1095, 1103
- microchemical changes, 969, 1015, 1051
- microstructural analysis, 995, 1015, 1034
- nickel content effects, 1015
- phase diagrams, 945
- phosphorus effects, 995
- rare earth microalloying, 1122
- sink strength, 1015
- solute segregation, 1015
- surface modifications, 1061
- tensile strength, 1034, 1071, 1103
- void swelling, 995, 1015, 1122
- Auto-oscillation processes, 594

B

Basal pole figures, 337

Body-centered cubic metals, 928

Bonding curves, 270

Boron microalloying, 1122

Boron nuclei, 3

Brittle-ductile transitions, 23, 50, 151

Brittle fracture, 203, 507 (*see also* Fracture)

Burger's vector, 375, 385, 530, 1034

C

Calandria tube assemblies, 311, 1304

Cascade

ceramic defects, 733

collapse, 385

- Cascade**—*continued*
 collisions, 406, 583
 damage, 385
 displacements, 375, 385, 406, 463
 internuclear, 3
- Ceramics** damage
 alumina, 740, 749, 764
 aluminum matrix composites, 776, 785
 amorphization threshold, 740
 anisotropic parameters, 740
 cascade defects, 733
 cavity formations, 749
 compressive stress, 740
 crystal defects, 733, 740, 776
 defect hardening, 740
 density measurements, 733
 diffraction analysis, 733
 electrical conductivity, 776
 fusion window materials, 764
 interstitial dislocation loops, 749
 mechanical properties, 740, 749, 764
 microstructural analysis, 785
 near-surface properties, 740
 point-defects, 764
 polycrystalline spinels, 749, 764
 recrystallization, 733
 resistivity, 733
 superconductors, 733
 tensile strength, 785
 tension tests, 785
 thermal conductivity, 764
- Charpy impact testing**
 fuel subassemblies, 1209
 fusion reactor components, 1256
 pressure vessel beltlines, 56, 216
 pressure vessel plate materials, 203, 238, 1304
 pressure vessel trepanned materials, 93
 reconstituted specimens, 76
 submerged-arc weld metals, 186, 251, 270, 292
- Cold working techniques**, 945, 995, 1083
- Computer modelling**, 131, 375, 1167
- Contractile strain ratios**, 337
- Control rod guide tubes**, 448
- Convergent beam diffraction**, 186
- Copper/copper alloys**
 aluminum, 448, 854
 annealing, 151
 chromium, 854
 defect clusters, 813
 dislocation motion, 813
 displacement damage, 854
 ductility, 835, 846
 electrical conductivity, 813
- fracture morphology, 835, 846
 grain boundary analysis, 813
 hafnium, 854
 hardening, 151, 813
 heat flux components, 835
 helium bubble growth, 875
 interstitial migration, 875
 iron, 131
 laser welding effects, 854
 microstructure evolution, 854
 nickel, 151, 846
 precipitation, 131, 813, 846
 positron studies, 875
 palladium, 406
 recrystallization, 846
 solute segregation, 813
 tensile properties, 818, 835, 846
 thermal conductivity, 813, 846, 854
 void swelling, 813, 835, 846
- Corrosion resistance**, 689, 945
- Crack propagation**, 835, 1083
- Cryogenic temperatures**, 406
- Crystallographic**
 conductivity, 776
 impurities, 594
 orientation, 337, 740
 response, 437
 structures, 406, 733
 textures, 337
 void swelling, 594
- Cyclotrons**, 875, 915
- D**
- Defect**
 absorption, 709
 densities, 569, 594, 733
 hardening, 740
 production, 420, 463, 472
 solute clusters, 151, 813
- Depleted tungsten**, 3
- Depleted uranium**, 3
- Design code databases**, 12
- Differential thermal analysis**, 945
- Diffraction analysis**, 689, 733
- Diffusivity parameters**, 472, 486, 495
- Disk bend test**, 1051
- Dislocation**
 bias factors, 928
 boundary, 1135
 density, 885
 dissociated, 448
 loops, 1015, 1034, 1167, 1180
 mobility, 117, 517
 pinning, 1061

slip bands, 813
 structure, 1015, 1051, 1157
 Displacement damage, 420, 854
 Doppler measurements, 172, 495
 Drop-weight testing, 251, 270
 Ductile fracture behavior, 203, 835, 846
 Dynamic fracture toughness, 311

E

Electric Power Research Institute, 238, 251
 Electrical conductivity, 355, 776, 813
 Electrical resistivity, 472, 733, 945
 Electron beam welding, 76, 1103
 Electron irradiation
 dislocation loops, 448, 1034
 order-disorder transformation, 406
 void swelling, 569
 vacancy clustering, 448
 Electron microscopy
 analytical, 603, 621, 897
 atomic probe field-ion, 131
 diffraction, 486, 958, 1157
 high resolution, 117
 high-voltage, 448, 785, 1034
 in-situ transmission, 375
 field emission gun, 633, 645
 scanning, 186, 785, 1061
 transmission, 93, 117, 131 (*see also*
 Transmission electron microscopy)

Embrittlement,
 dislocations, 448, 1157
 helium, 486, 507, 897, 915
 high temperature, 216, 495, 1287
 hydrogen, 645
 low temperature, 1180
 mechanisms, 23, 50, 203
 pressure vessels, 131, 151, 172 (*see also*
 Pressure vessel fracture toughness)
 temperature induced, 216
 vacancy clustering, 448

Ensemble macrodefects, 556
 Exponential curve-fitting models, 270

F

Face-centered cubic alloys, 928
 Fast breeder reactor studies
 cooling channel ducts, 1190, 1267
 core components, 569, 633, 1157, 1167
 fuel claddings, 995, 1209, 1267
 fuel pin claddings, 1122, 1180
 pressure vessel materials, 1287
 wrapper tube materials, 1083, 1209

Fast flux test facility studies
 austenitic steels, 1071
 ceramic composites, 785
 copper alloys, 835, 846
 martensitic steels, 1256, 1267
 performance prediction model, 12
 vanadium alloys, 885, 928

Fatigue

 axial specimens, 1095
 crack growth, 1083, 1103
 resistance, 1103

Faulted vacancy loops, 385**Fracture**

 brittle, 203, 507, 1267
 channel, 1234, 1267, 1304
 crack arrest, 251
 ductile, 203, 238, 835, 846
 elastic-plastic, 270, 1287
 mechanics, 203, 216, 270, 1103
 morphology, 835, 846
 property recovery, 318
 resistance curves, 203, 216
 toughness studies, 50, 56, 151, 1071

Frank loops, 1034, 1051**Fuel claddings**

 austenitic steels, 995, 1071, 1122
 chromium alloys, 448, 603
 martensitic steels, 1180, 1209, 1267
 titanium alloys, 495
 zircalloys, 689

Fuel assemblies, 64, 1122**Fuel stringers**, 64, 645, 667**Fuels**

 oxide, 1071
 plutonium, 1071
 uranium, 3, 797, 1122

Fusion Materials Program, 1234**Fusion reactor applications**

 alumina crystals, 749, 764, 776
 aluminum matrix composites, 785
 austenitic steels, 945, 958, 1051,
 1095
 blanket structures, 1256
 copper alloys, 813, 835, 854
 first wall components, 1051, 1095,
 1103
 martensitic stainless steels, 979, 1157,
 1167, 1243
 plasma-facing components, 846
 plate materials, 1287
 polycrystalline spinels, 749
 structural wall components, 897
 superconductors, 733
 vanadium alloys, 897
 window materials, 764

G

- Garter springs, 311
 Grain boundary microchemistry, 621

H

- Heat treatments, 56, 318, 472, 703
 Heavy Section Steel Irradiation Program, 238, 251
 Heavy water modulation, 3, 311
 Helium desorption, 486
 Helium migration, 875, 979
 Hexagonal close packed metals, 385
 High energy transport code, 3
 High flux isotope irradiation, 1135, 1256
 High temperature irradiation capsules, 12
 Hydride cracking, 318
 Hyperbolic tangent model, 270

I

- Impression testing, 337
 Impurity diffusion, 375, 507
 Indexed temperature values, 203
 Intergranular corrosion, 603
 Intermetallic precipitates, 355
 International Atomic Energy Agency, 203
 Interstitial
 cluster nucleation, 437
 concentrations, 437, 517
 dislocations, 448, 517, 749
 drag mechanisms, 621
 migrations, 875
 reordering, 406
 sink strengths, 569
 solute segregation, 689
 Inverse-Kirkendall mechanism, 621, 709
 Ion implantation, 1061
 Ion irradiation
 argon bubble formation, 486
 austenitic steels, 958, 1015, 1051
 ceramics damage, 733, 749
 copper, 375
 creep parameters, 530, 540
 displacement cascades, 385, 463
 martensitic steels, 979, 1167
 microstructural analysis, 958
 nickel, 375
 order-disorder transformation, 406
 pressure vessel steels, 238
 recrystallization, 733

solute segregation, 621, 703

trend curves, 238
void swelling, 556, 1015

Ionic conductivity, 355**Irradiation creep**

- crack growth rates, 1034, 1083**
dislocations, 517, 530, 540
fatigue interaction, 1083, 1103
general, 448, 1209
interstitial concentrations, 517
loop growth kinetics, 530
phosphorus effects, 995
plastic formation, 530
point-defect concentrations, 517, 530, 540
theoretical models, 517, 540
thermal aging, 1135, 1190

Isothermal positron studies, 875**K**

- Kirkendall effect, 603**
Knoop hardness testing, 1061

L

- Laser welding effects, 854**
Lattice parameters, 151, 172, 583
Light water modulation, 3
Lindhard function, 420
Load extension testing, 311
Longitudinal tension specimens, 311
Low activation steels
 electron diffraction analysis, 958
 austenitic alloys, 945, 958, 969
 cold worked, 945
 corrosion resistance, 945
 diffusion, 969
 ductility, 945
 electrical resistivity, 945
 enrichment, 969
 helium bubble density, 979
 loop distribution, 979
 magnetic response, 945
 martensitic alloys, 979
 microstructure, 958, 969
 phase diagrams, 945, 958, 969
 radioactivity levels, 958, 979
 recycling, 969
 solute segregation, 969
 thermal analysis, 945
 thermomechanical treatments, 945
 void swelling, 958, 969
Lower bond curves, 251

M

Magnetic resistivity, 472, 945
 Martensitic stainless steels
 austenitic steel comparisons, 1167, 1209, 1243
 brittle-ductile transitions, 1256, 1267
 brittle fracture, 1267
 Charpy impact testing, 1209, 1256, 1304
 computer models, 1167
 channel fracture, 1234, 1267, 1304
 deformation, 1234
 dislocation loops, 1157, 1180, 1234
 dislocation structures, 1135, 1167
 ductility, 1180, 1234, 1243
 elastic-plastic fracture, 1287
 embrittlement, 1157, 1180, 1209, 1287
 impact hardening, 1243, 1256
 irradiation creep, 1209
 Laves phase, 1135, 1157, 1190
 linear elastic behavior, 1267
 mechanical properties, 1209, 1234, 1243
 microalloyed, 1304
 microstructural analysis, 1135, 1157, 1167, 1180
 phase stability, 1209
 precipitate evolution, 1190
 precipitate structures, 1135, 1157, 1180
 solute concentrations, 1157
 stress parameters, 1190, 1243
 sulfide morphology, 1304
 tensile properties, 1135, 1180, 1209, 1267
 thermal aging, 1135, 1190, 1287
 thermal conductivity, 1190
 upper shelf energy, 1256, 1287
 void swelling, 1157, 1167, 1234

Material feasibility studies, 12
 Materials open test assembly, 12
 Metals and metal alloys
 aluminum, 463
 aluminum-carbon, 785
 aluminum-manganese, 486
 aluminum-nickel, 709, 785
 aluminum-silicon, 785
 aluminum-zinc, 709
 austenitic steels, 495, 928 (*see also* Austenitic stainless steels)
 beryllium, 3
 chromium, 621
 chromium-implanted alumina, 740
 chromium-nickel-niobium, 603
 copper, 375, 569, 835 (*see also* Copper/copper alloys)
 copper-aluminum, 448, 854

copper-chromium, 854
 copper-hafnium, 854
 copper-nickel, 151, 846
 copper-palladium, 406
 iron, 420
 iron-copper, 131
 iron-copper-nickel, 131
 iron-implanted aluminum, 703
 iron-manganese-chromium, 945, 958, 969
 iron-nickel-chromium, 448, 472, 645 (*see also* Austenitic stainless steels)
 manganese-nickel-molybdenum, 117, 186, 216, 292
 martensitic steels, 633, 979 (*see also* Martensitic stainless steels)
 nickel, 56, 375, 569, 1034
 nickel-silicon, 709
 plutonium, 1071
 titanium, 495, 385
 tungsten, 3
 uranium, 3, 797
 vanadium, 885 (*see also* Vanadium alloys)
 vanadium-chromium-titanium, 885, 897
 vanadium-iron, 928
 vanadium-silicon-titanium, 885, 897, 915
 vanadium-titanium, 885, 915
 vanadium-titanium-niobium, 995
 yttrium, 1122
 zirconium, 337 (*see also* Zirconium alloys)

Metals recycling, 969
 Modified phase diagrams, 709
 Molecular antimony ions, 385
 Mossbauer effect, 703

N

Neutron embrittlement, 50, 151, 216 (*see also* Embrittlement)
 Neutron fluxes 3, 50, 64, 216
 Neutron irradiation
 anisotropic properties, 337
 austenitic steels, 969, 995, 1071, 1122
 ceramics, 733, 764, 785
 copper/copper alloys, 835, 846, 854
 defect production, 420
 fatigue crack growth, 1083, 1304
 fracture behavior, 846, 1071, 1267
 helium embrittlement, 897, 1287
 martensitic steels, 1135, 1180, 1209, 1234
 order-disorder transformation, 406

- Neutron irradiation—*continued*
 recrystallization, 733
 solute segregation, 621, 633, 667
 tensile behavior, 835, 846, 885
 vacancy migration, 406
 vanadium alloys, 885, 897
 void swelling, 556, 835, 969
- Neutron scattering, 93, 117, 131
- Neutron spectrum, 3, 93
- Nil-ductility testing, 238, 251, 311
- Nimonic tie bars, 645
- Nodular corrosion, 355
- Nonlinear regression analyses, 270
- Nuclear accelerators, 749, 1167
- Nuclear reactor types
 advanced gas-cooled, 645, 667
 boiling water, 355
 CANDU, 318, 337
 fast breeder, 569, 633 (*see also* Fast breeder reactor studies)
 fusion (experimental), 12, 486, 517 (*see also* Fusion reactor applications)
 gas-cooled, 12, 64, 603
 graphite moderator, 64
 heavy water, 93
 light water, 76, 251, 270
 liquid metal breeder, 1190, 1267
 pressurized heavy water, 311
 pressurized water, 23, 50, 117, 216
 space power, 12, 1071
 Tokamak (fusion), 1095
 water-cooled, 776
- Nuclear reactors (commercial)
 Ardenne Nuclear Power Plant (France), 23, 117
 BOR-60 reactor (Russian Republic), 1122
 Imatra Power Company (Finland), 203
 Nuclear Electric (England), 64
 Phenix reactor (France), 995
 Rajasthan Atomic Power Station (India), 311
 Tarapur Atomic Power Station (India), 56
- Nuclear reactors (experimental)
 Argonne National Laboratory (USA), 885
 Atomic Energy Research Institute (Japan), 1287
 CRYOS facility (Russian Republic), 472
 Fast Flux Test Facility (USA), 12, (*see also* Fast flux test facility studies)
 Gundremmingen reactor (Germany), 93
 Indira Gandhi Center for Atomic Research (India), 486, 495
- International Thermonuclear Reactor (Japan), 1051
- Japanese Fast Breeder Reactor (Japan), 785, 1083
- Japanese Materials Testing Reactor (Japan), 776, 785 1243
- Julich (Germany), 3
- Los Alamos National Laboratory (USA), 3
- Materials Open Test Assembly (USA), 835, 928
- Oak Ridge National Laboratory (USA), 238, 251, 270, 1095
- O**
- Onsager's relations, 437
- Optical metallography, 186
- Ostwald ripening process, 875
- Outdiffusion, 703
- Oxide dispersion strengthening, 846
- Oxide films, 355
- P**
- Particle morphology, 3, 186
- Performance prediction models, 12
- Phase decomposition, 318
- Phase instability, 945, 958, 969
- Phenix fuel subassembly, 1209
- Pipe diffusion, 448
- Plasticity models, 337
- Positron techniques, 172, 472, 495, 875
 helium annihilation, 875
- Post-irradiated annealing behavior, 151, 172
- Pressure vessel safety assessments, 23, 151
- Pressure vessel fracture toughness (*see also* Pressure vessel microstructure)
 brittle models, 203
 cleavage type, 270
 copper alloys, 238, 251, 270, 292
 crack arrest, 251
 ductile behavior, 203, 238, 251
 elastic-plastic methods, 270
 fluence levels, 216, 251, 270
 lower shelf, 238
 mechanical properties, 203
 neutron fluxes, 203
 reference curve, 203, 216, 238
 resistance curves, 203
 submerged arc welds, 251, 270, 292
 upper shelf, 292
 welded joints, 216, 238

Pressure vessel microstructure (*see also*
 Pressure vessel surveillance
 programs)
 annealing, 151, 172
 archive material, 93
 Charpy V-notch specimens, 93, 151, 186
 copper precipitates, 93, 186
 ductility, 93
 embrittlement, 172
 grain structure, 186
 hardening mechanisms, 93, 131, 151
 microchemical effects, 93
 neutron fluxes, 203
 manganese alloys, 186
 shell base metal, 117
 submerged arc welds, 186
 ternary iron alloys, 172
 thermal aging, 131
 vanadium precipitates, 93

Pressure vessel surveillance programs (*see also*
 Pressure vessel microstructure)
 base metals, 23, 76, 117
 Charpy impact testing, 56, 76
 core shells, 23, 56, 117
 dosimetry characteristics, 23, 50
 fracture toughness, 50
 low alloy steels, 23, 64, 117
 steel claddings, 56
 stud welds, 76
 temperature monitoring, 50
 tie bars, 64
 upper shelf energy, 50, 56, 76

Primary knock-on atoms, 420

Prismatic slip, 337

Proton irradiation, 3, 355, 689

Pyramidal pole figures, 337

R

Radiation damage microstructure (*see also*
 Radiation damage parameters)
 argon bubble formation, 486
 blistering, 486
 brittle fracture, 507
 climb mechanisms, 448
 creep, 448
 crystal response, 437
 defect production rates, 463, 472
 diffusion scattering, 486, 507
 dislocations, 448, 463
 displacement cascades, 463
 embrittlement, 251, 448
 helium impurities, 495, 507
 hydrogen effects, 463
 interstitial solutions, 437, 472, 495

ion fluxes, 463
 loading regimes, 507
 point-defect solutions, 437, 448
 positron annihilation, 486, 495
 pressurized cracks, 507
 resistivity, 472
 stacking fault tetrahedra, 448
 titanium carbide precipitates, 495
 void swelling, 437, 448, 472

Radiation damage parameters (*see also*
 Radiation damage microstructure)
 annealing defects, 406, 472
 collision cascades, 406
 defect production rates, 420, 472
 dislocations, 385, 406
 displacement cascades, 375, 385, 420
 flux spectrums, 420
 loop formation, 375, 385
 molecular antimony ions, 385
 order-disorder transformation, 406
 recovery peaks, 375

Radiation embrittlement, 238 (*see also*
 Embrittlement)

Rare earth metal microalloying, 1122

Reconstituted impact specimens, 76

Recrystallization, 337, 733, 797, 846

Reference toughness curves, 203, 216, 238

Refractory metal specimens, 12

Residual compressive stress, 740

Residual elongation, 311

S

Scandium-doped alloys, 472

Schaeffler diagrams, 958

Seeger's dispersed barrier model, 813

Simons and Wiedersich models, 420

Solubility studies, 495

Solute concentrations, 355, 1157

Solute segregation

- austenitic alloys, 969, 1015
- binary alloys, 709
- chromium precipitates, 603, 621
- copper alloy cavities, 813
- core structures, 633
- corrosion resistance, 603, 621, 689
- diffraction analysis, 689
- fuel claddings, 689
- fuel stringers, 667
- grain boundary micro-chemistry, 621, 645, 667
- heat treatments, 703
- hydrogen embrittlement, 645
- interfacial, 633
- interstitial interaction, 689, 709

Solute segregation—*continued*

- iron implanted aluminum, 703
- macroscopic properties, 667
- mechanical properties, 689
- microstructure analysis, 667, 709
- nimonic PE 16, 667, 740
- outdiffusion, 703
- silicon enrichment, 621
- phase transformation, 703, 709
- point-defect properties, 689, 709
- stress rupture properties, 667
- surface areas, 621, 703
- tie bars, 645, 667
- uranium silicide fuels, 797
- void swelling, 633, 709, 969
- zircaloy-2, 689**

Space power reactors/fuels, 12, 1071**Spallation neutrons, 3****Spectrometry, 472, 486, 495****Spectroscopy**

- Auger electron, 633, 645, 1061
- chemical analysis, 1061
- positron annihilation, 875
- Rutherford backscattering, 703, 740
- Stacking fault tetrahedra, 448
- Stochastic fluctuations, 583
- Stress corrosion cracking, 621
- Stress relief time, 186
- Stress rupture properties, 64, 667, 1190
- Sulphide morphology, 1304
- Superconductors, 733

T**Temperature control systems, 12****Tensile strength testing**

- austenitic steels, 1034, 1071
- ceramic composites, 785
- copper/copper alloys, 835, 846, 854
- martensitic steels, 1135, 1180, 1243, 1304
- pressure vessel steels, 23
- vanadium alloys, 885, 897, 915
- zirconium alloys, 311, 318

Thermal conductivity

- ceramic composites, 764, 776
- copper alloys, 813, 846, 854
- martensitic steels, 1190
- vanadium alloys, 897
- Thin foil techniques, 186**
- Transient interstitial absorption, 517, 540
- Transmission electron microscopy

 - aluminas, 749
 - aluminium alloys, 463, 486
 - austenitic alloys, 995, 1095

ceramic composites, 785

- chromium alloys, 645
- copper/copper alloys, 875
- martensitic alloys, 979, 1167, 1209
- polycrystalline spinels, 749
- superconductor cascades, 733
- titanium alloys, 385
- vanadium alloys, 885, 928

Trend curves, 56**U****Unirradiated material databases, 270****U.S. Department of Energy, 406****U.S. Nuclear Regulatory Commission, 93, 251****V****Vacancy**

- clusters, 385, 448
- defects, 172, 463, 472
- emissions, 583
- loop formations, 463, 569
- mobility, 1015

Vanadium alloys

- chromium-titanium, 885, 897
- dislocation density, 885, 928
- elongation, 915
- fabricability, 897
- hardening resistance, 885, 897, 915
- helium embrittlement, 897
- iron, 928
- metal carbides, 897
- microstructural analysis, 885
- silicon-titanium, 885, 897, 915
- tensile properties, 885, 897, 915
- tritium trick, 915, 928
- titanium, 885, 915
- void swelling, 885, 928

Vickers hardness, 945**Void swelling**

- anisotropic transport, 583
- annealing, 556, 594
- austenitic alloys, 995, 1015, 1122
- bias factors, 569, 1015
- breeder core components, 569
- collision cascades, 583
- copper alloys, 813, 835, 846
- copper cavities, 813
- diffusion growth rates, 556
- dislocation loops, 569
- ensembles, 556
- fracture behavior, 835
- impure crystals, 594

macrodefects, 556
martensitic alloys, 1157, 1167, 1180
mathematical models, 594
point-defect parameters, 556, 569, 583
sink conditions, 556, 569, 594
solubility, 709
stochastic fluctuations, 583
tensile properties, 885
theory, 569
vacancy emission, 583
vanadium alloys, 885, 928

W

Weibull-based analysis, 270
Welding techniques, 1103

X

X-ray techniques
absorption, 131, 186
diffraction, 472, 689, 703, 945
energy dispersive, 1190
irradiation, 776
microanalysis, 1157
microdiffraction, 1190

Z

Zircaloys, 311, 337, 355 (*see also*
Zirconium alloys)
Zirconium alloys
anisotropic properties, 337
annealing, 318, 337
coolant channel components, 311
contractile strain ratios, 337
fluence levels, 311
fuel claddings, 355, 689
fuel pressure tubes, 311
garter springs, 311
heat treatments, 318
hydride cracking, 318
impression testing, 337
intermetallic precipitates, 355
nil-ductility transition temperature, 311
nodular corrosion, 355
plasticity models, 337
phase decomposition, 318
prismatic slip, 337
residual elongation, 311
solute segregation, 689
tensile strength, 311, 318
thick walled tubings, 337