

Subject Index**A**

Acrylamide, 214
 Acrylate superabsorbent polymers, 214
 Adjuvants, 3, 33, 45, 340, 363
 Alkylbenzene, 163
 Alkylnaphthalene, 163
 Alkyl polyglycosides, 22
 Amitraz, 319
 Amphiphile vesicles, 155
 Aromatic hydrocarbon fluids, 163
 Aromatic solvents, 180
 Aryloxyphenoxypropionate, 340
 Aspens, 272
 ASTM Standards
 D 56: 180
 Atomization, 303
 aerial, 272, 286, 319
 spray, 257
 Atrazine, 133
Avena fauta, 340

B

Bacillus thuringiensis, 257
 Baculoviruses, 257
 Betanal Compact, 3
 Biocides, 105
 Biodegradability, 22, 33, 85, 105,
 214
 Bubble pressure method, 45

C

Cabbage looper, 303
 Calcium dodecylbenzene sulfonate, 172
 Carbaryl, 85, 133
 Cellulose, 116
 Chrysanthemums, 303
 Clay, 201
 Cloud point, 22
 Computer development/robotics,
 formulations, 188
 Container design, 235

Cotton, 155, 319
 Culigel, 214

D

D-Allethrin, 85
 Deactivators, 201
 Dimethylamides, 155
 Dipel, 286
 Drift, pesticide, 247, 286, 363
 Droplet studies, 45, 272, 363
 evaporation rate, 303
 size, 257, 286, 303, 319

E

Egg mortality, 319
 Elastic modulus, 116
 Emulsions, 33, 133, 363
 concentrated, 59, 172, 188
 microemulsions, 73, 85
 stability, 59
 Ethylene glycol, 201
 Evaporation rates, 303

F

Filters, air sampler, 363
 Fire safety, pesticide formulations,
 180
 Flash point method
 D 56: 180
 Flocculation, 145
 Flowability, 105, 116, 133
 discontinuous, 235
 Fluorescent tracers, 247, 286, 363
 Fluorometry, 363
 Foliar activity, 340
 Foliar residues, 272
 Foray, 286
 Freeze/thaw stability, 59

G

Glugging, 235
 Goltix WG, 3
 Granular formulation, 201, 214

380 PESTICIDE FORMULATIONS AND APPLICATION SYSTEMS

H

Heat stability, 59
Heliothis virescens, 319
Hydrocarbons, 201
 aromatic, 163
 surfactants, 45

K

Keyacid, 247

L

Lamellar, 73
Larval mortality, 319
Lattice NTC, 116
Legend MK, 105
Lipids, 155, 272

M

Malathion, 133
Matador, 3
Methylchloroisothiazolone
 (MCI), 105
Microbial growth, 105
Microcapsule flocculation, 145
Mylar, 363

N

N-alkylpyrrolidones, 85
Naphthalene, 163
National Fire Protection
 Association, 180
Nonylphenol, 73

O

Oak trees, 286
Organophosphate larvicides, 214
Orifice, container, flow of, 235
Ovicide, 319

P

Paraffinic oil, 340
Paraffin wax film, 45
Particle stability, 59
Paulcilamellar amphiphile, 155
Permethrin, 85, 272, 303

Phase diagrams, 73
Phosphate esters, 201
Photodegradation, 247
Photometry, 145
Pine trees, 272
Polyacrylate, 133
Polyethylene glycol, 172
Polyglucosides, 22
Polyglycol, 340
Precipitate, crystalline, 172
Pressure, 235
Profenofos, 319
Propylene glycol, 201
Pyrethroids, 73, 85, 133

R

Regulations, discontinuous flow,
 235
Robotics, 188

S

Saccharose, 33
Sandofan M8, 3
Sedimentation, photometric, 145
Septoria, 3
Setaria faberi, 340
Silicone surfactants, 45
Solvents, 155, 163, 172, 180
Solubility, 22
Sportak, 3
Spray atomization, 247, 257,
 272, 286, 303, 319
Spruce, 272
Stability and stabilizers, 33,
 85, 105, 133
Standards (See also ASTM
 Standards), 145
Sucroglycerides, 33
Sugar ether, 3
Surface tension, dynamic, 45
Surfactants, 155, 214
 biodegradable, 22, 33
 hydrocarbon, 45
 nonionic, 22, 85, 340
 silicone, 45
 tristyrylphenol, 73
Suspensions, 145
 concentrates, 133

T

Tall oil, 155
Tetramethrin, 85
Thickener, 116
Thiodicarb, 319
Timopal CBS-X, 247
Tobacco budworm, 319
Tracers, 247, 286, 363
Tree crown geometry, 272
Triangular plots, 85, 188
Triethylene glycol, 172
Tristyrylphenol, 73

U

U.S. Environmental Protection Agency, 235
Uvitex, 247

V

Veegum, 116
Vesicles, 155
Viscometry, 59
Viscosity, 257
Visko-Rhap, 363

W

Wax content, foliar, 272
Wax film, 45
Weed control, aquatic, 363

X

Xanthan gum, 116
XRD-492-methyl, 340

Y

Yield stress, 116