

# Index

40 CFR 79, 29, 82, 90, 92–93  
 40 CFR 150–189, 29  
 40 CFR 152, 82, 90, 92–93

## A

Accuracy, 44–45  
 Acid-base indicators, internal, 45  
 Acidity, water, test methods, 40–47  
 Adenosine triphosphate content, microorganisms in water, 74–77  
 Aerobic microbial content, determination below 390°C, 98–104  
 Air, effect on microbial activity, 5  
 Alkalinity, water, test methods, 40–47  
 Ammonia nitrogen, in water, test methods, 61–65  
 Antimicrobials, 29–30  
   evaluation in distillate fuels, 92–94 formulations, testing, 95–97  
   evaluation in distillate fuels, 92–94  
   formulations, testing, 95–97  
 Arrhenius rate law, 5  
 ASTM D 78, 5  
 ASTM D 130, 81, 85, 87  
 ASTM D 396, 81, 87, 92  
 ASTM D 445, 81, 87  
 ASTM D 515, 81, 88  
 ASTM D 596, 40, 42  
 ASTM D 664, 81, 87  
 ASTM D 888, 32–39, 81, 88, 89  
 ASTM D 910, 81, 87, 92  
 ASTM D 974, 81, 87  
 ASTM D 975, 24, 81, 87, 92  
 ASTM D 992, 66  
 ASTM D 1066, 32, 37, 48, 52, 61  
 ASTM D 1067, 40–47, 52, 81  
   color-change titration, 42–45  
   electrometric titration, 41–43  
   terminology, 40  
 ASTM D 1126, 48–51, 81, 88  
 ASTM D 1129, 52, 32, 40, 48, 61, 66, 74, 78  
 ASTM D 1141, 66  
 ASTM D 1192, 40, 42, 52, 61, 66–67  
 ASTM D 1193, 32, 40–42, 48–49, 52–53, 61, 66–67, 74–75, 78–79  
 ASTM D 1254, 66  
 ASTM D 1293, 40–42, 44, 52–60, 81, 88  
 ASTM D 1298, 81, 87  
 ASTM D 1331, 81, 87  
 ASTM D 1426, 4, 61–65, 81, 88  
 ASTM D 1655, 81, 87, 92  
 ASTM D 1744, 81, 87  
 ASTM D 1976, 81, 88  
 ASTM D 2068, 81, 87  
 ASTM D 2069, 81, 87, 92  
 ASTM D 2274, 81, 87  
 ASTM D 2276, 81, 87  
 ASTM D 2777, 32, 35, 38, 40, 42–44, 46, 50, 52, 56, 61, 66, 70, 78  
 ASTM D 2880, 81, 87, 92  
 ASTM D 3012, 89  
 ASTM D 3240, 81, 87  
 ASTM D 3241, 81, 87  
 ASTM D 3242, 81, 87  
 ASTM D 3325, 81, 86  
 ASTM D 3326, 81, 86  
 ASTM D 3328, 81, 88  
 ASTM D 3370, 32, 37, 40–42, 48, 52, 61, 66–67, 78  
 ASTM D 3414, 81, 88  
 ASTM D 3699, 81, 87, 92  
 ASTM D 3867, 4, 66–73, 81, 88  
 ASTM D 3870, 81, 88, 95  
 ASTM D 4012, 19, 74–77, 81  
 ASTM D 4054, 94  
 ASTM D 4057, 16, 19–20, 82, 86  
 ASTM D 4176, 82, 86  
 ASTM D 4177, 18  
 ASTM D 4276, 27  
 ASTM D 4412, 19, 78–80, 82, 88  
 ASTM D 4418, 82, 84  
 ASTM D 4454, 82, 88  
 ASTM D 4478, 82, 89  
 ASTM D 4814, 82, 87, 92  
 ASTM D 4840, 82, 86  
 ASTM D 4860, 82, 86  
 ASTM D 4870, 82, 87  
 ASTM D 4952, 82, 88  
 ASTM D 5128, 52  
 ASTM D 5245, 95  
 ASTM D 5254, 24  
 ASTM D 5304, 82, 87  
 ASTM D 5452, 82, 87  
 ASTM D 5464, 52, 56  
 ASTM D 5465, 9, 95  
 ASTM D 5847, 40, 45, 48, 51  
 ASTM D 6217, 82, 87  
 ASTM D 6227, 82, 87, 92  
 ASTM D 6426, 82, 87  
 ASTM D 6469, 3, 9, 12, 16, 18, 22, 92  
   data interpretation, 89  
   examination, 86–87  
   occurrence, 84–86  
   origins, 84  
   sampling, 84–86  
   significance, 84  
   strategies for controlling, 89–91  
   terminology, 82–83  
   testing, 87–89  
 ASTM E 60, 61, 66  
 ASTM E 70, 52

ASTM E 177, 82, 89  
 ASTM E 200, 32, 40–44  
 ASTM E 275, 61, 66, 71  
 ASTM E 691, 95  
 ASTM E 1259, 82, 90, 92–94  
 ASTM E 1326, 9, 82, 87, 89, 95–97  
 ASTM E 1329, 82  
 ATP firefly method, 74–77  
 Automated cadmium reduction, 67

**B**

Bacteria, 2–3  
   nonconventional microbiological tests for enumerating, 95–97  
 Bacteria control  
   ASTM E 1326, 95–97  
   ASTM D 4412, 78–80  
 Bactericides, 29  
 $\beta$  ratings, 25  
 Biodegradation, petroleum products, 81–91  
 Biodeteriogens, 1  
 Biodeterioration, 1  
 Biofilms  
   common growth zones, 11–12  
   disruption, 10–11  
   dynamic equilibria, 9–11  
   formation, 9–10  
   maturation, 9  
 Biomass, 9  
   ATP content, 74–77  
   sludge and sediment mass, 10–11  
 Biosurfactants, 12  
 Bottoms-water, pH, 6  
 Buffer solutions, 52–60

**C**

Cadmium reduction method, 66–73  
 Calcium content, water, 48–51  
 Carbon, in metabolism, 3–4  
 Chain of custody, 20  
 Clean Air Act - CAA, 29  
 Colony counting, 98–100  
 Color-change titration, 42–45  
 Colorimetric analysis, water, 32–39, 61–65  
 Compatibility, waste materials, 92–94  
 Contamination  
   petroleum products, 81–91  
   in water phase, 17  
 Continuous monitoring, 52–60  
 Corrective maintenance, 30

**D**

Direct nesslerization, 62–63  
 Dissolved oxygen, water, test methods, 32–39  
 Distillate fuels, antimicrobial evaluation, 92–94

**E**

EDTA method, 48  
 Electrodes, 61–65  
 Electrometric titration, 41–43  
 Eukaryotes, 2  
 Extracellular polymeric substances, 9

**F**

Ferrous-ferric reference solutions, 61–65  
 Field testing, water, 52–60  
 Filter housings, 26  
 Filter media, selection, 25  
 Filter plugging, 12  
 Filters, water testing, 74–77  
 Filtration, strategies, 25–26  
 Fuel delivery chain, sampling, 18  
 Fuel phase, 15  
   sampling, 18–19  
 Fuel polishing, 24–26  
 Fuel quality, investigation, 18–19  
 Fuel systems, microbiological investigation, 16–18  
 Fuel tanks  
   cleaning, 26–29  
   large, cleaning, 27–28  
   microbe distribution, 14–16  
   microbiological investigation, 16–18  
   microbiological sampling and testing regime, 17  
   small, cleaning, 29  
 Fuel/water partitioning, 92–94  
 Fuel water separator, 14  
 Fungal fragment, determination below 390°C, 105–107  
 Fungi, 3  
 Fungicides, 29

**G**

Galvanic cell, 1  
 Glass electrode, 53  
   faulty response, 59–60  
 Glossary, 108–109

**H**

Hardness, 7  
   in water, test method, 48–51  
 Heterotrophic plate count procedure, 95–97  
 Housekeeping, 8  
 Hydrogenase, 4  
 Hydrogen ion contents, 52–60  
 Hydrogen peroxide test method, 46

**I**

Inorganic compounds, water  
   ASTM D 888, 32–39  
   ASTM D 1126, 48–51  
   ASTM D 1426, 61–65  
   ASTM D 3867, 66–73

Instrumental measurement, water, 32–39  
 Instrumental probe procedure, 35–38  
 Ion selective electrode method, 63–65  
 IP 385, 19, 82, 89, 98–104  
   Annex A, 104  
   apparatus, 100–101  
   calculation, 103  
   materials and reagents, 98–100  
   procedure, 101–103  
   sample preparation, 101  
 IP 472, 19, 105–107  
 ISO 3170, 16, 19–20  
 ISO 3171, 18

## M

Macronutrients, 4  
 Magnesium content, 48–51  
 Malt extract agar, 99  
 Metabolites, 1, 4  
 Microbes, distribution within fuel tanks and systems, 14–16  
 Microbial activity  
   bottom sludge and sediment, 11  
   community impact, 12  
   factors affecting, 4–8  
 Microbial communities, consortia, 8–9  
 Microbial contamination, fuels and fuel systems, guide, 81–91  
 Microbial environments, 81–91  
 Microbially influenced corrosion, 1  
 Microbicides, 29–30  
 Microbiological examination  
   ASTM E 1259, 92–94  
   ASTM E 1326, 95–97  
   ASTM D 6469, 81–91  
 Microbiology, definition, 1–2  
 Microcosm, 9  
 Microorganisms, 92–94  
   ATP content, 74–77  
 Most-probable-number technique, 78–80

## N

NACE TMO–194, 19  
 Nitrite/nitrate content, 66–73  
 Nitrogen, in metabolism, 4  
 Nitrogen content, water, 61–65  
 Nominal pore size, 25  
 Nonconventional testing procedures, 95–97  
 Nutrient availability, effect on nutrient activity, 6–7  
 Nutrient metabolism, 3–4

## O

Operational factors, effect on microbial activity, 7–8  
 Optical materials, water, 74–77  
 Organic compounds, water, 74–75  
 Osmolarity, 7  
 Osmotic pressure, effect on microbial activity, 7

Oxygen content, 32–39  
 Oxygen saturation values, 38–39

## P

Pathogens, water  
   ATP content, 74–77  
   sulfate-reducing bacteria, 78–80  
 Pellicles, 10  
 Petroleum, 81–91  
 pH  
   effect on microbial activity, 6  
   glass electrode, 53  
   water, test methods, 52–60  
 Photoluminescence, 74–77  
 Pipelines, transfer samples, 18  
 Planar filter, 26  
 Polyvalent cations, 48–51  
 Predictive maintenance, 31  
 Preliminary screening/site investigation, 92–94  
 Preventive maintenance, 31  
 Process pH measurements, 52–60

## Q

Quality control, 44–45

## R

Rag layer, 10  
 Rainwater, pH, 6  
 Reference Electrodes, 59  
 Remediation, 24–31  
   antimicrobial pesticides, 29–30  
   contamination control, 30–31  
   corrective maintenance, 30  
   fuel polishing, 24–26  
   predictive maintenance, 31  
   preventive maintenance, 31  
   tank cleaning, 26–29  
 Root cause analysis, 1  
 Routine measurement, pH, 52–60

## S

Salinity, effect on microbial activity, 7  
 Sampling, 14–22  
   biological materials, 95–97  
   bottles and containers, 20  
   devices, 20–21  
   existing guidance, 16  
   frequency, 18  
   fuel phase, 18–19  
   labeling and chain of custody, 20  
   plan development, 16–19  
   preparations for sample transport, 19–20  
   procedures, 19–22  
   sample cocks and drains, 20, 22  
   sample filtration, 98–104  
   taking samples, 22  
 Sediment, waterborne, 74–77  
 Selectivity, 95–97

## 114 INDEX

Site preparation, 27  
Sludge, 74–77  
Sludge and sediment, 10–11  
Sulfate-reducing bacteria, 8–9, 14–15  
    in water and water-formed deposits, test methods, 78–80  
Sulfur, in metabolism, 4

### T

Temperature, effect on microbial activity, 5–6  
Test Method 2540 D, 82, 87  
Thermophilic sulfate-reducing bacteria, 78–80  
Titrimetric procedure, 33–35  
Toxicity, water environments, 74–77

Tryptone soya agar, 99–100  
Turnover rate, effect on microbial activity, 8

### W

Waste phase  
    contamination in, 17  
    sample, 16  
Wastewater testing, 74–77  
Water, effect on microbial activity, 5  
Water activity, 5  
Water-formed deposits, 78–80  
Water phase, 14  
Water quality monitoring, 52–60