

# Subject Index

## A

- Accuracy factors, 6, 46, 206 (*See also* Precision factors)
- Alignment problems
  - fatigue test load frames, 117
  - fixture-induced bending in pin-loaded specimen trains, 160
  - flat-specimen gripping devices, 136
  - reverse bending tests, 174
- Aluminum alloys, 77, 105
- Analog-to-digital converters, 93
- ASTM committees
  - B-4: 4
  - B-8: 4
  - E-4: 3
- ASTM standards
  - E 10: 46
  - E 18: 46, 60
  - E 74: 168
  - E 384: 4, 46
  - E 399: 63, 167
  - E 647: 77
  - E 691: 29
  - E 813: 64, 94
  - F 732: 233

## B

- Bending, fixture induced, 160
- Bending tests (*See also* Fatigue testing; Fracture toughness testing)
  - definition and theory of bending, 175
  - end constraint and alignment effects in three- and four-point reverse bending, 174
  - yield stress patterns, 228
- Bias of measurements, 3
- Boundary conditions, 174
- Brinell tests (*See* Hardness testing)
- British standards
  - BS 18: 188
  - BS 3688: 189
  - BS 4759: 189
- Buoyancy effects in wear testing, 233

## C

- Calibration functions, 77, 167
- Case depth, 46

- Clamping devices, 132, 136, 160, 174
- Clevis, pinned, 160
- Compact specimen fixtures, 160
- Compliance effects, testing machine, 187
- Compliance method, 77, 93
- Constraint effects, 132, 136, 160, 174
- Converters, analog to digital, 93
- Cracking, 77, 93 (*See also* Bending tests; Fatigue testing; Fracture toughness testing)

## D

- Dangerous section of steel gear teeth
  - profiles, 229
- Decarburization, 46
- Density of polymeric implants, 233
- Diamond penetrators, 46
- Dwell time, 46

## E

- Elastic-plastic state, 217
- Electric potential method, 65
- End constraints, 132, 136, 160, 174
- Error analysis, fatigue test load frame alignment, 117

## F

- Fatigue testing (*See also* Bending tests; Fracture toughness testing)
  - flat-specimen gripping device alignment, 136
  - load frames, alignment errors, 117
  - monitoring techniques, automated, comparison of, 77
  - multiaxial, low-cycle, 103
  - tubular specimens, thin-walled, accuracy with, 103
- Fixtures, 132, 136, 160, 174 (*See also* Test equipment)
- Flexures (*See* Bending tests; Fatigue testing)
- Flow curves, 206
- Fracture toughness testing
  - automated single-specimen, 93
  - elastic-plastic, 63
  - rapid loading, 63

## G

- Gage repeatability and reproducibility, in hardness testing, 3, 40, 52
- Gears, 217
- General Motors Statistical Process Control Manual*, 53
- Grain structure, 47
- Grey level, 40
- Gripping devices, 132, 136, 160, 174

## H

- Hardness ratio in tension testing, 187
- Hardness standards, 52 (*See also* Hardness testing)
- Hardness testing
  - Brinell scale, 47
  - indentation measurement, accuracy factors, 6, 46
  - Knoop hardness values, 3, 40
  - microindentation image analysis, 40
  - microindentation, precision and bias of measurement, 3
  - repeatability and reproducibility, 3, 40, 52
  - Rockwell values, 46, 53, 56, 57
  - Vickers indentation and hardness values, 3, 40
- Hot strip rolling, 206

## I

- Image analysis of microindentations, 40
- Implants, orthopedic, 233
- Indentation testing (*See* Hardness testing)
- Indenters, 46 (*See also* Hardness testing)
- INTRAN computer language, 80

## J

- $J_{IC}$  testing, 64, 93

## K

- Knoop hardness values, 3, 40

## L

- Load effects on microindentation testing, 6, 46
- Load frames, alignment errors in, 117
- Loading rate, 73

## M

- Major load, 46
- Materials research, 240
- Mechanical tests (*See* Tests and testing)
- Microhardness testing (*See* Hardness testing)
- Microindentation testing (*See* Hardness testing)
- Microscopes, optical, 40
- Minor load, 46
- Multiple specimen method, 65

## N

- Noise, system, effects of, 93

## O

- Orthopedic implants, 233

## P

- Penetrators, diamond, 46
- Pinned clevis, 160
- Pixel arrays, 40
- Polymers, wear, 233
- Potential drop method, 86
- Precision factors
  - alignment problems, 117, 136, 160, 174
  - crack growth monitoring, 77
  - experimental determination in materials research, 240
  - indentation measurement, accuracy factors, 6, 46
  - microindentation, precision and bias of measurement, 3
  - strain flow curves, 206

## R

- Rapid loading fracture toughness testing, 63
- Repeatability and reproducibility of hardness measurements, 3, 40, 52
- Resolution requirements
  - optical measurements, 4
  - single-specimen fracture toughness testing, 93
- Rockwell scale (*See* Hardness testing)
- Rolling, hot strip, 206

## S

Sensors, stress, 160, 217  
 Servocontrol, 65, 187, 210  
 Specimen alignment (*See* Alignment problems)  
 Specimen geometry, 103, 160  
 Standards (*See* ASME standards; British standards)  
 Statistical process control, 52  
 Statistical research procedures, 240  
 Steels  
   1 Cr-Mo-V: 105  
   304L stainless: 209  
   A 508: 63  
   A 516: 107  
   A 533: 63  
   1015: 207, 209  
   1018: 105  
   BS 4360: 190  
   elastic-plastic state, 217  
   niobium, table, 208  
 Strain measurement and analysis, 103, 187, 206  
 Stress analysis and monitoring, 160, 217  
 Stress intensity K, 160  
 Stress sensors, 160, 217  
 Stretcher strains, 217  
 Strip rolling, hot, 206  
 Surface finish, effects on hardness testing, 47  
 System noise, effects of, 93

## T

Temperature effects, 206  
 Tensile strength, ultimate, 201  
 Tension testing, 187  
 Test equipment  
   analog-to-digital converters, 93  
   clamping devices, 132, 136, 160, 174  
   clevis, pinned, 160  
   compliance effects, 187  
   fatigue load frames, alignment errors in, 117  
   fixture-induced bending measurement device, 160  
   fixtures, 132, 136, 160, 174  
   gripping devices, flat specimen, 136  
   high-speed servohydraulic, 65  
   indenter, 46  
   load frames, alignment errors in, 117  
   microscopes, optical, 40  
   penetrators, diamond, 46

reversing bend fixture, 180  
 servocontrolled, 65, 187, 210  
 specimen fixtures, compact, 160  
 stress sensors, 160, 217  
 thermocouples, embedded, 213  
 Tests and testing  
   accuracy factors, 6, 46, 206  
   alignment problems, 117, 136, 160, 174  
   bending, 160, 174, 175, 228  
   bias, 3  
   Brinell, 47  
   calibration functions, 77, 167  
   compliance method, 65, 77, 93  
   constraint effects, 132, 136, 160, 174  
   electric potential method, 65  
   error analysis, fatigue test load frame alignment, 117  
   fatigue (*See* Bending tests; Fatigue testing; Fracture toughness testing)  
   fracture toughness, 63, 93  
   hardness (*See* Hardness testing)  
   image analysis of microindentations, 40  
    $J_{IC}$ , 64, 93  
   microindentation, 3, 40  
   multiple specimen method, 65  
   optical, 3, 40  
   potential drop method, 86  
   repeatability and reproducibility of hardness measurements, 3, 40, 52  
   resolution requirements, 4, 93  
   strain, 103, 187, 206  
   stress, 160, 217  
   tension, 187, 201  
   unloading compliance method, 65  
   video image analysis, 40  
   wear, 233  
   weight loss, 233  
 Thermocouples, embedded, effects of, 213  
 Threshold of optical measurement, 40  
 Tubular specimens, thin-walled, 103

## U

Unloading compliance method, 65

## V

Vickers indentation and hardness values, 3, 40  
 Video image analysis, 40

**W**

Wear debris, 233  
Wear testing, 233  
Weight loss testing, 233

**Y**

Yield drop, 187  
Yield strength, upper and lower, 192-200  
Yield stress patterns, 217