Subject Index

A

Accelerations, earthquake, 22 Ash disposal, 71, 168, 185 residue, 285 waste, 86 Asphalt emulsion cover, 331

B

Barkfill, 86 Bearing capacity, 240 Bishop's method, modified, 285 Boiler slag, 71, 123 Borings, vertical, 358 Bottom ash, 71

С

Cement stabilization, 142 Clay, 107, 185 Closure, landfill, 9, 41 Coal recovery, 142 Cohesion intercept, 123 Colliery discard, 142 Compaction, 41, 71, 107, 123, 317 Compression, 71, 163, 185, 225 Conductivity, 31 Cone penetration testing, 259, 345 Consolidation, 163, 345 Construction, on closed landfills, 41, 331

D

Decomposition, effect on shear strength, 86 Deformation, 358 analysis, 240, 303 consolidation, 345 Density, 317 relative, 123 Desulfurization sludge, 168 Down-Hole test, 59

E

Earthquake performance, 22, 240, 259, 303, 358 Elastic moduli, 59 Electromagnetic data interpretation, 31 Embankment material, 71

F

Field measurements, 185, 317, 345 compaction test, 123 compressibility, 163 deformation, 303, 358 dynamic moduli, 59 permeability, 331 Poisson's ratio, 59 slope stability, 259 soil stiffness, 107 stratigraphic mapping, 31 Fill characteristics, 86 Floor slab, adjustable, 41 Flue gas desulfurization sludge, 168 Fly ash, 168, 185 Foundations, deep, 41 Friction angle, 123, 285

G

Geogrids, 285

H

Hazardous waste repository, 209

I

Immobilization, 185 Impact test, 107

J

Janbu method, simplified, 285

373

K

Kettleman Hills, 209

L

Laboratory extraction, 71 Landfills closure, 9, 41 colliery waste, 142 deformation, 303 design, 9 dynamic moduli of, 59 earthquake performance, 22 embankment material, 71 fill geotechnics, 86 maintenance, 9 management, 9 model, settlement, 225 monitoring program, 317 paleokarstic feature locations, 31 Poisson's ratio of, 59 reclamation for commercial use, 41, 331 site, 41 statigraphic mapping, 31 subsurface sand channel delineation, 31 Leachates, 71, 185, 285 Leaching tests, 71, 185 Least squares regression, 31 Lift thickness, 123 Lime fixed fly ash, 168 fly ash pozzolan, 185 Liners, 209, 285, 303 Loading dynamic, 240 overburden, 345 seismic, 22, 240, 259, 303, 358 static, 240, 259, 303 test, 107 Loma Prieta earthquake, 22

M

Management, landfill, postclosure, 9 Mapping, stratigraphic, 31 Marine container facility, 331 Mercalli intensity, modified, 22 Microencapsulation, 185 Mine spoils, 142, 163 Model, settlement, 225 Mohr-Coulomb theory, 240 Moisture content, mine tailings, 142 Monitoring program, 317 Multivariate least-squares regression, 31 Municipal waste, 9, 59, 225, 259

0

Operating Industries, Inc. (OII), 259

Р

Penetrometer test, cone, 345 Permeability, 71, 168, 331 Poisson's ratio, 59 Polyethylene, high density, liner, 285 Pozzolans, 185 Preloading, 163 Pressure meter test, 163

R

Rate of compression, 225 Reclamation, landfill, for commercial use, 41, 331 Roller pass, 123 Roller, vibratory, 123

S

Sand, 107 Secondary compression, 225 Seismic response, 22, 240, 259, 303, 358 Seismic stability, 22 Settlement, landfill, 41, 86, 163, 240, 317, 331 elastic, 345 model, 225 postclosure, 9 slope, 358 time rate of, 345 Shear moduli, 59 Shear strength, 71, 86, 240, 259 Shear strength, interface, 209 Slag, 71, 123 Sledge hammer, stiffness test, 107 Slope failure, 209 grades, 285 movement, 259, 358 stability, 86 Sludge, 86, 185, 317 Desulfurization, 168 Soil dynamic, 107 Soil mechanics, 317 Soil stiffness, 107 Specific gravity, 123 Stability, 86, 209, 240, 259, 358 analysis, 303 structural, 285 Stabilization, 142, 185 chemical, 345 Stiffness, soil, 107 Strain rates, 358 Stratigraphic mapping, 31

Strength parameters, 303, 331 Strength properties, 168, 185 dynamic, 240 Strength, shear, 71, 86, 240, 259 Structures on landfills, 41, 331 Surface geophysics, 31

Т

Tailings disposal, 142

V

Vibratory roller, 123

W

Washing colliery waste, 142 Waste classification system, 317 Wood wastes, 86