

Subject Index

A

AASHTO and Unified Soil Classification System, 686, 687 (table)
 1986 AASHTO Guide for Design of Pavement Structures, 64, 683–690
 AASHTO Test Method T 274–82, 640–643, 683
 Absolute arithmetic error, 232–233
 AC (*See* Asphalt concrete)
 Accelerated pavement tests, 86
 Air void content, 248, 250 (illus)
 AIRCAP computer program, 573
 Airfield pavement, 507–509
 cracking in, 267–269
 evaluation of, 105–113, 155–168, 368–369, 516–522
 nondestructive testing of, 105–115, 155, 323, 502–523, 529, 563–573
 AIRPAVE computer program, 157, 516–522
 ALIZEIII computer program, 645
 Allowable gross loads, 166
 Analysis methods (*See also* Nondestructive testing), 11–16
 AREA concept, 373–374, 488–490
 Asphalt concrete (AC), 8, 77–79, 107, 211, 230, 247–249
 ASTM C 215–85: 634–635
 ASTM D 3497–79: 212
 ASTM D 4123–82: 212, 454, 471, 636
 backcalculation of moduli, 23 (illus), 360, 435 (table), 487–489
 errors in, 446–449, 479–480
 effects of seasonal variations, 363
 effects of temperature on, 153, 350, 496
 overlay, 107, 236–238,
 phase angles, 30 (illus)
 seasonal variations, 363
 stress and strain in, 517, 635–636
 Asphalt Institute Manual on Asphalt Overlays, 432
 Asphalt surfacing, 107, 419–423
 Asphalt viscosity, 247–249

ASTM Committee D 4, 1
 Subcommittee D 4.39, 1–2
 ASTM Committee 18, 1
 Subcommittee D 18.10, 1–2
 ASTM Standards
 C 215–85: 634–635
 D 3497–79: 212
 D 4123–82: 212, 454, 471, 636
 D 4748–87: 106
 D 4788–88: 111–114

B

Backcalculation of moduli (*See also* Computer programs, Nondestructive testing), 11, 95, 171–188, 189–199, 217–227, 315–321, 561
 comparison of computer programs, 27, 96–98, 202, 398–413, 452–466,
 correction factor for, 314–321, 431–448
 database method, 201–215, 401, 601
 definition of, 20–22, 27, 643
 development of method, 201–215, 315, 393–396, 401, 409–410
 errors in 22, 229–249, 289, 316–317, 342, 446–448, 479, 494–499
 minimization of, 218–221
 expert system, 25, 205, 341–354, 534–535
 finite element technique, 393–396
 FWD testing, 60, 98, 241, 341, 358–362, 402–406, 428–429, 491
 graphical method, 358–362, 374–378
 history of, 1, 11–22, 96–98, 342
 layer thickness, effect on, 229, 238–242
 least squares gradient method, 315–316
 MDD testing, 70–88, 90–100
 manual procedure, 95–96
 mechanistic method, 355–367
 multilayer pavement, 70–88, 217–227, 318–321, 342, 415–429
 overloads, 583, 585–586
 random number generator technique, 235–236

Backcalculation of moduli (*cont.*)

- SASW testing, 122, 128, 156–157, 622–624, 649–669
- seasonal variations in, 362, 562, 684
- seed moduli in, 16, 232, 411
- stiffness in, 319
- stress-dependent subgrade, 422–425, 544–547, 551 (illus), 554–555
- Uzan method, 96, 217
- Base course moduli, 22–26, 33, 263, 360
- Benkelman beam, 8, 77, 388, 526, 530, 536–539, 630–633
 - and Lacroix deflectograph, 632–633
 - limitations of, 388
 - testing overloads, 577
- Bessel function, 11, 173, 177–181
- Big basin, in overloads, 578 (illus), 581–587
- BISAR computer program, 17, 91, 160, 250–255, 313, 591
 - comparison of 182–187, 202–203, 399
 - correcting backcalculations, 436, 446
 - reducing testing errors, 23, 220
- BISDEF computer program, 98, 133, 268, 399, 402–406, 511, 516, 583
 - comparison of, 184–187, 202–204
 - influence of seed moduli on, 411(table)
- BISTRO computer program, 196–199
- Bituminous concrete 161
 - ASTM D 4123–82:212
- Bituminous macadam, 392
- Bound base, 419–423
 - ASTM D 4748–87:106
- Bridge decks, 110, 113–114
- Burmister two-layer theory, 399–400, 527

C

- California bearing ratio (CBR) for soils, 347, 387, 402, 526
- Canadian Good Roads Association method, 387–389
- Cement treated base, 93
- CHEVDEF computer program, 77, 399, 402–406, 411(table)
- CHEVRON computer program, 17, 220, 313
- Climate effects (*See* Seasonal variations)
- CLIPS expert computer system, 344
- Coefficient of variation, 46–50, 68, 380
- Coherence function, 122, 674
- COMDEF database, 201–215
- Common receiver midpoint geometry, 124, 139–153
- Composite pavement, 201, 288–289, 529–530
- Computer controlled instrumentation, 60, 62–63, 158, 371
- Computer program, 16–24, 77, 97, 128, 371
 - comparison of, 202–204, 398–413, 452–466
 - comparison with forward calculation schemes, 409–410
 - database systems, 201–215, 220, 291–311, 401–406, 487–499, 591
 - expert system, 25, 205, 352–353, 525–535
 - iterative method, 95, 190, 205, 231–233, 282–283, 401, 461, 477–479
 - multilayer elastic program, 64, 172–174, 455–457
 - seed moduli in, 16, 232, 411(table), 460
 - self-iterative method, 288–289
 - sensitivity studies, 209–215
- Computer programs, 182–187, 202–204, 398–413
 - AIRPAVE, 157, 516–522
 - ALIZEIII, 645
 - BISAR, 17, 95, 160, 250–255, 313, 591
 - comparisons of, 182–187, 202–203, 399
 - correcting backcalculations, 436, 446
 - reducing test errors, 23, 220
 - BISDEF, 98, 133, 268, 399, 402–406, 511, 516, 583
 - comparisons of, 184–187, 202–204
 - influence of seed moduli on, 411 (table)
 - BISTRO, 196–199
 - CHEV4, 77
 - CHEVDEF, 77, 399, 402–406, 411(table)
 - CHEVRON, 17, 220, 313
 - CLIPS, 344
 - COMDEF, 201–215
 - CRANLAY, 527–528
 - DBCONPAC, 291–311
 - ELMOD, 194–198, 455–457, 479, 579
 - method of equivalent thickness, 366, 475
 - ELSDEF, 64, 68, 98, 399, 402–406, 411(table), 457–458
 - influence of seed moduli on, 411(table)
 - ELSYM, 77
 - ELSYM5, 17, 64, 313, 399
 - EVERCALC, 458–460, 475, 477–479
 - FEACONS, 291, 303–305
 - FEAP, 393–396
 - FORTRAN 77 based program, 660
 - FPEDD1, 283–289
 - ILLIPAVE, 25, 337–339, 371–379, 399–406, 487–499
 - ILLISLAB, 371–379
 - ISSEM4, 399, 402–406, 461
 - LOADRATE, 399–406,

MODCOMP2, 18, 231–233, 399–406,
411(table), 461
MODULUS, 18, 99, 220–226, 343, 399–
406, 436
PADAL, 189–199
PREDICT, 156
PUNCH, 29, 33
RPEDD1, 283–289
SASWOPR, 670–682
SCALPOT, 29, 33
TRAFFIC, 516
UTFWIBM, 29, 33
VESYS, 32, 358–362, 366,
WESDEF, 184–187
WESLEA, 171–188
Concrete base pavement, 85–88
Cone penetration test, 249–250, 265–266
Confining pressure, 443
Coulomb's Law, 172, 181–182
Cracking, 416, 495, 541, 591
effect on NDT, 267–269
errors in backcalculation, 213–214, 428,
479–480, 495
CRANLAY, 527–528
Creep test, 31, 328
Cross power spectrum, 12, 122–128
Cross-correlation transform, 616
Cross-spectral phase, 671
Crosshole seismic tests, 131
Crushed limestone, 19 (illus), 225–226
Crushing distress, 85
Cyclic triaxial test, 334–336

D

Data base computer approach, 201–215,
220, 291–311, 401–406, 487–499, 591
Debonding, 88, 110
Deflection basin (*See also* Falling Weight
Densitometer, Loading tests), 9, 229–
243, 280(illus), 372(illus), 373(illus),
561
airfield pavements, 503–505, 508–510,
520
AREA concept, 373, 488–490
“big basin” in overloads, 577–587, 578 (il-
lus)
computer programs for, 193–194, 202,
305–307
continuously reinforced concrete, 279
definition of, 8–11, 202, 372–374
flexible pavement, 388, 470–485,
ground penetrating radar, 105–110, 563–
573
portland cement concrete, 279

representative basin, 214
SASW testing, 134
sensor location, 218, 220, 357, 504–505
surface deflection, 8, 33, 44–45
testing equipment, 233, 279–281, 547
Benkelman beam, 77, 388–389, 526,
530, 536–539
Dynalect, 8, 18, 42, 247 (illus), 250–
255, 278–280
Dynalect 8002 FWD, 246–277, 246 (il-
lus)
Dynatest 8000 FWD, 46–57, 60, 194,
278–280, 370(illus)
Lacroix deflectograph 632–633
Linear Voltage Differential Transducer,
44 (illus), 71, 334
Deflection data, 44, 280–281, 392
accuracy of, 134, 229–243
backcalculations, 183–186, 313, 358–362,
399, 491, 561 errors in, 218, 233, 241,
289, 392, 494–499
seasonal variations in, 559
Deformation properties of pavement, 8
Delamination, 110, 113–114
ASTM D 4788–88: 111–114
Design air temperature, 420
Destructive testing, 75, 165–166, 368–369,
606
Deviatoric stress, 441, 640–643
Dilatometer, 265–266
Discriminant analysis, 593–598
Dispersion curve (*See also* Spectra-analysis
of surface waves), 120, 122, 612–627,
650, 670
Double Benkelman beam, 632
Duncan and Chang's stress level, 339
Dynalect, 8, 11, 18, 42, 119, 247 (illus), 250–
255, 278–280
Dynalect 8002 FWD, 246–267
Dynatest 8000 FWD, 46–57, 60, 194, 278–
280, 369–371, 402, 432, 452
errors with, 18, 218, 233–234
in comparison tests, 42, 59–69, 333–334

E

Earthquake loading, 332
Edge stiffness, 303–305
Eigenvalues, 655
Elastic moduli (*See also* Backcalculation of
moduli), 70–88, 121, 300–310, 314–
321, 527, 531, 688
Elastic stiffness, 8, 190
Elastoplastic stress-strain curve, 20–22

ELMOD computer program, 194–198, 455–457, 479, 579
 method of equivalent thickness, 366, 475
 ELSDEF computer program, 64, 68, 98, 399, 402–406, 457
 seed moduli in, 411 (table)
 ELSYM computer program, 77
 ELSYM5 computer program, 17, 64, 313, 399
 Empirical two-layer solution, 12
 Environmental conditions (*See* Moisture, Temperature)
 Equivalent thickness method, 14–16, 475
 Errors (*See* Backcalculation of moduli, Computer program, Nondestructive testing, and specific testing methods)
 EVERCALC computer program, 458–460, 475, 477–479
 Excessive pore water pressure, 79
 Expert system 25, 205, 352–353, 525–535
 development of, 341–354
 knowledge based system, 347–352, 534

F

Falling weight deflectometers, 41–57, 59–69, 139, 249–250
 Dynaflect, 8, 18, 42–44, 247 (illus), 250–255, 278–280
 Dynaflect 8002 FWD, 246–277
 Dynatest 8000 FWD, 46–57, 60, 194, 278–280, 369–371, 402, 432, 452
 Kuab 2M-FWD, 9, 42, 53, 59–69, 278–280
 multidepth deflectometer, 70–88, 90–100
 pavement pressuremeter, 323–339
 Falling weight deflectometer tests (*See also* Deflection basin, Loading methods), 42, 60–69, 202, 263, 360, 557
 airfield pavements, 323, 369–371
 asphalt concrete, 419, 423, 590
 backcalculation of moduli, 98, 229–243, 428–429
 computer analysis, 60, 189, 201–215, 291–311, 371, 487–499
 errors in, 43, 229–243, 416, 558
 flexible pavement, 475–477
 overlay thickness, 356
 pavement structure determination, 291–311, 313–321, 356, 470–485
 SASW, 98, 124, 132–135
 seasonal variations in, 272–274, 313–321, 559
 subgrade layers, 419–423, 541
 USAF methods, 167

Far field, 8 (illus), 9–11
 Fast Fourier Transform, 26, 45, 123
 Fatigue cracking, 479–480
 Fatigue distress, 8, 85
 FEACONS, 291, 303–305
 FEAP, 393–396
 Field dispersion curve, 123
 Finite difference method, 658
 Finite element method, 393–396, 400, 438
 Flexible pavement, 288–289, 314, 288, 470–485
 Flexural failure, 507, 568–570
 FORTRAN 77 based computer program, 660
 Fourier transform, 45, 613–615
 FPEDD1 computer program, 283–289
 Frequency correction, 436–437

G

Gage length, 613, 616
 Geophones, 123, 234
 Goodness of fit, 467
 Granular base materials, 79–81, 83, 230, 480–482,
 moduli of, 349, 447, 547
 Graphical method of backcalculation, 358–362, 374–378
 Ground penetrating radar, 35, 105–110, 563–573
 ASTM D 4748–87: 106

H

Haskell-Thompson solution, 121
 Heavy vehicle simulators, 70–71, 77, 91
 High strength stabilized base, 488
 Hostelling test, 688–689

I

ILLIPAVE computer program, 25, 337–339, 371–379, 399, 402–406, 487–499
 errors in, 23, 220
 Impulse stiffness modulus, 508
 In situ testing (*See also* Falling weight densitometer, Ground penetrating radar, Infrared thermography, Multidepth deflectometer, Spectra-analysis of surface waves), 60–69, 105–110, 139, 155–168, 629
 Inference engine, 534
 Infrared thermography, 110–115
 Interface conditions, 181
 Integration formulas, 172–176

ISSEM4 computer program, 399, 402–406, 461

Iterative procedure (*See also* Backcalculation of moduli), 95, 205, 231–233, 282, 401, 463, 477–479

J

Joint load transfer efficiency, 506–507, 531
Joint stiffness, 305

K

Kip, definition of, 43
Knowledge-based expert system, 343, 347–352, 534
Kondner's strain level model, 338
Kuab 2M-FWD, 9, 42, 53, 59–69, 278–280

L

Laboratory testing, 334–336, 453, 617–618
in Argentina, 633–643
Lacroix deflectograph, 8, 632–633
Layer moduli (*See also* Backcalculation of moduli), 22, 247–249, 262–265, 358–362
errors in, 22, 314–321
mechanistic method, 355–367
Layer thickness, 8, 567, 568 (illus), 569 (illus)
accuracy of backcalculation of data, 219, 229–243
measurements, 355–367
Least squares gradient, 315–316
Light weight deflectometer, 547
Lightly cemented base pavement, 79–85
Linear voltage differential transducer (LVDT), 44 (illus), 71, 334
Load level correction, 438–446
Load transfer, 520, 531
Load weight devices (*See also* Deflection basin, Falling weight densitometers), 8, 51, 59–69
accuracy of, 43–45, 218, 233–234
Benkelman beam, 8, 77, 388–389, 526, 530, 536–539
Curviameter, 8
Dynaflect, 8, 18, 42, 247 (illus), 250–255, 278–280
Dynatest, 9, 46–57, 59–69, 194, 369–371, 402, 432, 452
FHA Cox Van, 9
Kuab 2M-FWD, 9, 42, 53, 59–69, 278–280
Lacroix deflectograph, 8, 632–633

Marchetti dilatometer, 249–250
Phonix FWD, 9, 42, 46–57, 278–280
Road Rater, 8, 18, 42, 46–57, 278–280, 432
Shell Vibrator, 9
WES 16-kip Vibrator, 9, 41, 503, 529
Loading rate, 331–332, 434–435
Loading tests, 8–11, 46–51
Bessel function, 46–53, 177–181
LOADRATE computer program, 399, 401–406
Long term monitoring of pavement, 49–51, 91, 556
Low volume road, 398–413

M

Marchetti dilatometer tests, 249–250
Material damping, 29–33
Material homogeneity, 219
Material properties (*See also* specific materials), 27–33
Mechanistic method, 355–367,
Method of equivalent thickness, 195, 400
Minimization of squared error, 226
Minimization process, 219–221
MODCOMP2 computer program, 18, 231–233, 399, 402–406, 411 (table), 461
Modified Benkelman beam, 389–391
MODULUS computer program, 18, 99, 220–226, 343, 399, 402–406, 436
Modulus of elasticity, 164
Moisture, 79, 106, 498
Moisture accelerated distress, 79
Multidepth deflectometer, 70–88, 92 (illus)
backcalculation of moduli, 75–79, 90–100
Multilayer elastic program, 171–188, 195, 318–321, 400
Multilayer pavement, 217–227, 321, 342
Multitemperature analysis, 269

N

Near field, 9
Nomographs, 359
Nondestructive testing (*See also* Falling weight deflectometer, Ground penetrating radar, Infrared thermography, Loading tests, Spectra-analysis of surface waves, Surface deflection, Vibratory devices), 1, 7, 119, 279, 503, 525–526
accuracy of, 41–57, 220
and 1986 AASHTO Guide, 683–690
airfield pavements, 502–523

Nondestructive testing (*cont.*)

- comparison of devices, 41–57, 59–69, 278–280
 - errors in, 219
 - expert system, 525–535
 - future of 35–36
 - in Argentina, 628–647
 - of overloads, 574–587
 - seasonal variations in, 272–274, 313–321, 558
- Nondestructive testing program, implementation of, 156, 556–562, 599–610
- Nonlinearity of moduli, 18–22

O

- Optimization techniques, 658–660
- Optron, in overloads, 579
- Overlay thickness, 161–162, 355–367, 432, 570–573
- Overloads, 574–587

P

- PADAL computer program, 189–199
- Pattern recognition process, 620–622
- Pattern search algorithm, 220–223
- Pavement, properties of (*See* specific pavement types)
- Pavement classification number, 508, 522, 520
- Pavement cores, 606
- Pavement design, 416
 - 1986 AASHTO Guide for Design of Pavement Structures, 683–690
 - airfield pavements, 109, 121, 507–509, 529
 - computer systems, 487–499
 - cracking, 416, 541
 - flexible pavements, 288–289, 314, 487
 - overlays, 364–366, 599–611
 - Shell Pavement Design Manual, 639
 - structure, 313, 321
- Pavement dynamic cone penetrometer, 399, 407–408
- Pavement evaluation, 8, 85, 120, 171, 356, 471, 526, 590
 - airfield, 105–113, 155–168, 326, 368–369, 502–523, 563–573
 - bridge decks, 110–114
 - computer systems, 376–378, 465
 - designing programs for, 272–274, 589–598, 599–611
 - expert system, 25, 205, 353, 525–535
 - flexible pavements, 288, 470–485

- in Argentina, 628–647
 - in Illinois, 61–66
 - in Netherlands, 415–429, 540
 - in Nevada state, 470–485
 - in Saudi Arabia, 61–66
 - in South Africa, 77
 - in Washington state, 470–485
 - overlay thickness, 364–366
 - overloads, 577–581
 - rehabilitation, 236–238, 470–485, 556
 - seasonal variations, 471–475, 480–483
 - subgrades, 690
- Pavement layers, 8, 70–88, 190
- Pavement monitoring, 470–485, 556
- Pavement pressuremeter testing, 323–339
- Pavement Profiler, 526
- Penetration index for soils, 402–404
- Permeability of soils, 481
- Phase angles, 28
- Phase velocity, 120
- Phonix FWD, 9, 42, 46–57, 278–280
- Piezoelectric accelerometer, 579
- Plate load tests, 262–265
- Plate stiffness, 319
- Poisson's ratio, definition of, 638
- Portland cement concrete (PCC), 43, 46–48, 88, 107, 206, 213, 529
 - ASTM C 215–85: 634
 - cracking in, 213–214
 - joint efficiency, 279, 506–507
 - overlays, 161–162, 570–573
- PREDICT computer program, 156
- Premixed bituminous carpet, 391
- Pressure, confining pressure, 443
- PUNCH computer program, 29, 33

R

- Radar (*See* Ground penetrating radar)
- Radial stress, 324
- Random number generator technique, 235–236
- Rayleigh wave phase velocity (R-waves), 121, 139, 142, 160, 649–657
- Relative standard deviation, 77, 86, 679
- Repeatability errors, 43, 72, 234
- Representative basin, 214
- Residual structural life, 590
- Resilient modulus, 442, 471, 683–690
- Rigid pavement, 323, 368–386, 518
- Rigid loading plate, 60–63
- Road Rater loading device, 8, 18, 42, 46–57, 278–280, 432

Root mean square, 232
RPEDD1 computer program, 283–289

S

Sand asphalt modulus, 269
Sandy gravel and clay subgrade, 225–226
SASW (*See* Spectra-analysis of surface waves)
SASWOPR computer program, 670–682
SCALPOT computer program, 29, 33
Seasonal variations, 362, 562, 684, 690
 effect on pavement performance, 113, 471–475, 480–483
 in falling weight deflectometer tests, 272–274, 313–321, 558
Seed moduli, 16, 232, 283, 411(table), 458
Segmented loading plate FWD, 61–63
Seismometer, 62–63, 68, 577
Self-iterative computer method, (*See also* Computer program), 288
Semi-rigid pavement, 415–429
Sensitivity study, 209–210
Sensor location, (FWD), 65 (illus), 218, 233, 246–248, 357, 505
Shear stress, 181–182
Shear waves, 160
Shelby soil tubes, 212
Shell method moduli, 349
Simulation process, 230–242
Soils, 338, 347, 443
 AASHTO Soil Classification System, 686, 687 (table)
 AASHTO Test Method T 274–82, 640–643, 683
 CBR, 347, 387, 402, 526
 frost penetration, 559
 moisture in, 497–499
 penetration index, 402–404
 permeability of 481
 resilient testing of, 131, 212, 497
 seasonal variations, 363, 684–690
 Shelby soil tubes, 212
Spectra-analysis of surface waves (SASW), 119–136, 139–153, 629, 670–682
 accuracy of, 98, 124, 132–133, 136
 backcalculation of moduli, 121, 133, 622–624, 649–669, 679
 errors in, 120, 139–140, 650
 Linear Voltage Differential Transducer (LVDT), 44, 71, 334
 optimization technique, 124, 658–660
 pattern recognition process, 620–622
 Rayleigh waves, 139, 142 (illus), 143 (illus)

 source and receiver geometry, 138–153
Spectral analyzer, 123
Squared error, 223, 226
Stabilized base materials, 350
Stabilized limestone, 225–226
Standard conditions, backcalculation of moduli, 431, 445–446
Standard errors of estimate, 494
Standard pit test method, 526
Stiffness criterion, 190
Stiffness profiles, 50–51, 120, 129–136
Strain hardening, of soils, 443
Stress and strain, 440, 446, 517–518
Stress dependency of subgrade, 419–425, 544–547, 554–555
Stress level analysis, 329
Stress-strain curves, 20–22, 325, 339
Structural life, 593–598
Subgrade moduli, 266–269, 481–485, 527, 541–555
 in Falling weight deflectometer tests, 419–423, 541
 in soils, 338, 347
 AASHTO T 274–82: 640–643, 683
 strain in, 518
Surface deflection test, 44–45
Surface measurements, 8
Surface wave spectra, 33, 119–136
Systems identification methods, 33–35

T

Temperature correction, 432, 433 (illus), 435–436
Temperature effects, 432, 506
 backcalculation of moduli, 269, 350, 380–382, 435–436
 on pavement, 350, 363
 on testing, 153, 281, 357
Test site selection, 603
Texas Transportation Institute, 91
Time of testing, 281
Traffic control, at testing sites, 606, 608 (illus)
TRAFFIC computer program, 516
Transportability, of equipment, 369
Triaxial resilient test, 479–480, 642–643
Two-mass loading system, 42

U

Unconfined compressive strength, 85
Uniqueness of solution, 314–321
USAF wave propagation method, 155–168
UTFWIBM computer program, 29, 33

V

VESYS computer program, 32, 358, 366
Vibratory devices, 503, 526
Voids, under pavement layers, 107, 565

W

Water bound macadam, 391
Wave number, 9

Wave propagation method, 165–166
WES 16-kip Vibratory Device, 9, 41, 503, 529
WESDEF computer program, 184–187
WESLEA computer program, 171–188
Witczak modified equation, 448

Y

Young's modulus, 130 (table), 133, 160