

Subject Index

A

ABAQUS finite element code, 7, 137
Adhesive, composite-aluminum cylinder joint, 97

B

Beam columns, asymmetric laminates, 55
Bending stress, composite cylinders, 113
Biaxial loading
 G-10 woven notched laminates, 351
 hip prosthesis, 243
Brooming failure, 65
Buckling
 continuous fiber-reinforced composites, 278
 unidirectional laminates, 323
 (See also Microbuckling)

C

Composite longitudinal compressive strength, prediction, 306
Compression, nonlinear, 34
Compression-compression fatigue
 hip prosthesis, 243
 uniwoven graphite/epoxy composite, 258
Compression strength
 fiber/matrix interphase role, 228
 IITRI, 228
 laminates
 extrapolation method, 323
 polymeric matrix composite, 205
 neat matrix, 278
 polymer composites, 177
 prediction, nonhomogeneous foundation model, 306
 role of matrix properties and composite microstructure, 193
Compression testing
 continuous fiber-reinforced composites, 278
 unidirectional laminates, 323
Continuous fiber-reinforced composites, compressive static and fatigue loading, 278

Creep buckling, 55

Cylinder

 external pressure tests, 113
 in situ thermoplastic filament-wound, 97
 thick composite, external hydrostatic pressure, 159

Cylinder buckling, 7

Cylinder joint, composite-aluminum, 97

D

DARPA Man-Rated Demonstration Article, 137

E

Elasticity, orthotropic, 113
End plugs, contoured, external pressure tests of composite cylinders, 113
Epoxy composites, thermoplastic-toughened, compressive strength, 228

F

Failure criteria, G-10 woven notched laminates, 351
Fatigue, hip prosthesis, 243
Fatigue life, 65
 polymeric matrix composite laminates, 205
Fiber
 misalignment, compression strength and, 193
 orientation, compression strength and, 193
 role in compressive static and fatigue behavior, 205
 sizing, compressive strength and, 205, 228
 surface treatment, compressive strength and, 205, 228
Fiber-direction compression, layer waviness effect, 78
Filament wound composites, external pressure tests, 113

Finite element analysis

- ABAQUS, 7, 137
- composite-aluminum cylinder joint, 97
- extrapolation of laminate compression strength, 323
- layer waviness effect, 78
- miniature sandwich specimen, 338
- three-dimensional, 7, 34

Fit-up gaps, effect on laminate compression response, 137

G

Graphite/epoxy composite, uniwoven, compression-compression fatigue, 258

H

- Hahn-Williams criterion, 34
- Hashin criteria, 159
- Hip prosthesis, composite, compression response, 243
- Homogenization, micromechanics-based, 34
- Hydrostatic pressure
 - external pressure tests of composite cylinders, 113
 - layer waviness effect, 78
 - stability analysis under, 7
 - thick composite cylinder failure, 159
- Hydrotest, composite-aluminum cylinder joint, 97

I

- Implosion tests, thick composite cylinders, 159
- Interface strength, 193
 - compressive strength and, 228
- Interfacial bond strength, polymer composites, 177
- Interlaminar shear, layer waviness effect, 78
- Interlaminar tension, layer waviness effect, 78
- Interphase, role in role in compressive strength, 205, 228

J

- Joint
 - cylinder, composite-aluminum, 97
 - fit-up gap effect on compression response, 7, 137

K

- Kink band, 34
 - G-10 woven notched laminates, 351
 - length, compressive strength and, 228

L

Laminates

- asymmetric beam columns, 55
 - carbon/epoxy, 137
 - compression strength, 323
 - extrapolation method, 323
 - cylinders, external pressure tests, 113
 - G-10 woven notched, biaxial loading, 351
 - layer waviness effect on compression response, 65
 - nonlinearity, 7
 - polymeric matrix, 205
 - stitched, compression-compression fatigue, 258
 - thick-section, nonlinear compression, 34
- Layer waviness, effect on
- hydrostatically loaded cylinders, 78
 - laminate compression response, 65

M

Matrix

- cracking, hip prosthesis, 243
 - modulus, role in compression strength, 193
 - neat, compression strength, 278
 - role in compressive static and fatigue behavior, 205
 - shear modulus, polymer composites, 177
 - strength, role in compression strength, 193
- Metal matrix composites, compressive static and fatigue loading, 278
- Microbuckling
- hip prosthesis, 243
 - nonhomogeneous foundation model, 306
 - polymer composites, 177
 - polymeric matrix composite laminates, 205
 - (See also Buckling)
- Microcracking, stitched laminates, 258
- Micromechanics, homogenization technique, 34
- Microstructure, compression strength and, 193

N

- Nonhomogeneous foundation model,
 - compression strength prediction, 306
- Nonlinear elastic power-law model, 34
- Nonlinear response, 7, 34
- Notched strength
 - G-10 woven laminates, 351
 - role in compressive static and fatigue behavior, 205

P

- Polycarbonate matrix composites, 193
- Polymer composites, compression strength, 177
- Polymer matrix composites, 193
 - compressive static and fatigue loading, 278
- Polyvinylpyrrolidone, sizing, compressive strength effect, 228
- Pressure-hull joints, composite-aluminum, 97
- Pressure vessels, external pressure tests, 113

S

- Sandwich specimen
 - compression strength, 177
 - miniature, 338
- Shear deflection
 - composite cylinders, 113
 - theory, 113
- Shear stress
 - composite cylinders, 113

- Shear stiffness, finite, effect on stresses and end plug contact length, 113
- Shell theory, 113
- Splitting, longitudinal, polymeric matrix composite laminates, 205

Stiffness

- elastic foundation, 306
- loss, stitched laminates, 258

Stress

- concentration
 - miniature sandwich specimen, 338
 - unidirectional laminates, 323
- free-edge, miniature sandwich specimen, 338
- residual, miniature sandwich specimen, 338

T

- Thermoplastics, 65
- Thick composites, external pressure tests, 113
- Thick cylinders, hydrostatically loaded, layer waviness effect, 78
- Thick-section composites
 - carbon/epoxy, 137
 - laminates, nonlinear compression, 34
 - stability analysis, 7
- Transverse flexural strength, polymeric matrix composite laminates, 205
- Transverse shear, stitched laminates, 258

V

- Viscoelasticity, 55