

# Cumulative Index

The Roman numerals printed in boldface type refer to the particular symposium in this series of solid waste testing symposia. The first symposium (**I**) is reported in *ASTM STP 760*,<sup>1</sup> the second (**II**) in *STP 805*,<sup>2</sup> and the third (**III**) in *STP 851*.<sup>3</sup>

## Subject Index

### A

- Acid precipitation, **III** 61-63
- Adsorption, **II** 111-126, 173, 237-240, 265-282; **III** 186-188
- Air testing (*see* Gases)
- Algal culturing, **III** 230-247
- Aluminum anodizing waste, **II** 89-107
- American Foundrymen's Society leaching test (*see* Foundry wastes; Batch leaching)
- Analysis (*see also* Organic constituents)
  - Atomic absorption spectroscopy (AA), **I** 44, 63, 86, 152, 171, 225-266; **II** 69, 73, 92, 129, 222-224, 240; **III** 64
- Basic considerations, **I** 23-24; **II** 183
- Fish flesh, **I** 327; **III** 11-23
- Gas chromatography (GC) and gas chromatography/mass spectrometry (GC/MS), **I** 217-224, 240-248; **II** 11-13, 40-48, 115, 145, 181-192, 209, 271; **III** 29-30

### Analysis cont.

- Gases, **II** 115; **III** 29-30, 157
- High-pressure liquid chromatography (HPLC), **II** 11-13
- Inductively coupled plasma spectroscopy (ICP), **I** 44, 225-266; **II** 129
- Ion chromatography, **I** 171
- Neutron activation, **I** 171; **II** 69, 73
- Oil, **III** 156-157
- Organic carbon, **II** 145
- Screening analysis, **I** 240-266; **III** 42-47
- Selective ion electrodes, **III** 64
- Semivolatile organics, **I** 44, 240-266, 323-327; **II** 203-213
- Separation and extraction, **I** 45, 63, 243-248; **II** 11, 184, 196-198, 205-207; **III** 92-99
- Thin-layer chromatography, **II** 11
- Volatile organics, **I** 44, 217-224, 242-243, 323; **II** 39-41, 193-202; **III** 43
- Wet chemical tests, **I** 63, 171, 310; **II** 159

<sup>1</sup>*Hazardous Solid Waste Testing: First Conference, ASTM STP 760*, R. A. Conway and B. C. Malloy, Eds., American Society for Testing and Materials, Philadelphia, 1981.

<sup>2</sup>*Hazardous and Industrial Solid Waste Testing: Second Symposium, ASTM STP 805*, R. A. Conway and W. P. Gullidge, Eds., American Society for Testing and Materials, Philadelphia, 1983.

<sup>3</sup>*Hazardous and Industrial Waste Management and Testing: Third Symposium, L. P. Jackson, A. R. Rohlik, and R. A. Conway, Eds., American Society for Testing and Materials, Philadelphia, 1984.*

*Analysis cont.*

- X-ray fluorescence (XRF), I 153; II 215-218  
 Aquatic organisms (*see also* Bioassay), III 5-23  
 Arsenic (*see also* Heavy metals), III 54-55  
 Atrazine, II 111-126  
 Attenuation (*see also* Adsorption), I 139-149, 337-341, 360-362; II 111-126, 152-167, 241, 261-282; III 185-191  
 Atterberg limits (*see* Geotechnical testing)

**B**

- Bacterial counting, II 115  
 Baghouse dust, I 42-60, 251-263; II 53-66, 127-140  
 Batch leaching  
   American Nuclear Society test, III 48-60  
   ASTM tests, I 13-19, 28-39, 44, 63-69, 84-86, 112-135, 151-163, 186-200, 333; II 53-88, 141-151, 269  
 Basic considerations, I 22-23  
 Butyrate, I 46  
 Canadian data base, II 53-66  
 Carbonic acid, I 17-18; II 127-140  
 Citrate, I 45; II 141-151; III 218  
 Contact conditions, I 8-14, 23, 69-72, 84-135  
 Diffusivity model, III 48-60  
 Early tests, I 17-19  
 Elutriation (washing), I 186-200  
 Environment Canada procedures, II 53-66, 128; III 57-60  
 EPA test, I 13-19, 29-39, 44, 63-69, 139-163, 201-214, 332-339, 354-355; II 53-107, 127-151, 225; III 324  
 Extractant ratio, I 22, 84-98, 112-135, 340; II 53-56  
 Extractant renewal, III 48-60  
 Foundrymen's test, I 9, 201-214; II 53-88, 136  
 Illinois test, I 10-11  
 IU Conversion Systems test, I 10-12  
 Japanese test, I 8  
 Method comparison, I 7-19, 28-39, 41-60, 63-69, 83-98; II 53-88, 127-151  
 Minnesota test, I 10-12, 28-39  
 Multiple waste addition, I 170
- Batch leaching *cont.*  
   Organic extractants, I 240-266; II 11, 197, 203-213; III 92-99  
   Purposes, I 19-20; II 111-112, 139, 142  
   Redox, I 72-74, 337-339  
   Serial extraction, I 9, 23, 74-80, 99-111; II 127-140; III 48-60  
   Site soil, I 99-111; II 10-11; III 92-99  
   Site specific, I 331-344  
   Sodium ion exchange resin, II 141-151  
   Storage effects, II 89-107  
   Surfactant, I 46  
   Synthetic landfill leachate, II 53-66  
   U.S. Army Corps of Engineers test, I 333-335  
   Wisconsin test, I 11-15, 169-170  
 Benzene, III 32-33  
 Bioassay, I 327, 358-362; II 299-320; III 11-23  
 Bioconcentration (*see* Concentration factor)  
 Biodegradation, II 111-140; III 135-151  
 Biogas, III 248-277  
 Biological sampling, III 5-23  
 Biological sludge, I 29-38, 42-60, 244-249, 251-263; II 141-151, 199, 209; III 391-392  
 Boiler ash, I 17, 29-38, 61-98, 99-111, 164-185, 225-239; II 24-37, 53-66, 220; III 100-117  
 Bottom ash (*see* Boiler ash)

**C**

- Cadmium (*see also* Heavy metals), III 118-132  
 Canadian leaching data base, II 53-66  
 Cations  
   Exchange capacity (CEC), II 52-67, 235  
   Mobility, III 81-91  
 Cementation (*see* Fixed wastes)  
 CERCLA (Superfund), II 1, 7  
 Chemical plant wastes, I 42-60, 220-224, 251-263; II 136, 141-151, 184, 193-202, 199, 209; III 92-99, 299-300  
 Chemsorption, II 174  
 Chlorine production brine waste, I 139-150; III 302  
 Chromium waste (*see also* Heavy metals; Metal finishing waste), III 61-80, 171-192, 278-288

- Closure, **II** 283-295  
 Coal, **II** 24-37  
 Coal conversion wastes, **II** 141-151  
 Codisposal industrial and municipal wastes, **I** 10-14, 139-150, 187, 339; **II** 111-140; **III** 152-170, 193-212  
 Coke plant sludge (*see* Biological sludge)  
 Column leaching  
   Analytical, **II** 220-221  
   Application rate, **I** 85  
   Codisposal, **I** 139-150; **II** 111-126; **III** 153-165, 193-212  
   Comparison with batch, **I** 83-98, 139-150, 164-185; **II** 127-151  
   Concentration histogram, **II** 240-244  
   Early studies, **I** 8  
   Fixed wastes, **III** 101-102, 215-218  
   Large-scale, **I** 139-150; **III** 193-211  
   Ontario column leach test, **II** 127-140  
   Penetration theory, **II** 127-140  
   Recirculation, **III** 62-64  
   Simulated landfill, **II** 111-126  
   Unsaturated flow, **II** 127-140  
 Concentration factor, **II** 276-278, 318-319; **III** 5-23  
 Corrosivity, **I** 352-353  
 Cyanide, **II** 53-66  
 Cyclohexanone, **II** 41-49
- D**
- Damage, **III** 334-345  
 Delisting, **I** 345-365  
 Diadochy (elemental substitution), **II** 75  
 Diffusivity, **III** 48-60  
 Digestion, **III** 248-277  
 Dredge spoil, **I** 8-9, 333-335  
 Dyes, **III** 297-298
- E**
- Earthworms, **II** 313-320  
 Effective cation exchange capacity (ECEC) (*see* Cations, exchange capacity)  
 Egyptian practices, **III** 305-319  
 Electroplating waste (*see* Metal finishing waste)  
 Encapsulation (*see also* Fixed wastes), **II** 170-172
- EPA toxicant extraction procedure (EP) (*see* Batch leaching)  
 Equivalent facility performance, **I** 347-350  
 Equivalent testing methods, **I** 347-350  
 European practices, **III** 373-393  
 Explosives waste, **I** 305-320  
 Extraction (*see also* Batch leaching; Column leaching), **II** 11, 197, 203-213; **III** 48-60, 92-99  
 Extraction procedure (EP) (*see* Batch leaching)
- F**
- Fabrics, **II** 283-295  
 Fate, **I** 341, 361-362; **II** 111-126; **III** 81-91  
 Fatty acids, **II** 115-116  
 Fertilizer wastes, **III** 294-295, 299  
 Field and large-scale studies (*see also* Sampling and preservation)  
   Aquatic organisms, **III** 5-23  
   Chemical waste, **I** 321-327  
   Closure, **II** 283-295  
   Codisposal, **I** 139-150  
   Dredging waste, **I** 373  
   Explosives waste, **I** 305-320  
   Fly ash, **I** 164-185  
   Foundry waste, **I** 201-214  
   Gases, **III** 24-41  
   Groundwater flow, **I** 294-298, 307-309; **III** 177-185  
   Liners, **I** 290  
   Metal finishing waste, **I** 195-199, 305-320  
   Mining waste, **I** 201-214  
   Oily waste, **III** 135-170  
   Pulp and paper waste, **I** 151-163  
   Steel mill waste, **III** 171-192  
   Wood preserving waste, **II** 7-23  
 Fish testing (*see* Bioassay)  
 Fixed wastes, **I** 9; **II** 53-66, 135-136, 168-177, 220; **III** 48-60, 100-117, 213-229, 328-329  
 Fly ash (*see* Boiler ash)  
 Food processing waste, **I** 244-263; **III** 230-259; 316-317  
 Foundry wastes (*see also* Slags), **I** 9, 203; **II** 53-88, 136

**G**

- Gases, **I** 327; **III** 24–41  
 Geochemical testing, **I** 293–304, 309; **II** 235–264, 269; **III** 185–191, 324  
 Geotechnical testing, **I** 167, 293–304, 307–309, 311–313; **II** 233–282, 285–287; **III** 173–185  
 Geotextiles (*see* Fabrics)  
 Glass etching waste, **I** 139–150  
 Groundwater (*see* Sampling and preservation; Field and large-scale studies)

**H**

- Halogenated compounds (*see also* Polychlorinated biphenyls; Pesticides), **I** 250–255; **II** 188–191, 265–282  
 Hazard assessment, **I** 24–25, 112–135, 202–203, 340–344, 345–365; **II** 111–112, 139, 142, 308–311, 319; **III** 322  
 Heavy metals (*see also* Analysis)  
     Analysis, **I** 225–237, 248–249; **II** 225–237, 248–249  
     Attenuation and retardation, **II** 231–245; **III** 185–212, 213–229  
     Gaseous, **III** 30  
     Leachability, **I** 32–38, 43–60, 63–81, 86–214; **II** 53–107, 127–140, 214–228; **III** 54–57, 105–117  
     Sediments and sludges, **I** 313–314; **II** 287  
     Toxicity, **II** 313–320  
 Hydraulic conductivity (*see* Geotechnical Testing)  
 Hydrogeology (*see* Field and large-scale studies; Geotechnical testing; Sampling and preservation)

**I**

- Ignitability, **I** 350–352  
 Illinois Environmental Protection Agency leaching test, **I** 10–11  
 Immobilization (*see* Fixed wastes)  
 Impoundment, **II** 231; **III** 329–330  
 Incinerator ash, **I** 29–38  
 Indian practices, **III** 291–304  
 Ink pigment waste, **I** 42–60, 251–263  
 Interpretation of results (*see* Hazard assessment)

- Interstitial water quality, **I** 151–163, 167–169; **II** 111–126; **III** 197–206  
 Iron waste (*see* Steel mill wastes)  
 IU Conversion Systems leaching test, **I** 10–12

**L**

- Land treatment, **III** 135–151  
 Leaching (*see* Batch leaching; Column leaching)  
 Lime slurry treatment sludge, **I** 244–263  
 Lindane, **II** 111–126  
 Liner testing, **I** 341, 350; **III** 325–326  
     Clay and soil, **I** 269–292; **II** 231–282  
     Synthetic, **I** 269–292  
 Listing of hazardous wastes, **I** 355–358  
 Lysimeters (*see also* Column leaching), **I** 153; **III** 188

**M**

- MCPA pesticide, **II** 111–126  
 Metal finishing waste, **I** 139–154, 186–200, 251–263, 305–320; **II** 53–66, 89–107, 135; **III** 213–229, 278–288  
 Metals (*see* Heavy metals; Metal finishing waste)  
 Methanethiol, **III** 35  
 Methylethylketone (MEK), **II** 41–49  
 Methylisobutylketone (MIK), **II** 41–49  
 Microcosms and mesocosms, **II** 310  
 Migration (*see also* Fate), **II** 111–126, 152–167  
 Mining waste, **I** 199–214; **II** 53–66, 127–140, 231–245  
 Minnesota Pollution Control Agency leaching test, **I** 10–12, 28–39  
 Models  
     Diffusivity, **III** 49–52  
     Migration, **III** 81–85  
     Soil loading, **III** 126  
 Municipal waste (*see also* Codisposal), **I** 275–277; **II** 220; **III** 118, 193–212, 260–277

**N**

- National programs  
     Egypt, **III** 305–319  
     Europe, **III** 373–393

National programs *cont.*

- India, **III** 291-304
- Thailand, **III** 346-360
- United States of America, **III** 321-345

## O

Octanol-water partitioning (*see* Concentration factor)

Odors, **III** 24-41

Oily waste, **I** 17, 220-224; **II** 53-66, 137, 184, 193-202, 209; **III** 135-170

Organic constituents (*see also* Analysis)

- Cleanup, **I** 243-248; **II** 184, 196-198, 207

- Extraction (rapid), **III** 92-99

- Gaseous, **III** 24-41

- Leachability, **I** 43-59; **II** 111-126, 141-151

- Resin adsorption, **II** 145

- Semivolatiles, **I** 44, 240-266, 323-327; **II** 203-213

- Soil, **II** 7-23; **III** 92-99

- Surrogate screening, **I** 217-224

- Volatiles, **I** 44, 217-224, 242-266, 323; **II** 39-41, 193-202

Organic still bottoms (*see* Chemical plant wastes)

## P

Paint pigment sludge, **I** 251-263; **III** 298-299

Partition (*see* Attenuation)

Passivation, **II** 174-175

Permeability and permeameters (*see* Geotechnical testing)

Pesticide wastes, **II** 111-126, 210, 276; **III** 296-297

Petroleum wastes (*see* Oily waste)

Pharmaceutical waste, **I** 42-60; **II** 141-151

Phenolics, **II** 8-22, 137, 210

Phosphorous production waste, **II** 53-66; **III** 294-295

Piezometer (*see* Sampling and preservation; Geotechnical testing)

Pigment (*see* Paint pigment sludges)

Pirimiphos-methyl, **II** 111-126

Plant uptake, **III** 118-132, 135-151

Plastics wastes (*see* Chemical plant wastes)

Plating waste (*see* Metal finishing waste)

Polychlorinated biphenyls (PCBs), **II** 53-

66, 185-188, 267; **III** 12-23

Polynuclear aromatics (PNAs), **II** 8-22

Poly(vinyl chloride) pipe, **II** 38-50

Precipitation, **II** 175-176

Pulp and paper waste, **I** 151-163; **II** 141-151

Purposes of testing, **I** 1, 20-21; **III** 42-43

## Q

Quality assurance, **I** 23-24, 113-116; **II**

12-16, 35-36, 68, 165, 223-224

## R

Reactivity, **I** 353-354

Recovery (*see* Waste utilization)

Refinery sludge (*see* Oily waste)

Reprecipitation (*see* Precipitation)

Research needs, **I** 1, 3; **III** 321-333

Resource Conservation and Recovery Act,

**I** 1, 41, 187, 240-241, 295, 305,

332, 342-343, 345-365; **II** 1; **III**

320-332

Resource recovery (*see* Waste utilization)

Retardation (*see* Attenuation)

Risk analysis (*see* Hazard assessment)

Rule-making changes, **I** 345-365

## S

Sampling and preservation

Air (*see* Gases)

Aquatic organisms, **III** 10-12

Backhoe, **I** 204

Basic considerations, **I** 21-22; **II** 8-9

Bottom ash, **II** 24-37

Coal, **II** 24-37

Fly ash, **II** 24-37

Gases, **I** 327; **III** 24-28

Groundwater, **II** 38-50

Interstitial water, **I** 153, 167-169; **II** 111-126; **III** 197-198

Leachate, **I** 143, 153, 324, 327

Scrubber sludge, **II** 24-37

Soil, **I** 165, 167, 204, 218-219, 307-308; **II** 8-12, 16-22

Storage effects, **II** 89-107

Wastes, **I** 17; **III** 42-43

- Sampling and preservation *cont.*  
 Wells, **I** 167-168, 204, 307-309; **II** 38-50  
 Scrubber sludge, **II** 24-37  
 Sediments, **II** 286-287  
 Silicates, **III** 213-229  
 Simulated landfill (*see also* Column leaching), **II** 111-126; **III** 153-154  
 Site-specific hazard assessment, **I** 331-344, 358-362; **III** 191-192  
 Slags (*see also* Foundry wastes), **I** 17; **III** 61-80, 301-302  
 Sludges (*see* Biological sludge; Chemical plant wastes)  
 Smelter tailings, **II** 53-66  
 Soil (*see also* Analysis; Batch leaching; Extraction; Sampling and preservation; Field and large-scale studies)  
 Base saturation, **II** 156  
 Cation exchange capacity, **II** 152-167  
 Cation mobility, **III** 81-91  
 Extraction, **III** 92-99  
 Liners, **II** 231-264  
 Loading, **III** 118-126  
 Toxicity, **II** 313-320  
 Solidified waste (*see* Fixed wastes)  
 Solids separation, **III** 364-372  
 Sonification, **I** 219; **II** 205, 208  
 Soxhlet extraction, **II** 11, 206-207; **III** 96-99  
 Stability, **II** 294  
 Stabilized waste (*see* Fixed wastes)  
 Standard Leach Test (U. Wisconsin), **I** 11-12, 15, 169-170  
 Steel mill wastes, **III** 171-192, 300-301, 316, 361-373  
 Superfund (*see* CERCLA)  
 Survey analysis (total content), **I** 240-266; **III** 42-47

**T**

- Tars (*see* Oily waste)  
 Tetrahydrofuran, **II** 41-49

- Thai practices, **III** 346-360  
 Toxicant extraction procedure (*see* Batch leaching)  
 Toxicity (*see also* Bioassay), **I** 341, 352-360; **II** 299-320  
 Trinitrotoluene, **I** 305-320

**U**

- United Kingdom practices, **II** 111-112  
 U.S. Army Corps of Engineers elutriate test, **I** 8-12, 333-335

**V**

- Vapors (*see* Gases)  
 Volatile organic compounds (*see* Organic constituents)

**W**

- Waste management, **III** 291-319, 346-360, 373-393  
 Waste utilization, **III** 230-288, 309-319, 388  
 Wastewater treatment sludge (*see* Biological sludge)  
 Water determination, **III** 95  
 Wells (*see* Sampling and preservation)  
 Wood preserving waste, **II** 9-22

**Z**

- Zinc sulfide residue, **II** 53-66