

# SUBJECT INDEX

## A

- Acanthomyosis sculpta*, 447–53
- Acid rain
  - New York State lakes, 103–109
  - northeastern U.S.A. and Canada, 296–99
- Adsorption (*See* Sorption)
- Agriculture
  - slash and burn, 58–59
- Algae
  - atrazine toxicity, 533–45
  - in microcosm toxicity tests, 387–400, 402–03, 468–79
  - oil toxicity, 437–39, 442–44
- Aminopolysaccharides
  - effect on PCBs, 518–27
- Anabaena flos-aquae*, 531–45
- Antibiotics
  - cyclophosphamide, 318–25
  - effect on bacteria, 493, 494–501, 500(table)
  - use in FETAX, 322–23
- Apalachicola Bay, 370–71
- Aquatic plants (*See* Plants, aquatic)
- Aroclor 1254
  - biotransformation on chitin, 521
  - comparative cytotoxicity, 455–57
  - liver microsome activation, 323–24
- Aroclors
  - biodegradation of, 517–27
  - cytotoxicity tests, 455, 457–58, 458(table), 459–60
- Arsenic
  - fish vertebral anomalies, 411–14, 412(table)
  - sea water contamination, 410
- Asterionella formosa*, 65–70
- ASTM Standard D 4429–84: 549
- ASTM STP 865: 362
- ASTM Symposia on Aquatic Toxicology, 8–15, 23–24
  - analysis of papers, 9(table)
- ATP
  - toxicity testing, 505
- Atrazine
  - phytostatic/phytotoxic effects, 531–45

## B

- Bacteria
  - biodegradation of PCBs, 517–27
  - deep sea
    - genetic transfer in, 39–40
  - effluent toxicity tests, 190–202
  - marsh, 492–501
  - Photobacterium phosphoreum*, 192, 439, 444–46
  - plasmids, 37–40, 399–40, 493, 496–97
  - pollution of water, 45
  - and toxic effects of,
    - antibiotics, 493, 494–501, 500(table)
    - heavy metals, 494–500, 498, 499(tables)
    - oil, 439, 444–46
    - PCBs, 517–27
- Behavioral responses
  - fish, 327–39
- Benthic invertebrates
  - bryozoa, 72–75, 82–85
  - chaoborus, 72, 73, 75–77, 82–85
  - chironomids, 72, 73, 77–82, 85
  - in ecosystems,
    - estuarine, 373–75, 382
    - freshwater, 72–85, 117–26
    - saltwater, 117–26, 149–57, 161–75
  - in lake sediments, 72–85
  - multiparameter studies, 82–85
  - and organic contaminants, 115–26, 119(table), 121(tables), 166–72, 167(table)
  - PCB uptake, 151–57, 152(table)
  - recruitment of, 378–79
- Benzo(a)pyrene
  - partitioning of, 236–41
- BF–2 cells, 454–61
- Bioaccumulation
  - heavy metals, 299–301
  - organic contaminants, 150–57
  - tin, 220–22, 225–26
- Bioassay end points, 345–59, 531–32, 539–45
- Bioassays (*See also* Microcosms, Standardized Aquatic)
  - aquatic plant, 531–45

- field validation of, 361–69
  - firefly, 492, 505
  - oil-contaminated water, 447–53, 503–16
  - short term vs standardized aquatic microcosm, 471–49
  - Bioavailability
    - organic contaminants, 149–57, 241–46
    - zinc, 433
  - Biochemistry
    - and acid stress monitoring, 297–99
  - Biodegradation
    - cationic surfactant, 167
    - 2,4-dichlorophenol(DCP), 179, 182(table)
    - PCBs, 518, 520–25
    - polycyclic aromatic hydrocarbons, 512–16
    - tributyltin, 222, 226–27, 229(table)
  - Biomass production
    - mathematical modeling, 264–66
    - naphthalene toxicity, 266–71
  - Biomonitoring
    - biochemical endpoints, 298–99
    - ecosystems, 562–63
    - gene probes, 33–35
    - laboratory vs field results, 361–68
    - NPDES, 161–75
    - overview of, 2
    - use of oysters, 169–72, 74–75
    - ventillatory tests on fish, 307–14
  - Biotechnology [See also Gene probes; Genetically engineered microorganisms(GEM)]
    - and aquatic toxicology, 1
    - and waste cleanup, 1
  - Biotransformation
    - polycyclic aromatic hydrocarbons, 507, 512–16
  - Bivalves (See also Oysters)
    - and PCB uptake, 151–57, 152(table)
  - Bluegill sunfish
    - BF–2 cells, 454–61
    - 1,3,5-trinitrobenzene toxicity, 307–14
    - cough test, 311–12
    - movement test, 311–12
    - ventilation test, 307–14
  - Brass, 468–79
- C**
- Cadmium, 57(table), 94
  - Calcium, 297–98
  - Cationic surfactant
    - partitioning of, 139–48
  - Ceriodaphnia dubia*, 16, 18, 548, 551–54
  - Chelatins, 301
  - Chemical mixtures, 2, 24
  - Chesapeake Bay
    - environmental damage, 560, 563–64
    - tributyltin biodegradation, 222, 226–28, 229(table)
  - Chitin
    - and PCB biodegradation, 518, 520–25
  - Chitinase, 39–40
  - Chlorine
    - toxicity persistence, 181
  - Chromatography
    - organometals, 220
  - Chromium, 212–13
  - Cladocerans (See *Ceriodaphnia dubia*; *Daphnia*; *Daphnia magna*; *Daphnia pulex*)
  - Computers
    - programs
      - DRASTIC, 47
      - Sandia model, 47
      - TOX-SCREEN model, 249–50, 252–54
    - role in aquatic toxicology, 16–17
  - Consensus reports
    - on standard test methods, 18
  - Copper, 385–404, 473–74
  - Cyclophosphamide, 318–25
  - Cyprinodon variegatus*, 192
  - Cytotoxicity
    - BF–2 cells,
      - neutral red assay, 455–56
- D**
- Daphnia*
    - in microcosm laboratory tests, 385–400, 402–03
  - Daphnia magna*
    - ASTM Standard D 4229:549
    - short-term chronic toxicity test, 548–55
    - and toxic effects of,
      - brass dust, 468–79, 472(table)
      - copper sulfate, 468–79, 472(table)
      - red phosphorous, 252
  - Daphnia pulex*
    - short-term chronic toxicity test, 548–55
    - and toxic effects of,
      - chromium, 212
      - naphthenic acid, 212
      - wastewater effluent, 204–14
      - zinc, 425–34

toxic fraction identification,  
204–14, 208(table), 212(illus)

Data aggregation  
centroid method, 347–51  
least squares method, 350–51  
maximum likelihood method, 350–51

Deforestation  
and lake eutrophication, 66–68

DDT (*See* Dichlorophenyl trichloro ethane)

Diatoms  
and lake pH, 89–90, 94–97, 99–101, 103  
use in paleolimnology, 63–70

3,4-Dichloroaniline, 463–67, 466(table)

2,4-Dichlorophenol(DCP), 178–88

Dichlorophenyl trichloroethane(DDT), 119–26

Dissolved organic macromolecules (DOM)  
effect on contaminant bioavailability/trans-  
port, 233–46

DNA  
aquatic organism toxicity, 300  
bacterial plasmid analysis, 493–95  
sequence detection, 30–35

Dodecyl sodium sulfate  
avoidance behavior test, fish, 331–32

Dodecyl trimethyl ammonium chloride (TMAC)  
biodegradation of, 147  
partitioning of, 139–48  
sediment sorption/desorption, 145–47

Dominance relationships  
in marine macroinvertebrate systems, 374–  
75, 377, 382

Dose-response relationships  
brass dust on daphnids, 468–79  
naphthalene in freshwater aquatic system,  
264–71, 266(table)  
state-space analysis, 282  
theoretical aspects, 343–59  
toxic substances in rainbow trout, 327–39

Drilling fluid  
toxicity tests, 447–53

Duckweed  
effect of atrazine, 533–45

*Dunaliella tertiolecta*, 531–45

Dye waste effluent, 166–72

## E

EC<sub>50</sub>  
interlaboratory test precision, 191–93

Ecosystems  
regional management of, 560–65

Ecotoxicology  
interstitial water sampling, 138–48  
state-space analysis, 275–84  
validation of laboratory data, 361–68

Effluent contamination  
laboratory simulation, 177–88, 408–17  
toxic fraction identification(TFIP), 204–14  
toxicity test variability, 190–202, 192(table)

Effluents, complex  
from dye production, 161–75  
fractionation of, 204–14, 206(illus), 212(illus)  
from munitions testing, 247–59  
National Pollutant Discharge Elimination Sys-  
tem(NPDES) monitoring, 161–88  
from ore smelter, 411–17  
from pulp mill, 411–17, 412(table)

Environment preservation, 561–62

Environmental fate  
formaldehyde spill, 483–89  
naphthalene,  
mathematical modeling, 261–73  
phosphorous burn products, 247–59  
smoke screen products, 247–59

Environmental management, 559–65

Environmental Protection Agency(EPA), 115–  
16, 177–88, 204–05, 423–34, 507–08  
TOX-SCREEN model, 249–50, 252–54

Environmental simulation, 177–88, 212–13, 361–  
68

Environmental toxicity persistence unit(ETPU),  
179–81, 183–88

Environmental transport  
organic contaminants, 242–46

Enzymes  
acid effect on fish, 297  
metal effects on fish, 299–300

EPA (*See* Environmental Protection Agency)

Erosion  
control measures, 135–37  
measurement of, 129

Estuarine ecosystem, 161–75, 370–71

ETPU (*See* Environmental toxicity)  
persistence unit

Eutrophication  
lakes, 63–70, 66–68, 71–86

## F

Facilities, research, 15–16

Fate modeling, 14, 17

- polycyclic aromatic hydrocarbons, 263–64, 263(illus), 269–70, 272–73
- Fathead minnows  
breeding of, 16
- FETAX (*See* Frog Embryo Teratogenesis Assay—*Xenopus*)
- Field study  
laboratory validation, 363–64, 366, 369–83, 406–17  
problems of 290–91, 361–67  
site-specific validation, 366, 369–83
- Fish (*See also* Bluegill sunfish; Fathead minnows; Fourhorn sculpin; Sheepshead minnows; Rainbow trout)  
enzymes, 297, 299–300  
tests of,  
behavior, 327–39  
cough, 311–12  
growth, 463–67  
movement, 311–14  
ventilation, 307–14  
and toxic effects of,  
acid, 296–99  
arsenic, 411–14, 412(table)  
heavy metals, 299–301  
1,3,5-trinitrobenzene, 307–14  
vertebral anomalies, 406–17, 412, 415(tables)
- Flocculation, 128, 136–37
- Fluorescence detection  
in organometals, 220–222, 225–26, 231
- Formaldehyde, 483–89
- Fossils, 63–70, 72–85, 91–102 (*See also* Paleolimnology)
- Fourhorn sculpin, 407–17
- Fragilaria crotonensis*, 65
- Freshwater ecosystems (*See also* Lakes; Ponds; Rivers)  
acidification, 296–99  
PCB contamination, 117–26  
sediment organic carbon concentration, 115–26
- Frog Embryo Teratogenesis Assay—*Xenopus*(FETAX), 316–25
- G**
- Gas exchange  
acid effect on fish, 296–98
- GEM (*See* Genetically engineered microorganisms)
- Gene probes, 29–35, 31, 32(tables)  
for chitinase, 39–40  
for 16S ribosomal DNA, 40  
detection of, 29–35
- Genetic exchange  
bacteria,  
in freshwater environment, 39  
in ocean environment, 40
- Genetically engineered microorganisms, (GEM), 1, 41–42, 43–49
- Glycogen  
monitor for metal toxicity, 301
- Groundwater contamination  
formaldehyde, 483–89
- Growth rate  
fish, 463–64
- Gulf of Bothnia  
ecotoxicological study,  
fish, 406–17
- H**
- Hazard assessment  
EPA protocol, 508(illus)  
field vs laboratory evidence, 361–68  
formaldehyde in groundwater, 483–89  
future of, 19, 20–22, 23–24, 559–65  
genetically engineered microorganisms in water, 43–49, 44(illus)  
and management systems, 561, 564–66  
naphthalene  
mathematical modeling, 267–69  
oil sand extraction waste, 436–46  
papers on, 12–13  
via sediment analysis, 128–37
- Heavy metals (*See* Metals, heavy)
- Herbicides  
atrazine, 531–45
- Histology  
acid effect on fish, 297
- Hormesis, 327–39  
definition, 327–28  
tests on fish, 328–39
- Humic acid, 234–35
- Hybridization, DNA, 30, 35, 493–95
- Hydrometer, 129
- I**
- In situ* biological treatment (ISBT), 503–16
- Indicator species procedure, 423–34
- Integration of information, 14–15
- Interdisciplinary studies, 560

Interstitial water  
 sampling methods, 138–48  
 Invertebrate subfossils  
 in lake sediments, 72–85  
 Invertebrates, benthic (*See* Benthic invertebrates)  
 Iron  
 in lake muds, 54  
 ISBT (*See In situ* biological treatment)

## K

Kinetics  
 polycyclic aromatic hydrocarbons, 512  
 zinc, 433

## L

Laboratory vs field data, 14–15  
 Laguna de Petenxil, Guatemala, 59  
 Lakes (*See also* New York State lakes; Laguna de Petenxil; Linsley Pond; Meridian lake; Washington State lakes)  
 acidification of, 103–09, 296–99  
 eutrophication, 63–70, 71–86  
 mud  
 chemical/mineralogical/biological analyses, 54–60, 63–70  
 sediment (*See* Sediments)  
 water quality, 86, 91  
 LC<sub>50</sub>  
 comparison with metal-binding protein concentration, 310  
 interlaboratory test precision, 190–93  
 limitations of, 343–45  
 mysid shrimp, 449  
 value in hazard assessment, 21  
 Lead  
 in lake sediment, 65–68, 67(table), 93, 102  
*Lemna gibba*, 533–45  
*Lepomis macrochirus*, 311–14  
 Linsley pond, Connecticut, 54  
 eutrophication of, 83, 85(illus)  
 invertebrate subfossils, 74  
 mud composition, 55(table)

## M

Macroinvertebrates (*See also* Benthic invertebrates)  
 toxicity tests,  
 estuarine ecosystem, 369–83  
 waste effluent, dye plant, 166–72

Management of resources  
 integration of, 560–61, 564–65  
 lakes, 86  
 role of standards committees, 560  
 Marsh treatment system, 491–501  
 Mathematical modeling  
 formaldehyde in groundwater, 486–89, 487, 488(tables)  
 genetically engineered microorganisms, 45–49  
 integrated fates and effects model (IFEM), 262–66, 272  
 naphthalene in aquatic system, 261–73  
 phosphorous compounds in sand/gravel, 249–50  
 Maya culture  
 decline of, 58–60  
 Maximum acceptable toxicant concentration(MATC), 467  
 Mercury  
 in lake mud, 55–57, 57(table)  
 Meridian Lake, Washington, 64–70  
 Mesocosms  
 oil waste toxicity test, 507, 511–12  
 Metabolic activation system, 316–25  
 Metal-binding proteins  
 as toxicity indicators, 301–02  
 Metal-specific imaging, 226  
 oil contamination of freshwater, 275–84  
 Metallic compounds  
 toxicity persistence, 183, 184  
 Metallothioneins, 301  
 Metals (*See* Brass; Cadmium; Copper; Iron; Lead; Mercury; Metals, heavy; Metals, trace; Organotins; Silver; Tins; Zinc)  
 Metals, heavy  
 effect on marsh microflora, 491–501, 498–99(tables)  
 fish biochemistry, 229–302  
 fish vertebral anomalies, 411–14, 412(table)  
 Standardized Aquatic Microcosm, 468–79  
 sea water, 408, 411–14  
 Metals, trace  
 brass dust, 468–79  
 Methods (*See also* Bioassays; Toxicity tests)  
 papers on, 9–11  
 Microcosms, multispecies, 369–83  
 in laboratory, 382–404, 518–19  
 Standardized Aquatic Microcosm (SAM), 384–404, 470–49

Microorganisms (*See also* Bacteria)  
 gene probes for detection, 29–35  
 genetically engineered, 41–42, 43–49  
 oil waste site, 504–05  
 river, 439–42  
 Microsomes, rat liver  
 use in chemical screening, 316–25  
 Mictrotox, 178–88, 192, 439, 444–46, 506  
 Midges, 72, 73, 77–85  
 Mine tailings, 491–501  
 Minnows  
 fathead, 425–34  
 sheepshead, 192  
 Mississippi river delta, 503–04  
 Molecular toxicity predictors,  
 223–24, 223(table)  
 Monitoring (*See* Biomonitoring)  
 Monomers  
 and fish avoidance behavior, 332–34  
 Multimedia projects, 564–65  
*Myoxocephalus quadricornis*, 407–17  
*Mysidopsis bahia*, 192

## N

Naphthalene  
 environmental fate, mathematical model, 261–73  
 fish production, 266–69  
 freshwater toxicity, dose-response, 264–66  
 Naphthenic acids, 212–13  
 Narragansett bay, 151–57  
 National Pollutant Discharge Elimination System (NPDES), 161–75, 177–78  
*Navicula pelliculosa*, 531–45  
 New York State Lakes, 89–108  
 Nonpolar organic contaminants,  
 screening method, 115–26  
 NPDES (*See* National Pollutant Discharge Elimination System)

## O

Obscurant smokes  
 environmental fate, 247–59  
 Ocean  
 plasmid mobility in, 39–40  
 Oil  
 extraction process waste, 436–46  
 offshore drilling, 447–53  
 reclamation wastes, 503–16  
 synthetic,

effect on freshwater systems, 275–84

Optical imaging  
 tin, 220–22, 225–26, 219–31  
 Ore smelter effluent, 408, 411–14  
 Organic contaminants (*See also* Benzo(a)pyrene;  
 3,4-Dichloroaniline; 2,4-Dichlorophenol; Dichlorophenyl trichloroethanol; Formaldehyde; Naphthalene; Naphthenic acid; Polychlorinated biphenyls; Polycyclic aromatic hydrocarbons; Toluenes; Tributyltin; 1,3-Trinitrobenzene)  
 bioavailability of, 241–46  
 in estuarine stream, 164  
 fish vertebral anomalies, 414–16  
 partitioning of, 233–46  
 toxicity persistence, 183, 185  
 Organometallic compounds, 219–31  
 Organotins, 219–31  
 structure-activity relationships, 223–24  
 toxicity, 224  
 uptake mechanisms, 223–24, 229–30  
 Osmoregulation  
 freshwater organisms, 296–97, 299–301  
 Overview of aquatic toxicology, 1–3  
 Oysters  
 as biomonitoring tool, 169–72, 174–75  
 chemical analysis, 164  
 larvae toxicity tests, 170, 172

## P

Pacific Coast ecosystem, 447–53  
 PAHs (*See* Polycyclic aromatic hydrocarbons)  
 Paleoecology, 53–60  
 Paleolimnology, 1  
 benthic invertebrates, 72–85  
 lake muds, 53–60, 63–70  
 lake sediments, 71–86, 89–108  
 Linsley Pond, Connecticut, 54  
 New York State lakes, 89–108  
 and study of Mayan culture, 58–60  
 Washington State lakes, 63–70  
 Particle size distribution (PSD)  
 erosion materials, 128–37  
 sediment analysis, 128–37  
 Particles  
 and binding of benzo(a)pyrene, 236–41  
 and binding of organic contaminants, 236–46  
 Particulate organic carbon, 242–45  
 Partitioning

- benzo(a)pyrene, 236–41
    - organic contaminants, 233–46
  - PCBs (*See* Polychlorinated biphenyls)
  - pH
    - and diatom analysis, 89–108
  - Phosphates, 252
  - Phosphorus
    - burn chemistry, 248(illus)
    - environmental fate, 247–59
    - in lake sediment, 65, 68–70, 82–83
  - Photobacterium phosphoreum*, 439, 444–46
  - Photolysis
    - 2,4-dichlorophenol, 180, 182–83
  - Phthalates
    - in lake mud, 57–58
  - Pimephales promelas*, 16, 425–34
  - Plankton, 437–39, 442–44
  - Plants, aquatic
    - atrazine toxicity, 531–45
  - Plasmids, bacterial,
    - heavy metal toxicity test, 493, 496–97
    - mobility in ocean, 399–40
    - selection/exchange, 37–39
  - Pollen
    - fossils in lake sediment, 66–67, 91–93, 97–99, 101–02
  - Polychaetes
    - PCB uptake, 151–57, 152(table)
  - Polychlorinated biphenyls(PCBs)
    - bacterial effects, 517–27
    - bioavailability tests, 149–57
    - biodegradation, 517–27
    - biotransformation, 517–27
      - freshwater/saltwater ecosystems, 119–26
    - environmental fate, 58
    - in sediments, 119–26
    - toxic effects on BF-2 cells, 455, 457–58, 458(table), 459–60
  - Polycyclic aromatic hydrocarbons(PAHs)
    - bioavailability/transport, 236–46
    - biodegradation, 503–16
    - environmental fate,
      - mathematical modeling, 261–73
    - in situ* biological treatment, 503–16
    - oil waste site, 505(table)
    - partitioning of, 234–46
  - Polymers
    - fish avoidance behavior, 332–34
  - Ponds
    - effect of synthetic oil, 279–84
  - Prairies
    - preservation of, 560–61
  - Prediction (*See* Hazard assesment; Validation)
  - Preference factors
    - bioaccumulation in benthic organisms, 149, 156–57
  - Priority pollutants
    - sediments/shellstock, 165
  - Pulp mill effluent
    - chemical characterization, 406, 409(table), 411
- R**
- Rainbow trout, 192, 327–39, 463–67
  - Recruitment
    - in marine macroinvertebrate systems, 374–75, 378–79
  - Remedial action
    - endpoint determination, 483–89
    - formaldehyde spill, 483–89
  - Research facilities, 15–16
  - Resource utilization, 561, 564
  - Results of studies
    - papers on, 11
  - Review
    - aquatic toxicology, 1–3, 7–24
    - inter/intralaboratory toxicity tests, 190–202, 192(table)
  - Risk assessment (*See* Hazard assessment)
  - Rivers, 424–34, 503–04
  - RNA
    - aquatic organism toxicity, 300
- S**
- Salmo gairdneri* 192, 327–39, 463–67
  - Saltwater ecosystems
    - dye waste effluent, 166–72
    - PCB contamination, 117–26
    - sediment organic carbon concentration, 115–26
  - SAM (*See* Microcosms, Standardized Aquatic)
  - Sand, sorption of, 250–52, 254–57
  - Screening assay
    - teratogenesis, 316–25
  - Screening level concentration(SLC)
    - organic carbon concentration,
      - freshwater/saltwater, 115–26
  - Sediments
    - benthic invertebrates, 71–86
    - chemical analysis, 164

- diatom analysis, 89–108
  - dichlorophenyl trichloroethane, 119–26
  - dodecyl trimethyl ammonium chloride sorption, 138–47
  - estuarine ecosystem, 370–73
    - and hazard assessment, 128–37
    - interstitial water sampling, 139–48
    - lead in, 65–68, 67(table), 93, 102
    - organic contaminants, 115–26, 151–57, 242–46
    - paleolimnology studies, 53–60, 63–70, 71–86, 89–108
    - particle size distribution, 128–37
    - PCBs, 119–26
    - phosphorus, 65, 68–70, 82–83
    - phthalates, 57–58
    - pollen fossils, 66–67, 91–93, 97–102
    - subfossil analysis, 73
  - Selenastrum capricornatum*, 437–39, 442–44
  - Sheepshead minnows, 192
  - Shrimp
    - grass, 166–68
    - mysid, 447–53
    - opossum, 192
  - Sludge
    - oil sand extraction waste, 436–46
  - Silver, 57
  - Sorption
    - benzo(a)pyrene, 236–41
    - 2,4-dichlorophenol, 180
    - dissolved organic macromolecules (DOM), 242–46
    - PCBs in sediments, 145–47
    - phosphorus burn products, 250–52, 254–57
    - sand, 250–52, 254–57
  - Spills
    - remedial action, 483–89
  - State space analysis
    - coal-derived synthetic oil,
      - effect on freshwater system, 275–84
  - Storm-induced effect
    - on marine macroinvertebrate ecosystem, 375
  - Stress, xenobiotic
    - in aquatic organisms, 289–903
  - Subfossils
    - in lake sediment, 72–85
  - Sulfur, 54
  - Swamps, seasonal, 59–60
- T**
- Tailings
    - mine, 491–501
    - oil sand extraction, 436–46
  - Teratogenesis assay
    - chemical screening, 316–25
    - cyclophosphamide, 318–25
    - Frog Embryo Teratogenesis Assay—*Xenopus*(FETAX), 316–25
    - screening assay, 316–25
  - Tin, 219–31
  - Toluenes, 458–59, 460
  - Topology
    - organometals, 220
    - organotins, 223–24
  - Toxicity (*See also* Cytotoxicity)
    - acid precipitation, 296–99
    - antibiotics, 318–25, 493–501, 500(table)
    - Aroclor compounds, 455, 458(table), 457–60
    - arsenic, 410–14, 412(table)
    - atrazine, 531–45
    - brass dust, 468–79
    - cadmium, 57(table), 94
    - chlorine, 181, 185, 187–88
    - chromium, 212
    - copper sulfate, 385–404, 468–79
    - 3,4-dichloroaniline, 463–67, 466(tables)
    - 2,4-dichlorophenol, 178–88
    - dichlorophenyl trichloroethane, 119–26
    - dodecyl sodium sulfate, 331–32
    - dodecyl trimethyl ammonium chloride, 139–48
    - drilling fluids, 448–53
    - formaldehyde, 483–89
    - heavy metals, 299–302, 468–79, 491–501
    - lead, 65–68, 93, 102
    - mercury, 55–57, 57(table)
    - mine tailings, 491–501, 498–99(tables)
    - naphthalene, 266–71
    - naphthenic acid, 212
    - oil, 275–84, 436–46, 447–53, 503–16
    - organotins, 224–25
    - PCBs, 119–26, 455, 457–58, 458(table), 459–60, 517–27
    - polycyclic aromatic hydrocarbons, 236–46, 261–73, 503–16
    - phosphorus, 247–59
    - pulp mill effluent, 406, 409(table), 411
    - smoke screens, 247–59

- sulfur, 54
  - tin, 219–31
  - toluenes, 458–460
  - tributyltin, 226–28, 229(table)
  - 1,3,5-trinitrobenzene, 307–14
  - zinc, 424–34, 430(table)
  - Toxicity persistence
    - chlorine, 181, 185, 187–88
    - 2,4-dichlorophenol, 178–88, 182(table)
    - metallic compounds, 183, 184
    - organic contaminants, 183, 185
  - Toxicity tests (*See also* Bioassays; Biomonitoring; Teratogenesis assays)
    - acute, 190–202, 192(table)
    - algal assay, 531–45
    - aquatic plants, 532, 533–39
    - ATP assay, 505
    - clinical measurements, 294
    - Daphnia* microcosm tests, 385–400, 402–03
    - Daphnia magna*
      - ASTM Standard D 4229–84:549
      - interlaboratory precision, 193
      - short-term chronic tests, 548–55
    - Daphnia pulex*
      - short-term chronic tests, 548–55
    - differentiation from stress effect, 291–94, 292(illus)
    - effluents, 190–202
    - field validation, 185–88, 186, 187(tables), 507–08
    - fish,
      - avoidance behavior, 327–39
      - cough/movement/ventilation, 307–14
      - growth rate, 463–67
      - vertebral anomalies, 406–17, 412(table), 415(table)
    - fraction identification, 204–14, 206(illus), 212(illus)
    - historical perspective, 19–22, 23
    - in vitro* alternatives, 454–61
    - integration of data, 343–59
    - interlaboratory/intralaboratory, 190–202; 384–404
    - laboratory simulation, 212–13, 423–34
    - microbial population, 508–11
    - microcosms, 369–404
    - multiple species, 370–83
    - Ohio River Valley Water Sanitation Commission (ORSANCO), 365
    - precision of, 190–202,
      - interlaboratory, 193, 194–95(table), 384–404
      - intralaboratory, 193, 196–97(table)
    - reproducibility of, 384–404
    - review of, 190–202, 192(table)
    - short-term chronic, 548–55
    - single species, 361–62, 364, 425–26, 426–34, 428, 431(tables)
    - single vs multiple species, 369–70, 384–404, 468–79
    - standards for, 364–66
      - ASTM Standard D 4229–84:549
    - statement of purpose, 365–66
    - for toxicity reduction evaluation, 205
    - validation,
      - ASTM STP 865, 362
    - variability, 198–200, 199, 202(tables)
    - ventilatory, 310–14
  - Toxicologists, aquatic
    - recruitment of, 2
  - Toxicology
    - comparative, 343–59
    - scales, 345–50, 355–59
  - TOX-SCREEN, 249–50, 252–54
  - Tributyltin, 226–28, 229(table)
  - Trinitrobenzene, 307–14
  - Trinity river, Texas, 414–34
  - Trophic interactions (*See* Microcosms, Standardized Aquatic)
- U**
- Urban development
    - and lake eutrophication, 68–70
- V**
- Validation
    - toxicity tests, 361–67, 507–08
  - Ventilatory patterns
    - bluegills exposed to 1,3,5-trinitrobenzene, 307–14, 314(table)
  - Vertebral anomalies
    - fourhorned sculpin, 410–17, 412, 415(tables)
  - Viviforms, 39
  - Volatilization,
    - 2,4-dichlorophenol, 180, 182
- W**
- Washington State lakes, 63–70
  - Waste
    - lagoon/sludge, 503–16

management, 503–04  
oil, 436–46, 503–16  
optimal loading of, 508  
Wastewater  
effluents (*See* Effluents, complex)  
oil sand extraction waste, 436–46  
treatment of, 162, 172  
Water (*See also* Groundwater)  
partitioning of surfactants, 138–48  
resources, 561  
Water fleas (*See* *Daphnia*; *Daphnia magna*;  
*Daphnia pulex*)  
Water quality

lakes, 71, 86  
site-specific testing, 423  
use of laboratory microcosms, 369–83  
Wetlands, 560

## X

Xenobiotic stress  
aquatic organisms, 289–303  
*Xenopus*, 316–25

## Z

Zinc, 423–34, 474, 478–79