

Subject Index

A

Abrasion resistance, 169
 Abrasive blasting, 62
 Abrasive material, residual, 125
 Aluminum-silicon-iron-
 manganese coatings, 179
 Amorphous carbon, tetrahedral,
 169
 Amorphous Co-20P alloy, 32
 Amorphous cobalt-chromium
 particles, 194
 Annealing temperature effects,
 98
 Articulating surface, 125
 ASTM standards
 E 466, 3
 F 75, 3, 62, 89
 F 138, 156
 F 1537, 11, 62, 71, 98, 145, 156

B

Bar stock, 71, 98
 Bone cement particles, 194
 Bone conductive, 32
 Bone-implant interface, 32

C

Carbon composition, 145
 Carbon content, cobalt-chromium-
 molybdenum alloy, 47, 108
 high carbon, 11, 98, 125
 low carbon, 98, 125
 Carbon, diamond-like, 169
 Cast cobalt-chromium-
 molybdenum alloy, 62,
 108, 125
 Cellular response, wear
 particles, 194
 Chromium, serum protein
 carriers, 211
 Coatings
 physical vapor deposition, 169
 porous, 62, 71, 89

 quaternary intermetallic
 compound, 179
 wear resistant, 32
 Cobalt-chromium alloys, 71, 194
 cast, 135
 high carbon wrought, 135
 low carbon wrought, 135
 Cobalt-chromium-carbon, 32
 Cobalt-chromium-molybdenum
 alloy, 32
 F 75, 3, 62, 89
 F 799, 89
 F 1537, 11, 62, 71, 98, 145, 156
 bar stock, 71
 carbon, 108
 cast, 62, 108, 125
 cast and wrought, 62
 coatings, 32, 62, 71, 89, 179
 dispersion-strengthened, 89
 forged, 11, 62, 71, 89
 high carbon, 11, 98, 125
 injection molded, 3
 low carbon, 98, 125
 powder morphology
 processed, 47
 rolled, 11
 wrought, 11, 62, 98, 125
 Cold drawing effects, 98
 Compressibility, 47
 Compression tests, 108
 Contact angle measurements, 156
 Corrosion behavior, 47, 211
 Corrosion resistance, 89, 169

D

Dental devices, physical vapor
 deposition coatings for,
 169
 Dispersion strengthened cobalt-
 chromium-molybdenum
 alloy, 89
 Ductility, 47, 98, 108

E

Electroslag remelting, 11

F

Fatigue strength, 62, 71, 89
 Fatigue test
 E 466, 3
 Forged cobalt-chromium-molybdenum alloy, 11, 62, 71
 F 799, 89

G

Gas-atomized dispersion strengthened alloys, 89
 Glassy alloys, 32
 Grain size, 98
 Grain structures, 89
 Gravimetric technique, 145
 Grinding, surface, 125

H

Hardness, 47
 Hip implants, metal, 125
 Hip replacements, 194
 Hip simulator test machine, 135, 145
 Hot isostatic pressing, 62
 Hypophosphite layer, 32

I

Injection molding, 3
 Intermetallics, 179
 Investment casting, 62
 Iron, in intermetallic compounds, 179

J

Joint replacement, chromium serum protein carriers, 211

L

Laser marking, 62

M

Manganese, intermetallic compounds, 179

McMinn surface replacements, 194

Metal injection molding, 3

Metal ion release, 211

Metal on metal
 bearing surfaces, 125
 hip replacements, 194
 wear, 135, 145

Metal protein binding, 211

Metasul total hips, 194

Microprobe analysis, 179

P

Phase transformation, 108
 Physical vapor deposition coatings, 169
 Plastic deformation, 108
 Polyethylene
 ultrahigh molecular weight, wear, 32, 156
 Polymeric compliant layer, 47
 Powder metallurgy, 47
 Protein, 211

R

Rolled cobalt-chromium-molybdenum alloy, 11
 Rolling temperature effects, 98

S

Scanning electron microscopy, 108, 125
 Silicon, in intermetallic compounds, 179
 Sintering behavior, 71
 investment cast F 75, 62
 liquid phase injection molded F 75, 3
 powder morphology processed, 47
 Solution treating, 62
 cobalt-chromium alloy, 135
 Spraying, metal process, 11
 Steel, stainless
 F 138, 156
 Strain hardening, 108
 Surface grinding, 125
 Surface roughness, 135, 156

T

Tensile strength, 71
 test, 47
 Tensile test, 3
 Tetrahedral amorphous
 coatings, 169
 Titanium
 alloy, 71
 nitride, 169

V

Vacuum induction melt, 11
 Vitallium, 89

W

Wear performance, 194
 Wear resistance, 11, 125, 135,
 145
 Wear resistant coatings, 32, 169
 Wear testing, 135, 145, 156

Wear, ultrahigh molecular
 weight polyethylene, 32
 Wrought-annealed materials,
 108
 Wrought cobalt-chromium-
 molybdenum, 11, 62, 98,
 125

X

X-ray diffraction, 108

Y

Yield strength, 3, 108

Z

Zirconium nitride, 169