

APPENDIX—ASTM TEST METHODS

Chap_1.5

- | | |
|---------------------|---|
| D 6204-01 | Test Method for Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers |
| D 5289-95
(2001) | Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters |
| D 6601-02 | Test Method for Rubber Properties-Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer |

Chap_1.6

- | | |
|---------------------------|--|
| D 1765-03 | Classification System for Carbon Blacks Used in Rubber Products |
| D 5605-94
(2002) | Practice for Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values |
| 1.8.4 D 4821-03 | Guide for Carbon Black—Validation of Test Method Precision and Bias |
| 1.8.5 D 4678-94
(2001) | Practice for Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials |
| D 3324 | Standard Practice for Carbon Black—Improving Test Reproducibility Using ASTM Standard Reference Blacks, Replaced By D 4821 |
| 1.9 D 6204-01 | Test Method for Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers |
| D 5289-95
(2001) | Standard Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters |
| D 1646-03 | Test Methods for Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer) |
| D 6601-02 | Test Method for Rubber Properties-Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer |
| D 2084-01 | Test Method for Rubber Property-Vulcanization Using Oscillating Disk Cure Meter |
| D 5899-98
(2002) | Classification System for Rubber Compounding Materials for Use in Computer Material Management Systems |

Chap_2

2.1.2	D 3182-89 (2001)	Practice for Rubber—Materials, Equipment, and Procedures for Mixing Compounds and Preparing Vulcanized Sheets
2.1.3	D 3182-89 (2001)	Practice for Rubber—Materials, Equipment, and Procedures for Mixing Compounds and Preparing Vulcanized Sheets
2.1.4	D 3182-89 (2001)	Practice for Rubber—Materials, Equipment, and Procedures for Mixing Compounds and Preparing Vulcanized Sheets
2.2.1	D 1646-03	Test Methods for Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer)
2.2.1.1.	D 3185-99	Test Methods for Rubber-Evaluation of SBR (Styrene-Butadiene Rubber) Including Mixtures With Oil
	D 3186-97 (2002)	Test Methods for Rubber-Evaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil
	D 1418-01a	Practice for Rubber and Rubber Latices-Nomenclature
2.2.1.2	D 1646-03	Test Methods for Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer)
2.2.1.3	D 1646-03	Test Methods for Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer)
	D 1349-99	Practice for Rubber-Temperatures For Testing
	D 1418-01a	Practice for Rubber and Rubber Latices-Nomenclature
2.2.2.	D 2084-01	Test Method for Rubber Property-Vulcanization Using Oscillating Disk Cure Meter
2.2.2.1	D 2084-01	Test Method for Rubber Property-Vulcanization Using Oscillating Disk Cure Meter
2.2.3	D 5289-95 (2001)	Standard Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters
	D 2084-01	Test Method for Rubber Property-Vulcanization Using Oscillating Disk Cure Meter
2.2.4.6	D 6204-01	Test Method for Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers
2.2.5	D 1412-98a (2002)e1	Test Methods for Vulcanized Rubber and Thermoplastic Elastomers—Tension
2.2.6	D 6601-02	Test Method for Rubber Properties-Measurement

		of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer
	D 6204-01	Test Method for Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers
2.2.7.1	D 624-00e1	Test Method for Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers
2.2.7.2	D 573-99	Test Method for Rubber-Deterioration in an Air Oven
	D 865-99	Test Method for Rubber-Deterioration by Heating in Air (Test Tube Enclosure)
2.2.7.3	D 623-99	Test Methods for Rubber Property-Heat Generation and Flexing Fatigue In Compression
	D 6601-02	Test Method for Rubber Properties-Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer
	D 430-95 (2000)	Test Methods for Rubber Deterioration-Dynamic Fatigue
2.2.7.4	D 430-95 (2000)	Test Methods for Rubber Deterioration-Dynamic Fatigue
2.2.7.5	D 471-98e1	Test Method for Rubber Property-Effect of Liquids
2.2.7.6	D 395-02	Test Methods for Rubber Property—Compression Set
2.2.7.7	D 2240-02b	Test Method for Rubber Property—Durometer Hardness
	D 5289-95 (2001)	Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters
2.2.7.8	D 2228-02	Test Method for Rubber Property-Relative Abrasion Resistance by the Pico Abrader Method
2.2.7.9	D 1053-92ae1 (2001)	Test Methods for Rubber Property—Stiffening at Low Temperatures Flexible Polymers and Coated Fabrics
	D 2137-94 (2000)	Test Methods for Rubber Property-Brittleness Point of Flexible Polymers and Coated Fabrics
2.2.7.10	D 1171-99	Test Method for Rubber Deterioration-Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens)
2.2.8	D 412-98a (2002)e1	Test Methods for Vulcanized Rubber and Thermoplastic Elastomers—Tension
	D 2240-02b	Test Method for Rubber Property—Durometer Hardness
	D 573-99	Test Method for Rubber-Deterioration in an Air Oven
	D 2000-01	Classification System for Rubber Products in Automotive Applications

Chap_3

3.2	D 1485-86 (2002)	Test Methods for Rubber from Natural Sources— Sampling and Sample Preparation
3.3	D 2227-96 (2002)	Specification for Natural Rubber (NR) Technical Grades
3.4	D 1278-91a (2002)	Test Methods for Rubber from Natural Sources— Chemical Analysis
3.4.1	D 1278-91a (2002)	Test Methods for Rubber from Natural Sources— Chemical Analysis
3.4.2	D 1278-91a (2002)	Test Methods for Rubber from Natural Sources— Chemical Analysis
3.4.3	D 4004-93 (2002)	Test Methods for Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis
3.4.4	D 4004-93 (2002)	Test Methods for Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis
3.4.8	D 3533-90 (2001)	Method of Rubber—Nitrogen Content
3.5	D 3194-99	Test Method for Rubber From Natural Sources— Plasticity Retention Index (PRI)
3.6	D 3157-84 (2001)	Test Method for Rubber from Natural Sources— Color
3.7	D 3184-89 (2001)	Test Methods for Rubber-Evaluation of NR (Natu- ral Rubber)
3.8	D 6204-01	Test Method for Rubber—Measurement of Unvul- canized Rheological Properties Using Rotorless Shear Rheometers

Chap_4

4.1	D 1418-01a	Practice for Rubber and Rubber Latices-Nomen- clature
4.2	D 5605-94 (2002)	Practice for Styrene-Butadiene Rubber (SBR)— Establishing Raw Mooney Viscosity Target Values
4.3	D 1646-03	Test Methods for Rubber—Viscosity, Stress Re- laxation, and Pre-Vulcanization Characteristics (Mooney Viscometer)
	D 6204-01	Test Method for Rubber—Measurement of Unvul- canized Rheological Properties Using Rotorless Shear Rheometers
4.4	See tables 4.5 to 4.13	

4.5	D 3346-00	Test Methods for Rubber Property-Processability of SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer
4.6.1	D 5774-95 (2000)	Test Methods for Rubber From Synthetic Sources- Chemical Analysis of Extractables
4.6.2	D 5668-99	Test Methods for Rubber From Synthetic Sources- Volatile Matter
4.6.3	D 5667-95 (2000)	Test Method for Rubber From Synthetic Sources- Total and Water Soluble Ash
4.6.4	D 5805-00	Test Method for Rubber from Synthetic Sources— Carbon Black in Masterbatches
4.6.5	D 3616-95 (2000)	Test Method for Rubber, Raw-Determination of Gel, Swelling Index, and Dilute Solution Viscosity
4.6.6	D 3533-90 (2001)	Method of Rubber—Nitrogen Content
4.6.7.1	D 5902-96 (2001)	Test Method for Rubber-Determination of Resid- ual Unsaturation in Hydrogenated Nitrile Rub- ber (HNBR) by Iodine Value
	D 1959-97	Test Method for Iodine Value of Drying Oils and Fatty Acids
4.6.7.2	D 5670-95 (2000)e1	Test Method for Rubber-Determination of Resid- ual Unsaturation in Hydrogenated Nitrile Rub- ber (HNBR) by Infrared Spectrophotometry
	D 5902-96 (2001)	Test Method for Rubber-Determination of Resid- ual Unsaturation in Hydrogenated Nitrile Rub- ber (HNBR) by Iodine Value
4.6.8.1	D 6047-99e1	Test Methods for Rubber, Raw—Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopent- adiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers
4.6.9.1	D 5775-95 (2000)	Test Method for Rubber from Synthetic Sources- Bound Styrene in SBR
4.6.10.1	D 3566-96 (2001)	Practice for Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion
4.6.11	D 4004-93 (2002)	Test Methods for Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis

Chap_5

5.1.2	D 1510-02a	Test Method for Carbon Black—Iodine Adsorp- tion Number
	D 6556-02a	Test Method for Carbon Black—Total and External Surface Area by Nitrogen Adsorption

5.2.1	D 1765-03	Classification System for Carbon Blacks Used in Rubber Products
D 4820		Standard Test Methods for Carbon Black-Surface Area by Multipoint B.E.T. Nitrogen Adsorption (Withdrawn 2000), Replaced by D 6556
D 1510-02a		Test Method for Carbon Black—Iodine Adsorption Number
D 2414-02a		Test Method for Carbon Black—Oil Absorption Number
D 6556-02a		Test Method for Carbon Black—Total and External Surface Area by Nitrogen Adsorption
D 3493-01		Test Method for Carbon Black—Oil Absorption Number of Compressed Sample
D 3265-02		Test Method for Carbon Black—Tint Strength
D 1513-99ae1		Test Method for Carbon Black, Pelleted-Pour Density
D 3192-02		Test Methods for Carbon Black Evaluation in NR (Natural Rubber)
D 3182-89 (2001)		Practice for Rubber—Materials, Equipment, and Procedures for Mixing Compounds and Preparing Vulcanized Sheets
D 3493-01		Test Method for Carbon Black—Oil Absorption Number of Compressed Sample
D 2414-02a		Test Method for Carbon Black—Oil Absorption Number
5.3.1	D 3324	Standard Practice for Carbon Black—Improving Test Reproducibility Using ASTM Standard Reference Blacks, Replaced By D 4821
	D 4821-01	Guide for Carbon Black—Validation of Test Method Precision and Bias
5.3.2	D 1510-02a	Test Method for Carbon Black—Iodine Adsorption Number
	D 2414-02a	Test Method for Carbon Black—Oil Absorption Number
	D 3493-01	Test Method for Carbon Black—Oil Absorption Number of Compressed Sample
	D 4820	Test Methods for Carbon Black-Surface Area by Multipoint B.E.T. Nitrogen Adsorption (Withdrawn 2000), Replaced By D 6556
	D 3265-02	Test Method for Carbon Black—Tint Strength
	D 5816	Standard Test Methods for Carbon Black-External Surface Area by Multipoint Nitrogen Adsorption (Withdrawn 2000), Replaced By D 6556
5.4.1	D 1510-02a	Test Method for Carbon Black—Iodine Adsorption Number

5.4.2	D 6556-02a	Test Method for Carbon Black—Total and External Surface Area by Nitrogen Adsorption
5.4.3	D 3765-02	Test Method for Carbon Black—CTAB (Cetyltrimethylammonium Bromide) Surface Area
	D 6556-02a	Test Method for Carbon Black—Total and External Surface Area by Nitrogen Adsorption
5.4.4	D 3849-02	Test Method for Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy
5.5.1	D 2414-02a	Test Method for Carbon Black—Oil Absorption Number
5.5.2	D 3493-01	Test Method for Carbon Black—Oil Absorption Number of Compressed Sample
	D 2414-02a	Test Method for Carbon Black—Oil Absorption Number
5.5.3	D 6086-97	Test Methods for Carbon Black—Compressed Volume Index
5.6.1	D 1514-01	Test Method for Carbon Black—Sieve Residue
5.6.2	D 1511-00e1	Test Method for Carbon Black—Pellet Size Distribution
5.6.5.3	D 1937-98	Test Method for Carbon Black, Pelleted—Mass Strength
5.7.1	D 3191-02	Test Method for Carbon Black in SBR (Styrene-Butadiene-Rubber)—Recipe and Evaluation Procedures
	D 3192-02	Test Methods for Carbon Black Evaluation in NR (Natural Rubber)

Chap_6

6.2.2	D 1765-03	Classification System for Carbon Blacks Used in Rubber Products
6.3	D 1993-03	Test Method for Precipitated Silica—Surface Area by Multipoint BET Nitrogen Adsorption
	D 5604-96 (2001)	Test Methods for Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption
	D 6845-02	Test Method for Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area
6.3.1.1	D 5604-96 (2001)	Test Methods for Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption
6.3.1.2	D 1993-03	Test Method for Precipitated Silica—Surface Area by Multipoint BET Nitrogen Adsorption

6.3.2.1	D 3765-02	Test Method for Carbon Black—CTAB (Cetyltrimethylammonium Bromide) Surface Area
6.4	D 6854-03	Test Method for Silica— γ -Dibutyl Phthalate Absorption Number
6.5.1	D 6738-01	Test Method for Precipitated Silica—Volatile Content
6.5.2	D 6739-01	Test Method for Silica—pH Value
6.6.1	D 6740-01	Test Method for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Residue on Ignition
6.6.2	D 6741-01	Test Methods for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Sulfur Content
6.6.3	D 6843-02	Test Method for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Characterization by Gas Chromatography (GC)
6.6.4	D 6844-02	Test Method for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Characterization by High Performance Liquid Chromatography (HPLC) See tables 6.2

Chap_7

7.1	D 5377-93 (2002)	Classification for Rubber Compounding Materials—Ground Coal
7.1.1	C 1070-01	Test Method for Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering
	D 5377-93 (2002)	Classification for Rubber Compounding Materials—Ground Coal
7.1.2	D 5377-93 (2002)	Classification for Rubber Compounding Materials—Ground Coal
	D 3174-02	Test Method for Ash in the Analysis Sample of Coal and Coke from Coal
7.1.4	D 3174-02	Test Method for Ash in the Analysis Sample of Coal and Coke from Coal
	D 5377-93 (2002)	Classification for Rubber Compounding Materials—Ground Coal
7.1.6	D 5377-93 (2002)	Classification for Rubber Compounding Materials—Ground Coal
	D 1208-96 (2002)	Test Methods for Common Properties of Certain Pigments
7.1.7	D 3175-02	Test Method for Volatile Matter in the Analysis Sample of Coal and Coke

	D 5377-93 (2002)	Classification for Rubber Compounding Materials— Ground Coal
7.1.8	D 4371-91 (1998)	Test Method for Determining the Washability Characteristics of Coal
7.2	D 4677-87 (2002)	Classification for Rubber Compounding Materials— Titanium Dioxide
7.2.1	D 1394-76 (1999)	Test Methods for Chemical Analysis of White Tita- nium Pigments
7.2.2	D 1208-96 (2002)	Test Methods for Common Properties of Certain Pigments
7.2.3	D 185-84 (1999)	Test Methods for Coarse Particles in Pigments, Pastes, and Paints
7.2.4	D 280-01	Test Methods for Hygroscopic Moisture (and Other Matter Volatile Under the Test Condi- tions) in Pigments
7.2.5	D 1394-76 (1999)	Test Methods for Chemical Analysis of White Tita- nium Pigments
	D 3720-90 (1999)	Test Method for Ratio of Anatase to Rutile in Tita- nium Dioxide Pigments by X-ray Diffraction

Chap_8

8.1.1	D 2501-91 (2000)	Test Method for Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils
8.1.7	D 2226-93 (2002)	Classification for Various Types of Petroleum Oils for Rubber Compounding Use
	D 2007-02	Test Method for Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay—Gel Ab- sorption Chromatographic Method
	D 2501-91 (2000)	Test Method for Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils
8.1.8.1	D 2007-02	Test Method for Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay—Gel Ab- sorption Chromatographic Method
8.1.8.2	D 2501-91 (2000)	Test Method for Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils
8.1.8.3	D 445-01	Test Method for Kinematic Viscosity of Transpar- ent and Opaque Liquids (the Calculation of Dy- namic Viscosity)
8.1.8.4	D 611-01b	Test Methods for Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents
8.1.8.5	D 97-02	Test Method for Pour Point of Petroleum Products

8.1.8.6	D 974-02	Test Method for Acid and Base Number by Color-Indicator Titration
8.1.8.7	D 1298-99e1	Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method
8.1.8.8	D 1500-02	Test Method for ASTM Color of Petroleum Products (ASTM Color Scale)
8.1.8.9	D 2008-91 (2001)	Test Method for Ultraviolet Absorbance and Absorptivity of Petroleum
8.1.8.10	D 92-02b	Test Method for Flash and Fire Points by Cleveland Open Cup Tester
8.2.1	D 3853-03e1	Terminology Relating to Rubber and Rubber Latexes—Abbreviations for Chemicals Used in Compounding
8.2.2	D 1992-91 (2001)	Guide for Testing Synthetic Plasticizers Used in Rubber
8.2.2.1	D 70-97	Test Method for Specific Gravity and Density of Semi-Solid Bituminous Materials (Pycnometer Method)
	D 891-95 (2000)	Test Methods for Specific Gravity, Apparent, of Liquid Industrial Chemicals
	D 2111-02	Test Methods for Specific Gravity and Density of Halogenated Organic Solvents and Their Admixtures
8.2.2.2	D 1209-00	Test Method for Color of Clear Liquids (Platinum-Cobalt Scale)
	D 1544-98	Test Method for Color of Transparent Liquids (Gardner Color Scale)
8.2.2.3	D 1218-02	Test Method for Refractive Index and Refractive Dispersion of Hydrocarbon Liquids
8.2.2.4	D 1962-85 (1995)	Test Method for Saponification Value of Drying Oils, Fatty Acids, and Polymerized Fatty Acids
8.2.2.5	D 2196-99	Test Methods for Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer
8.2.2.6	D 2288-97 (2001)	Test Method for Weight Loss of Plasticizers on Heating
8.2.2.7	E 203-01	Test Method for Water Using Volumetric Karl Fischer Titration
8.3.1	D 4528-88 (2002)	Classification for Rubber Compounding Materials—Sulfur
8.3.1.1	D 4578-89 (2002)	Standard Test Methods for Rubber Chemicals—Determination of Percent Insoluble Sulfur by Solvent Extraction

8.3.1.2	D 4573-98	Test Method for Rubber Chemicals-Determination of Oil Content in Oil-Treated Sulfur
8.3.1.3	D 4569-02	Test Method for Rubber Chemicals—Determination of Acidity in Sulfur
8.3.1.4	D 4570-02	Test Method for Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry)
	D 4572-89 (1999)	Test Method for Rubber Chemicals-Wet Sieve Analysis of Sulfur
8.3.1.5	D 4574-02	Test Methods for Rubber Chemicals—Determination of Ash Content
8.3.2	D 4818-89 (1999)	Classification for Rubber Compounding Materials-Vulcanization Accelerators
	D 5289-95 (2001)	Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters
8.3.2.1	D 3853-03e1	Terminology Relating to Rubber and Rubber Latexes—Abbreviations for Chemicals Used in Compounding
8.3.2.2	D 1519-95 (2000)	Test Method for Rubber Chemicals-Melting Range
8.3.2.3	D 4572-89 (1999)	Test Method for Rubber Chemicals-Wet Sieve Analysis of Sulfur
8.3.2.4	D 4574-02	Test Methods for Rubber Chemicals—Determination of Ash Content
8.3.2.5	D 4571-02	Test Methods for Rubber Chemicals—Determination of Volatile Material
8.3.2.6	D 4818-89 (1999)	Classification for Rubber Compounding Materials-Vulcanization Accelerators
8.3.2.7	D 4934-02	Test Method for Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles
8.3.2.8	D 4936-96 (2001)	Test Method for Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration
8.3.2.9	D 5051-02	Test Method for Rubber Chemicals-Benzothiazyl Disulfide (MBTS)—Assay
8.3.2.10	D 5054-90 (2000)	Test Method for Rubber Chemicals-Diphenyl Guanidine (DPG) and Di-o-tolyl-guanidine (DOTG) Assay
8.3.2.11	D 1991-96 (2001)	Test Method for Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay
8.3.3	D 4295-89 (1999)	Classification for Rubber Compounding Materials-Zinc Oxide
8.2.2.6	D 4315-94 (2001)	Test Methods for Rubber Compounding Material—Zinc Oxide

8.3.3.6.1	D 3037	Test Methods for Carbon Black-Surface Area by Nitrogen Adsorption (Withdrawn 1999), Replaced
	D 4315-94 (2001)	Test Methods for Rubber Compounding Material—Zinc Oxide
8.3.3.6.2	D 4075-02	Test Methods for Compounding Materials-Flame Atomic Absorption Technique-Determination of Metals
	D 4315-94 (2001)	Test Methods for Rubber Compounding Material—Zinc Oxide
8.3.3.6.3	D 4315-94 (2001)	Test Methods for Rubber Compounding Material—Zinc Oxide
8.3.3.6.4	D 280-01	Test Methods for Hygroscopic Moisture (and Other Matter Volatile Under the Test Conditions) in Pigments
8.3.3.6.5	D 3280-85 (1999)	Test Methods for Analysis of White Zinc Pigments
	D 4315-94 (2001)	Test Methods for Rubber Compounding Material—Zinc Oxide
8.3.3.6.6	D 3280-85 (1999)	Test Methods for Analysis of White Zinc Pigments
	D 4315-94 (2001)	Test Methods for Rubber Compounding Material—Zinc Oxide
	D 2084-01	Test Method for Rubber Property-Vulcanization Using Oscillating Disk Cure Meter
	D 5289-95 (2001)	Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters
	D 4620-02	Test Method for Evaluating the Effective Surface Area of Zinc-Oxide in Rubber
8.3.4.1	D 1959-97	Test Method for Iodine Value of Drying Oils and Fatty Acids
8.3.4.2	D 1982-85 (1999)	Test Method for Titer of Fatty Acids
8.3.4.3	D 1980-87 (1998)	Test Method for Acid Value of Fatty Acids and Polymerized Fatty Acids
8.3.4.4	D 1962-85 (1995)	Test Method for Saponification Value of Drying Oils, Fatty Acids, and Polymerized Fatty Acids
8.3.4.5	D 1951-86 (1995)e1	Test Method for Ash in Drying Oils and Fatty Acids
8.3.4.6	D 1965-87 (1998)	Test Method for Unsaponifiable Matter in Drying Oils, Fatty Acids, and Polymerized Fatty Acids
8.3.4.7	D 4075-02	Test Methods for Compounding Materials-Flame Atomic Absorption Technique-Determination of Metals

8.4	D 4676-94 (2001)	Classification for Rubber Compounding Materials—Antidegradents
8.4.7	D 3853-03e1	Terminology Relating to Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding
8.4.8.1	D 4937-96 (2001)	Test Method for p-Phenylenediamine Antidegradents Purity by Gas Chromatography
8.4.8.2	D 4676-94 (2001)	Classification for Rubber Compounding Materials—Antidegradents
	D 1519-95 (2000)	Test Method for Rubber Chemicals-Melting Range
	D 1218-02	Test Method for Refractive Index and Refractive Dispersion of Hydrocarbon Liquids
	D 1747-99	Test Method for Refractive Index of Viscous Materials
8.4.8.3	D 4676-94 (2001)	Classification for Rubber Compounding Materials—Antidegradents
	D 2702-94 (1998)	Practice for Rubber Chemicals-Determination of Infrared Absorption Characteristics
8.4.8.4	D 4571-02	Test Methods for Rubber Chemicals—Determination of Volatile Material
8.4.8.5	D 4574-02	Test Methods for Rubber Chemicals—Determination of Ash Content
8.4.8.6	D 4676-94 (2001)	Classification for Rubber Compounding Materials—Antidegradents
8.4.8.7	D 4676-94 (2001)	Classification for Rubber Compounding Materials—Antidegradents
8.5.1	D 4924-89 (1999)	Classification for Petroleum Waxes for Use in Rubber Compounding
8.5.1.2	D 87-87(1999)	Test Method for Melting Point of Petroleum Wax (Cooling Curve)
	D 938-92 (1998)	Test Method for Congealing Point of Petroleum Waxes, Including Petrolatum
	D 3944-88 (2000)	Test Method for Solidification Point of Petroleum Wax
	D 4419-90 (2000)	Test Method for Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC)
8.5.1.4	D 721-02a	Test Method for Oil Content of Petroleum Waxes
8.5.1.5	D 445-01	Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (the Calculation of Dynamic Viscosity)
8.5.1.6	D 1500-02	Test Method for ASTM Color of Petroleum Products (ASTM Color Scale)
8.5.1.7	D 1321-02a	Test Method for Needle Penetration of Petroleum Waxes

Chap_9

9.1	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -01
9.1.6	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -96
	D 5644-01	Test Method for Rubber Compounding Materials— Determination of Particle Size Distribution of Vul- canized Particulate Rubber -96
	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -01
	D 5644-01	Test Method for Rubber Compounding Materi- als—Determination of Particle Size Distribution of Vulcanized Particulate Rubber -01
9.2.3	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -01
	D 297-93 (2002)e1	Test Methods for Rubber Products-Chemical Analysis
	D 5644-01	Test Method for Rubber Compounding Materials— Determination of Particle Size Distribution of Vulcanized Particulate Rubber -01
9.3	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -01
9.3.1	D 5644-01	Test Method for Rubber Compounding Materials— Determination of Particle Size Distribution of Vul- canized Particulate Rubber -01
	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -01
9.3.2	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -01
9.3.3	D 5603-01	Classification for Rubber Compounding Materials— Recycled Vulcanizate Particulate Rubber -01
9.3.3.1	D 297-93 (2002)e1	Test Methods for Rubber Products-Chemical Analysis
9.3.3.2	D 297-93 (2002)e1	Test Methods for Rubber Products-Chemical Analysis
9.3.3.3	D 297-93 (2002)e1	Test Methods for Rubber Products-Chemical Analysis
9.3.3.4	D 1509-95 (2000)	Test Methods for Carbon Black-Heating Loss
9.3.3.5	D 297-93 (2002)e1	Test Methods for Rubber Products-Chemical Analysis
9.3.3.6	D 297-93 (2002)e1	Test Methods for Rubber Products-Chemical Analysis

- | | | |
|---------|-----------|--|
| 9.3.3.7 | D 5603-01 | Classification for Rubber Compounding Materials—
Recycled Vulcanizate Particulate Rubber -01 |
| | D 5644-01 | Test Method for Rubber Compounding Materials—
Determination of Particle Size Distribution of
Vulcanized Particulate Rubber -01 |

Chap_10

- | | | |
|----------|---------------------|--|
| 10.2.1 | D 6085-97
(2002) | Practice for Sampling in Rubber Testing—
Terminology and Basic Concepts |
| 10.2.2.1 | D 4483-99 | Practice for Determining Precision for Test Meth-
ods in the Rubber and Carbon Black Industries |
| | D 4821-03 | Guide for Carbon Black—Validation of Test
Method Precision and Bias |
| 10.2.2.2 | D 6600-00e2 | Practice for Evaluating Test Sensitivity for Rubber
Test Methods |
| 10.2.3.1 | D 6085-97
(2002) | Practice for Sampling in Rubber Testing—
Terminology and Basic Concepts |
| 10.2.3.4 | D 6085-97
(2002) | Practice for Sampling in Rubber Testing—
Terminology and Basic Concepts |
| 10.2.4.1 | D 4678-94
(2001) | Practice for Rubber—Preparation, Testing, Accep-
tance, Documentation, and Use of Reference
Materials |
| | D 5900-98
(2002) | Specification for Physical and Chemical Properties
of Industry Reference Materials (IRM) |
| | D 1765-03 | Classification System for Carbon Blacks Used in
Rubber Products |
| | D 4295-89
(1999) | Classification for Rubber Compounding Materials-
Zinc Oxide |
| | D 4817-88
(1999) | Classification for Rubber Compounding Materials-
Stearic Acid |
| | D 4818-89
(1999) | Classification for Rubber Compounding Materials-
Vulcanization Accelerators |
| | D 4528-88
(2002) | Classification for Rubber Compounding Materials—
Sulfur |
| | D 5603-01 | Classification for Rubber Compounding Materials—
Recycled Vulcanizate Particulate Rubber |
| 10.2.4.2 | D 3324 | Standard Practice for Carbon Black—Improving
Test Reproducibility Using ASTM Standard Ref-
erence Blacks, Replaced By D 4821 Standard
Practice for Carbon Black—Improving Test Re-
producibility Using ASTM Standard Reference
Blacks, Replaced By D 4821 |
| | D 4122-02 | Practice for Carbon Black—Evaluation of an In-
dustry Reference Black |

- | | | |
|----------|---------------------|---|
| 10.3.1 | D 1485-86
(2002) | Test Methods for Rubber from Natural Sources-Sampling and Sample Preparation |
| | D 1900-94
(2002) | Practice for Carbon Black—Sampling Bulk Shipments |
| | D 5817-03 | Practice for Carbon Black, Pelleted-Reduction, Blending, and Drying of Gross Samples for Testing |
| | D 3896-85
(2001) | Practice for Rubber From Synthetic Sources-Sampling |
| | D 1799-02 | Practice for Carbon Black—Sampling Packaged Shipments |
| | D 4583-95
(1999) | Practice for Carbon Black-Calculation of Process Indexes From an Analysis of Process Control Data |
| 10.4.1 | D 4483-99 | Practice for Determining Precision for Test Methods in the Rubber and Carbon Black Industries |
| 10.4.1.2 | D 4483-99 | Practice for Determining Precision for Test Methods in the Rubber and Carbon Black Industries |
| 10.4.1.3 | D 4483-99 | Practice for Determining Precision for Test Methods in the Rubber and Carbon Black Industries |