

## Subject Index

### A

Absorbed energy, 42  
 Accelerator Production of Tritium Program, 588, 612  
 material tensile properties, 644  
 spallation neutron effects, 660  
 target/blanket system, 125  
 transition joints, 573  
 tungsten rods, 762  
 Activation, reduced, 500, 535, 546, 674  
 Aging, thermal, 151, 189, 328, 356, 674  
 Alexandre radiation, 500  
 Alloy 718, 125, 588, 631, 660  
 Alpha-ferrite, 704  
 Alpha-martensite, 704  
 Aluminum, 573, 631  
 Amorphization, irradiation induced, 786, 825, 836  
 Analytical electron microscopy, 189  
 Annealing, 302  
 behavior, 109, 237  
 isochronal, 722  
 post-irradiation, 218, 315, 825  
 post-irradiation isochronal, 247  
 radiation, hardening, 746  
 recoveries, 79  
 thermal, 151, 218, 247, 356  
 Applied stress, 813  
 ASTM standards  
     E 1820, 125  
     E 1921, 55, 68, 79  
 Atomic displacement cascades, 204  
 Atom probe microscopy, 8, 262  
 Auger analysis, 356  
 Austenite boundaries, 546

### B

Babcock and Wilcox Owners Group, 291

BN-600 reactor, 457  
 Brittleness, 704

### C

Carbide, 546  
 Ceramic seals, 631  
 Charpy, 28  
     impact response, 302  
     impact tests, 55, 383  
     precracked, 79, 109  
     precracked Charpy-V specimens, 68  
     shift, 8  
     V-notch, 109, 302, 356  
 Chemical vapor infiltration, 786  
 Chlorine, 846  
 CHOOZ A reactor, 28  
 Chromium, 674  
     depletion, 427  
     chromium-molybdenum steel, 644  
     chromium-nickel austenitic stainless steel, 487  
     chromium-nickel-molybdenum, 343  
     chromium-nickel-molybdenum-manganese steel, 457  
     chromium-nickel-titanium, 343  
     chromium-rich martensitic steels, 500  
     iron-chromium, 523  
 Cladding, 328, 443, 457  
 Cleavage fracture, 97  
 Cleavage initiation fracture toughness tests, 55  
 Cluster accumulation, 694  
 Compact tension specimens, 125  
 Composites, silicon carbide, 786  
 Constraint, loss of, 68  
 Copper, 8, 262, 573  
     concentration, 722  
     effects on embrittlement, 383  
     ion irradiation, 746  
 iron-copper alloys, 218, 237, 722

## 874 EFFECTS OF RADIATION ON MATERIALS

- iron-copper-nickel-phosphorus alloys, 247  
precipitate, 315  
precipitate dissolution, 237  
weld, 302
- Corrosion, 573  
properties, 500  
rates, 631
- Crack-extension resistance, 125
- Crack growth resistance curve, 846
- Creep, 401, 557  
compliance, 487  
creep rupture test, 546  
deformation, 487  
swelling, 487  
thermal, 557
- Cross section method, 722
- Cryogenic neutron irradiation, 694
- Curve toughness, 125
- D**
- Damage, 204  
accumulation, 204  
assessment, 68  
attenuation, 204  
dose, 457  
estimation, 8  
prediction, radiation, 799  
production, 836  
rate, 457  
structures, 722
- Defect accumulation, 775
- Defect clusters, 247
- Defect formation, 694
- Defect growth, 736
- Deformation, 343, 523  
irradiation creep, 487  
plastic, 813
- Differential scanning calorimetry, 825
- Diffusional loss, 612, 762
- Diffusion parameters, 174
- Dislocation, 413, 523, 704  
defects, 247  
density, 546  
loops, 722  
mechanics, 97
- Displacement cascades, 204, 694, 799
- Displacement damage, 487, 775  
Displacement rates, 427
- Dissipation of heat, 813
- Doppler broadening, 247
- Dose dependence, 401, 443
- Dose rate, 469  
effects, 413, 427, 775
- Dual-beam irradiation method, 775, 786
- Ductile-brittle transition, 189  
region, 79  
temperature, 109, 315
- Ductility, 343, 469, 588, 660  
characteristics, 813  
loss of, 328
- Ducts, hexagonal, 413, 469
- E**
- EBR-II reflector duct, 469
- Electrochemical impedance spectroscopy, 631
- Electron microscopy, 694
- Elongation, 588, 644
- Embrittlement, 8, 28, 68, 79, 262  
composition effects on, 383  
grain boundary, 174  
hardening, 189  
intergranular, 151  
master curve  
characterization, 55
- radiation, 3
- sensitivity, 109
- temper, 356
- trends, 291
- Energy deposition, 631
- Energy dissipation and accumulation, 813
- Energy transformation, 813
- Experimental Breeder Reactor-II, 413, 427, 469
- Extensometer, laser, 535
- F**
- Failure mode, 469
- Failure stress, 343
- Fatigue life characteristics, 535
- Ferritic steel, 79, 204, 523, 674  
ferritic-martensitic steels, 50, 500, 535, 546, 557

- toughness transition  
  predictions, 97  
transition range, 55  
FFTF/MOTA, 443, 487  
Field emission gun scanning  
  transmission electron  
  microscopy, 262  
Flow tubes, 631  
Fluence, 457, 644, 660  
  critical, 836  
  effects, silicon carbide, 775  
  fast neutron, 79  
  increase, 813  
  levels, 302, 343, 500  
  variation, 28  
Flux effects, 237  
Fractographic examinations,  
  469, 523  
Fracture mechanisms, 535  
Fracture resistance, 328  
Fracture toughness, 79, 125, 846  
  dynamic, 68  
  shift, 8  
  tests, 55  
Fuel pin, 487
- G**
- Galvanic corrosion, 573  
Gas production cross sections,  
  612  
German/Russian irradiation  
  program, 109  
Gibbsian adsorption, 174  
Grain boundaries, 151, 356, 546  
  behavior, 836  
  composition, 427  
  phosphorus segregation,  
    174, 189  
Grain evolution, 546
- H**
- Hardening, irradiation, 247,  
  315, 469  
  iron-copper alloys, 237, 722  
  vanadium, 746  
Hardness, 8, 218, 315  
  distribution, 42  
  micro-Vickers test, 736, 825  
  Rockwell, 247
- Heat affected zone, 42, 151,  
  315, 356  
Heat, dissipation of, 813  
Heat treatment, post irradiation,  
  786  
Heavy Section Steel Irradiation  
  Program, 302, 356  
Helium, 588, 762, 786  
  production, 612, 775  
High flux reactor Petten, 328  
Hi-Nicalon Type S, 786  
Hoop stress, 401  
Hydrogen, 588  
  concentration, dissolved, 631  
  evolution, 762  
  hydrogen/deuterium, 846  
  measurements, 762  
  retention, 612  
Hydrostatic stress component,  
  401
- I**
- Immersion density, 413  
Impact loading rate, 68  
Impact toughness, 356  
Integrity assessment, 109  
Interferometric profilometry, 775  
Intergranular fracture, 356  
International Atomic Energy  
  Agency, 3, 55  
International Working Group on  
  Plant Lifetime  
  Management, 3  
Ion mass, 836  
Iron alloys, 174, 262, 383  
  iron-based, 612  
  iron-based stainless steels,  
    588  
  iron-chromium, 523  
  iron-chromium-manganese,  
    704  
  iron-chromium-nickel, 704  
  iron-copper, 218, 237, 722  
  iron-copper-nickel, 722  
  iron-copper-nickel-  
    phosphorus, 247  
Irradiation environment, effect  
  on embrittlement trends,  
    291

# 876 EFFECTS OF RADIATION ON MATERIALS

## J

- Japan Materials Testing  
Reactor, 79, 237, 315,  
736, 825  
Japan Power Engineering and  
Inspection Corporation, 42  
J-integral resistance curve  
toughness tests, 125  
J-R curve, 125, 846

## L

- LAHET, 762  
Laser extensometer, 535  
Lateral shift method, 302  
Lattice structure, 97  
Laves phase, 546, 674  
Life management, power plant,  
3  
Linde 80 reactor vessel welds,  
291  
Loops  
Frank, 588  
irradiation, 523  
Los Alamos Neutron Science  
Center, 644, 660  
corrosion tests, 631  
helium and hydrogen retention  
tests, 612  
mixed proton-neutron particle  
flux and spectra tests, 588  
tritium target/blanket  
assembly tests, 573  
tungsten rod irradiation, 762

## M

- Manganese, 262, 315, 704  
chromium-nickel-molybdenum-  
manganese steel, 457  
Martensite, 813  
transformation, 343, 825  
Martensitic steel, 674, 825  
chromium, 500  
ferritic-martensitic, 500, 535,  
546  
Master curve, 28, 79  
embrittlement  
characterization, 55

- fracture toughness transition  
behavior, 97  
VVER steel evaluation, 109  
Master Integrated Reactor Vessel  
Surveillance Program, 291  
Matrix damage, 247  
Mechanical energy, 813  
Mechanical strength, 786  
Micro-indentation test, 746  
Microscopy  
analytical electron, 189  
atom probe, 8, 262  
electron, patterns, 694  
field gun scanning transmission  
electron, 262  
transmission electron, 674  
Microstructure, 262, 356, 746, 825  
alteration, 588  
changes, 218, 457, 546  
characterization, 775  
deformation, 523  
evolution, 237, 262, 413, 674  
iron-copper model alloys,  
722  
modified stainless steel,  
443  
vanadium alloys, 736  
recovery, 546  
silicon carbide, 775, 786  
stability, silicon carbide  
composites, 786  
steel, 97  
Micro-Vickers hardness test, 736  
Models and modeling, 204, 799  
McLean's, 174  
modulus hardening, 8  
Zerilli-Armstrong  
constitutive, 97  
Modulus hardening model, 8  
Molecular dynamics, 204  
simulation, 799  
Molybdenum, 343, 775  
chromium-molybdenum  
steel, 644  
chromium-nickel-molybdenum-  
manganese steel, 457

## N

- Necking, 343  
Neutron dose rate, 8

Neutron fluence, 79  
Neutron scattering, small angle, 8, 383  
Nickel, 8, 262, 315, 383  
    alloys, 722  
    chromium-nickel, 487  
    chromium-nickel-titanium, 343  
    chromium-nickel-molybdenum-manganese steel, 457  
    enrichment, 427  
    iron-copper-nickel-phosphorus alloys, 247  
    nickel-based Alloy 718, 588, 631, 660  
    nickel-based structural alloys, 612  
    phase boundary, 704  
    submerged arc welds, 262  
    titanium-nickel, 825  
Nitrogen effect, 746  
Nondestructive evaluation, 315  
Nucleation, 704

**O**

Optical position sensitive atom probe experiments, 262  
Order-disorder transformation, 218  
Osiris reactor, 500

**P**

Particle flux, 631  
Particle type, 631  
Petten reactor, 328  
Phase diagram, 704  
Phase separation, 674  
Phosphorus, 383, 443  
    accumulation, 174  
    intergranular segregation, 189  
    segregation, 151  
Pitting, 573  
Plastic deformation, 343, 813  
Plasticity, 694  
Plastic zone width, 42  
Point defects, 204, 775, 799  
Polycrystalline silicon film, 836  
Polymer impregnation and pyrolysis methods, 786

Positron annihilation  
    lifetime spectrometry, 237  
    spectroscopy, 247, 736  
Positron lifetime, 247  
Power plant life management, 3  
Precipitate structures, 413  
Precision interferometric profilometry, 775  
Pressure tube, 846  
Pressurized tubes, 487, 557  
Profilometry, interferometric, 775  
Proton/neutron spectrum, 125

**R**

Reconstitution technology, 42  
Recovery, 722  
Reference temperature, 28, 55, 68, 79, 109  
Reflector duct, 469  
Reirradiation response rate, 302  
Resistivity, 315  
Russian VVER reactor, 109

**S**

Scattering, 8, 262, 383, 674  
Segregation  
    phosphorus, 151, 189, 356  
    radiation-induced, 174, 427  
Shape memory effects, 825  
Shutdown, reactor, 28  
Silicon, 262  
    carbide, 775, 799  
    carbide composites, 786  
    film, 836  
Slant fracture, 846  
Slip dislocations, 523  
Small angle neutron scattering, 8, 262, 383, 674  
Small specimen testing technology, 535  
Spallation, 573, 588, 612, 631  
    neutron effects, 660  
    neutrons, 762  
Spectrometry, 762  
    positron annihilation, 237  
Spectroscopy, electrical impedance, 631  
Spectroscopy, positron annihilation, 247, 736

## 878 EFFECTS OF RADIATION ON MATERIALS

- Steel, 28, 189, 218  
A302, 356  
A508, 356  
A533B, 79, 237, 315, 356  
austenitic, 694  
cold worked, 457, 469  
ferritic, 55, 79, 204  
ferritic-martensitic, 50, 535, 557  
low alloy, 8, 42  
martensitic, 674  
martensitic, chromium-rich, 500  
stainless, 401, 413, 427, 443  
stainless, AL2, 573  
stainless, annealed, 660  
stainless, austenitic, 125, 343, 401, 427, 487  
stainless, manganese containing, 704  
stainless, nickel containing, 704  
stainless, strip clad deposit, 328  
stainless, Type 304, 427  
stainless, Type 304L, 125, 588, 644  
stainless, Type 316, 413, 469  
stainless, Type 316L, 125, 588, 631, 644  
Strain rate, 343  
Strain, transient, 557  
Stress, 401  
dependence, linear, 557  
Structural integrity, 79  
Superlattice, 218, 588  
Surface activated joining method, 42  
Surveillance, 28, 79  
Master Integrated Reactor Vessel Surveillance Program, 291  
program, 97  
specimen, 42  
Swelling, 401, 413, 427, 457  
influences on, 775  
void, 443, 487
- T**
- Temperature cycle effects, 736  
Temperature gradient, 443  
Temperature influence, silicon carbide, 775  
Temper embrittlement, 356  
Tensile properties, 328, 469, 500, 644  
Tensile samples, 660  
Tensile specimens, 523  
Tensile testing, 644, 660  
Tension tests, 469, 660  
Terstoff potential, 799  
Thermal aging, 151, 189, 328, 356, 674  
Thermal anneal heat treatment, 151  
Thermal annealing, 218, 247, 356  
Thermal condition, end-of-life, 328  
Thermal creep, 557  
Threshold displacement energy, 799  
TIG welding, 535  
Titanium  
chromium-nickel-titanium, 343  
titanium-modified stainless steel, 443  
titanium-nickel alloys, 825  
Toughness transition predictions, 97  
Transformation, 825  
Transition behavior, 97  
Transition joints, welded, 573  
Transition range, 55  
Transition temperature, 109, 151, 302  
ductile-to-brittle, 189, 315  
shifts, 79  
Transmission electron microscopy, 189, 218, 694  
cross sectional, 775  
in situ observation, 836  
martensitic steel, 674  
microstructure examinations, 722  
phosphorus intergranular segregation, 189  
silicon carbide fiber reinforced composites, 786  
stainless steel, 413

titanium-nickel alloys,  
825  
vanadium alloys, 736  
TRIM code, 722  
Tungsten, 546, 762  
    source rods,  
        612  
    target, 644, 660  
Tyranno SA, 786

**U**

Ultimate strength, 660  
Upper shelf energy, 302

**V**

Vacancy clusters, 204  
Vanadium, 736, 746  
Void, 413, 523  
    formation, 443  
    swelling, 401, 487  
Volume change, 704  
VVER, 109, 383

**W**

Water quality, effect on  
    corrosion rate, 631  
Water radiolysis, 631  
Weld, 28, 151, 356, 535  
    copper, 302  
    inertia welded transition  
        joints, 573  
Linde 80, 291  
metal, 302  
metal, submerged arc, 8,  
    262, 291, 356

**Y**

Yield, 97  
    strength, 343, 660, 694  
    stress, 328, 644

**Z**

Zerilli-Armstrong constitutive  
    model, 97  
Zirconium phosphide, 846