

## INDEX

The word "water", if not qualified, stands for industrial water in this index. The word "deposits" stands for water-formed deposits.

## A

- Absorption 60
- Acidity, test for 95, 172
  - color change method 177
  - color comparison method 175
  - electrometric method 173
- Adsorption 60
- Aeration 48
- Albuminoid nitrogen 96
- Algae, effects on equipment 26
- Alkalinity, general 36
  - see acidity 95, 172
- Alum 59
- Aluminum, aluminon method for 89
  - aurintricarboxylic acid method for 89
  - test for, in deposits 124
  - in water 89, 178
- Aluminum oxide, test for 96, 125
- Ammonia in deposits 121
  - in water 83, 88, 182
- Ammonium molybdate method for silica 95
- Analysis program 99
  - of deposits, see Deposits
  - of Wastes—see Wastes, Industrial
  - of water, see Water
  - X-ray 113
- Anions 90-94
- Appearance properties, tests for 457
- Aquatic organisms, effects of 26
- Aurintricarboxylic acid method for aluminum 89

## B

- Bacteria, iron 18, 27, 188
  - attack on organic materials 17
  - concrete attacked by 20
  - in foodstuffs and medicinals 19
  - natural waters 26
  - tuberculation 23
  - sulfate-reducing 22, 197
- Barium in deposits, test for 125
  - in water, test for 86
- Basicity, see Alkalinity
- Beverage industry, uses of water in 9
- Bicarbonate, test for 83, 90
  - calculation of 208
- Bipyridyl method for iron 89
- Bisulfite, test for 85, 92

- Bio-assay method for toxicity of industrial wastes to fresh-water fishes 385
- Biological growths, control of 58
- Biological microscope, characteristics 108
  - diagram 106
  - photomicrograph 107
- Blowdown 48-50, 53
- Boilers and steam generating equipment 50
  - acid cleaning 54
  - caustic embrittlement in 20
  - feedwater, test for tannin in 96
  - foaming in 25
  - heat transfer loss due to scale 23
  - priming and carryover 50
  - steam separating equipment 50
- Brewing industry, contaminants in 19
- Bromide, test for 93, 286
- Brucine method for nitrate 93, 305

## C

- Calcium in deposits, test for 125
  - in water, test for 85, 204
- Calcium carbonate, scale formation 22
- Calculation of analysis results 99
- Carbon dioxide in deposits, test for 120, 121
  - in water, test for 83, 208
  - staining by 18
- Carbon in deposits, test for 120
- Carbonate, test for 83, 90, 208
- Cathodic protection 19, 61
- Cations 85-90
- Caustic embrittlement 20, 63
- Caustic soda 52, 56, 58
- Cavitation 21
- Chemical industry, uses of water in 7
- Chemical oxygen demand of industrial wastes 224
- Chlorides, general 36
  - test for 92, 228
- Chlorine, amperometric method for 84
  - for circulating water 59
  - for control of biological growths 58
  - removal of 57
  - requirements of water, and industrial waste, test for 233
  - residual, tests for 239, 245
  - use to remove other gases 57
- Chloroform-extractable matter 97, 254

Chromium, ceric sulfate method for 90  
diphenylcarbazide method for 90  
Clarity of water 82  
Classification of waters 34  
Coke industry, uses of water in 8  
Coagulation 59  
pH control of 59  
Color, causes of 36  
removal of 60  
Combining ions, order of 33  
Compression-distillation equipment 47  
Concrete, failure by bacterial action 20  
Conductivity, electrical, general 80  
method for 441  
Constituents of water 35  
Containers for sampling deposits 105  
water 76  
Cooling towers, acid treatment 54  
blowdown 49  
Copper in deposits, test for 124  
in water, test for 87, 99  
Corrosion, biological 63  
cathodic protection against 61  
costs 18, 19  
dry gases causing 18  
due to moisture 18  
effect of dissolved hydrogen on 85  
effects of 18  
electrochemical 81  
films resistant to 62  
inhibition of 20, 61  
theory of 19  
Corrosivity, NDHA method for 429  
USBM embrittlement method for 433  
Costs of corrosion 19  
treating for scale prevention 25  
Crystalline compounds in deposits 397

## D

Deaeration 48  
Definitions of terms 421  
Degasification, chemical 56  
physical 48  
Deionization 55  
Density currents 70  
Deposits, analysis of 37, 120, 397  
preparation of sample for 108–115  
examination of 105, 216  
formation of 39  
handling of 120  
identification of 114  
reporting data on 417  
sampling of 103, 158  
sources of 103  
test for aluminum in 124  
ammonia 121  
barium 125  
calcium 125  
carbon 120

carbon dioxide 120  
copper 124  
hydrogen sulfide 121  
ignition loss 120  
iron 124  
iron bacteria 188  
lead 124  
magnesium 125  
manganese 121  
nickel 125  
nitrogen oxides 121  
organic matter 120  
phosphorus 124  
potassium 121  
sodium 121  
sulfate 125  
sulfate-reducing bacteria 197  
sulfur 120  
tin 124  
titanium 121, 124  
zinc 125  
thickness of, inside boiler tubes 454  
Desilting basins 51  
Dichromate oxygen demand of industrial wastes 224  
Distillation 46  
compression 47  
Dissolved gases, see Gases  
solids, see Solids  
Dithio-oxamide method for copper 87  
Dithizone method for lead 87  
for zinc 87

## E

Electrolytic theory of corrosion 19  
Entrainment, removal of 50  
Equivalents per million 31  
Erosion, by steam and water 21  
Evaporators 46  
low pressure 46  
single-effect 46  
multiple-effect 47

## F

Ferric sulfate 59  
Ferrous sulfate 59  
Filter media, activated carbon 60  
anthracite 46  
diatomaceous earth 46  
precoat 46  
silica sand 46, 58  
Filtration 45  
Flame photometer method 347  
Flocculation 59  
Fluoride, test for 93, 265  
Foam suppressors 61  
Foaming in boilers 25  
Food industry, uses of water in 9

## G

- Galvanizing of steel 62
- Gases, dissolved 36, 83, 99
  - effect on conductivity 81
  - removal of, 48, 55
    - by activated carbon 60
    - calcium carbonate 57
    - chlorine 57
    - ion exchange 57
    - physical means 48
    - sodium sulfite 57
    - steel-wool filters 57
- Grains per gallon 31
- Graphitic corrosion 20
- Gravity separations 50

## H

- Hardness, average 34
  - calcium 52-56
  - magnesium 52-56
  - manganese 52-58
  - non-referee method for 402
  - iron 52-58
  - test for 85, 94, 273
  - varieties of 35
- Hematoxylin method for aluminum 89, 178
- Heat transfer loss due to bacteria 27
- Humidity, effect on bacterial action 17
- Hydrazine, test for 280
- Hydrogen, test for 85, 88
- Hydrogen-ion concentration, measurement of 447
- Hydrogen sulfide corrosion by 20
  - in deposits 121
  - in water 84
  - produced by bacteria 22
  - staining by 18
- Hydroponics 58, 59, 61
- Hydrosulfide, test for 92
- Hydroxide, test for 90, 284
  - non-referee method for 404

## I

- Inter crystalline cracking 63
- Iodide, test for 93, 286
- Iodide-iodate method for sulfur dioxide 85
- Iodimetric method for hydrogen sulfide 84
  - for sulfur dioxide 85
- Ion exchange 54-56
- Iron 35
  - bacteria, test for 188
    - growth conditions for 18, 27
    - ferric salts formed by 22
  - bipyridyl method for 89
  - cupferron method for 124
  - dye color changed by 19
  - in deposits 124
  - mercaptoacetic acid method for 89

- removal of, by ion exchange 58
  - oxidation 58
  - precipitation 53
- scale formation 22
- staining by 17-19
- test for 89, 99, 290

Iron oxide 96

## L

- Labeling samples 105
- Lead in deposits, test for 124
  - in water, test for 87, 99
- Leather industry, uses of water in 10
- Light-scattering 82
- Lignin in boiler feedwater, test for 96
- Lime 52, 56
- Lime-soda 52, 58

## M

- Magnesium anodes, corrosion prevention with 19
  - in deposits, test for 125
  - in water, test for 85, 204
- Magnesium pyrophosphate method for orthophosphate 91
- Manganese in deposits, test for 121
  - in water, test for 89, 297
  - removal by ion exchange 58
    - oxidation 58
    - precipitation 53
- Mercaptoacetic acid method for iron 89
- Microorganisms, control of 58
  - by chlorination 58
  - copper sulfate 58
  - organic compounds 58
  - ozonation 59
  - salts 58
  - identification of 300
- Microscope, biological 106-108
- Microscope, chemical 109-111
- Molybdenum blue method for orthophosphate 91
- Molybdenum method for silica 336, 339
- Molds, effects of 19

## N

- NDHA method for corrosivity 429
- Nephelometric method for sulfate 92
  - for zinc 86
- Nephelos number of industrial water 82
- Nesslerization method for ammonia 84
  - for nitrogen 96
- Nickel in deposits, test for 125
- Nitrate in water, brucine method for 93, 305
  - non-referee method for 405
  - phenoldisulfonic acid method for 93
  - reduction method for 94
- Nitrite, diazotization method for 94
  - test for 308

Nitrogen, organic, test for 96  
 Nitrogen oxides in deposits, test for 121

## O

Ocean water, substitute, specifications for 427  
 Odor in water 82  
     removal of 60  
     test for in industrial waste, 311  
 Oily matter, test for 97, 254, 315  
 Opacity of water 82  
 Optical properties, tests for 457  
 Organic matter, effect of conductivity 81  
     in deposits, test for 120  
     in water, test for 96  
 Organisms 107  
 Orthophenanthroline method for iron 89, 290  
 Orthophosphate, test for 91, 322, 408  
 Orthotolidine method for chlorine 85  
 Oxygen demand 96  
     of industrial wastes, test for 224  
     dissolved 20, 57  
         chemical removal 57  
         mechanical removal 48  
         scale due to 20  
         test for 83, 257  
 Ozone 58

## P

Paper industry, effects of contaminants on 19  
     uses of water in 9  
 Parts per million 31  
 Perchloric acid method for silica 95, 333  
 Periodate method for manganese 89  
 Permanganate method for calcium 85  
     for manganese 297  
 Peroxide method for titanium 121  
 Petrographic microscope 120  
 pH, colorimetric method for 95  
     electrometric method for 95, 331, 447  
     of flowing water 452  
     of waste water, test for 331  
 Phenoldisulfonic acid method for nitrate 93  
 Phosphate, ortho, acidimetric method for 91  
     in water, test for 322, 408  
 Phosphates 52, 56, 322, 408  
 Phosphorus in deposits, test for 124  
 Phosphovanadomolybdate method for ortho-  
     phosphate 91  
 Polyphosphates 56, 62  
     test for 91  
 Potassium ferrocyanide method for copper 87  
 Potassium in deposits, test for 121  
     in water, test for 88, 341, 347  
         chloroplatinate method 88  
         flame photometer method 88  
 Power generation 6  
 Precipitation treatment 51  
 Precision, definition of, 423  
 Probable combinations of ions 32-34

Protective films 62  
 Purity of distilled water 81  
     of steam 81

## R

Railroads, cost of boiler scale to 25  
     foaming in locomotives 26  
     scale in locomotives 23  
 Reagent water specifications for 165  
 Referee procedures 79  
 Results of analysis, method of reporting 99, 413,  
     417

## S

Sampling boiler water 96, 137  
     deposits 103, 119, 158  
     dissolved oxygen 83, 260  
     equipment 131  
     industrial water 140  
     nozzle 71  
     steam 71, 149  
 Scale 53, 60  
     acid treatment of 54  
     deposition and removal 22-24  
 Season cracking 20  
 Sequestration 56  
 Sewage, hydrogen sulfide in 84  
 Silica 35  
     ammonium molybdate method for 95  
     removal of 60  
         by ion exchange 55  
     tests for 333  
 Sludge deposition 22  
     formation and effects of 22-24  
 Soap method for hardness 273  
 Soda ash 52, 56  
 Sodium 35  
     aluminate 59  
     diethyldithiocarbamate method for copper  
         87  
     hydroxide, embrittlement by 20  
     in deposits, test for 121  
     in water, test for 88, 121, 341, 347  
 Softening 52-58  
 Solids, dissolved 46-50, 360  
     removal of 46  
     suspended 46, 48, 51, 360  
     test for 81, 360  
 Specific gravity, measurement of 80-82, 356  
 Spectroscope 114  
 Stannous chloride-molybdate test for phosphate  
     98  
 Starch-iodide method for chlorine 85  
 Staining 17, 27  
 Steam sampling 75, 149  
     cooling coil 72  
     degasser 74  
     equipment 131

generators, elimination of scale from 23  
 sludge in 24  
 nozzle 72  
 Steel mains, life of 24  
   industry, uses of water in 8  
 Sterilization 51  
 Strainers 51  
 Stress 63  
 Strontium, test for 86  
 Strontium chloride method for hydroxide 90  
 Sulfate 36  
   algal growth promoted by 26  
   benzidine method for 92  
   sensitivity of 98  
   in deposits, test for 125  
   in water, test for 374  
   nephelometric method for 92  
 Sulfate-reducing bacteria, test for 197  
 Sulfide in water, test for 92  
   in industrial waste 379  
 Sulfide method for lead 88  
 Sulfite in water, test for 85, 92, 383  
   non-referee method for 406  
 Sulfur in deposits, test for 120  
 Sulfur dioxide in water, test for 85  
 Surface tension 61

**T**

Tannin in water, test for 96  
 Taste in water 36  
   removal of 60  
 Terms, definitions of 421  
 Test procedures, choice of 79  
 Test program for industrial water 98  
 Tetrahydroxyquinone method for sulfate 86, 92  
 Textile industry, uses of water in 10  
 Thiazole yellow method for magnesium 86  
 Thickness test of internal deposits on boiler tubes 454  
 Thorium nitrate method for fluoride 265  
 Threshold treatment 60  
 Tin in deposits, test for 124  
 Titan yellow method for magnesium 86  
 Titanium in deposits, test for 121, 124  
   cupferron method for 125  
 Toxicity of industrial wastes to fresh-water fishes 385  
 Tuberculation 23  
 Turbidimeter, candle 82  
 Turbidimetric method for barium 86  
   for sulfate 92  
 Turbidity, definition of 36, 457  
   tests for 82, 457

## U

Ultra-violet fluorescence method for aluminum 89  
 Units: equivalents per million 31-33

grains per gallon 31  
 parts per million 31  
 USBM embrittlement test for corrosivity 433

## V

Valves, cavitation of 21  
   effect of water hammer on 22  
 Vent condenser 48

## W

Wastes, industrial, chemical oxygen demand of 224  
   chlorine requirements of 233  
   odor of, test for 311  
   oily matter content, test for 315  
   pH of, test for 331  
   reporting results of analysis 413  
   scheme for analysis 167  
   sulfide in, test for 379  
   suspended and dissolved matter in, test for 360  
   toxicity, evaluation of effect on fresh-water fishes 385  
 Water analysis, expression of results of 31-32  
   order of combining ions in 33  
   scheme for 167  
   as reactant 7  
   as solvent 7  
   balance, method of determining 11  
   characteristics 6, 11  
   chemical microscopy of 98, 300  
   color index of 82  
   for cooling 6  
   for fire protection 7  
   for reuse 12  
   for transferring energy 6  
   -formed deposits 39  
     characteristics of 119  
     iron bacteria in 188  
     sulfate-reducing bacteria in 197  
     chemical microscopy of 216  
   hammer 22  
   important in locating plants 5  
   industrial 5  
     analysis program 99  
   in chemical industry 7  
     coking industry 8  
     dialysis 8  
     food and beverage industry 9  
     leather industry 10  
     paper industry 9  
     power generation 6  
     steel industry 8  
     textile industry 10  
   limitations of 5, 11  
   optical properties of 457  
   pollution 12  
   reagent 165  
   sampling, at atmospheric pressure 67

elevated temperatures 73  
subatmospheric pressures 76  
superatmospheric pressures 70  
cooling coil 72  
equipment 76  
from boilers 137  
of ground water 71  
of open streams 69  
precautions 70  
sanitary 5  
sea 6  
special apparatus for testing 98  
substitute ocean 427

systematic analysis of 98  
waste water 167  
Wetting agents 61

**X**

X-ray diffraction 111  
analysis of deposits 120, 397

**Z**

Zeolites 54, 55, 58  
Zinc in deposits, test for 125  
in water, test for 86, 99  
Zinc uranyl acetate method for sodium 88  
Zirconium alizarin method for fluoride 269