

INDEX

A

Activation energy, 56, 145, 196, 206, 291, 318, 468, 537
 Aging, 67, 116, 167, 328, 468, 474, 512, 523, 530
 Aluminum, 63, 175, 181, 272, 326, 353
 Aluminum alloy 6061, 165
 Anneal, 39, 57, 64, 76, 78, 109, 119, 125, 138, 150, 165, 177, 209, 244, 281, 291, 366, 373, 383, 419, 438, 512, 533, 535
 Austenitic alloys, 122, 437, 451, 460, 473

B

Boron, 199, 448
 Bubbles, 141, 203, 319, 377, 394, 523
 Burst test, 415, 418

C

Carbon, 46, 63, 238, 242, 253, 294, 317, 328, 530
 Cavities, 141, 178, 377
 Chromium, 63, 375, 400, 403, 413
 Cladding, 122, 138, 228, 349, 360, 415, 416, 426, 438, 451, 470
 Clusters, 32, 40, 65, 76, 83, 142, 181, 188, 291, 413, 457, 531
 Cold working, 77, 109, 138, 165, 221, 235, 249, 287, 360, 382, 419, 425, 447, 463
 Columbium, 65, 138, 263, 426, 438, 509, 516
 Composition, effect of, 31, 46, 63, 71, 75, 78, 188, 353, 355, 375, 400, 413, 448, 470

Compression test, 81
 Computer analysis, 95, 290, 391, 474
 Copper, 63, 78, 160
 Cracks, 7, 17, 173, 354, 369, 394, 452, 464, 493
 Creep, 156, 178, 181, 275, 360, 368, 381, 383, 388, 391, 394, 437, 460, 473, 485, 491

D

Damage function, 92, 97, 337, 339, 341, 342, 344
 Defects, 119, 425
 Denuded zones, 231, 304, 324
 Diffusion, 55, 145, 187, 199, 274, 279, 300, 319
 Dilatometry, 200
 Dislocations, 58, 85, 111, 131, 138, 155, 170, 188, 203, 230, 261, 275, 304, 331, 360, 382, 410, 426, 433, 470, 509, 522, 529

DPA models

Half Nelson, 184
 Kinchin and Pease, 93, 102, 138, 245

Ductility, 162, 177, 181, 355, 361, 381, 383, 391, 395, 423, 433, 444, 457, 475, 491, 502, 506, 512, 528, 530

E

Electrical resistivity, 185, 530
 Embrittlement, 6, 31, 39, 61, 63, 76, 78, 92, 119, 346, 349, 354, 400, 449, 451, 460, 492, 506

F

Fatigue, 451, 473, 475, 485, 491, 493
 Fe-C-Mn alloys, 46
 Fe-Cr alloys, 63, 66
 Fe-Cu alloys, 63, 68
 Fe-Mo alloys, 63, 66
 Fe-Ni alloys, 63, 65
 Fracture
 Mode, 114, 159, 165, 173, 354,
 361, 369, 393
 Resistance, 17, 354
 Strength, 170
 Toughness, 7
 Fuel fabrication, 416

G

Grain boundaries, 83, 127, 167, 178,
 203, 231, 258, 304, 354, 371,
 394, 438, 469, 506, 509, 523

H

Hardening, 14, 39, 46, 63, 71, 75, 79,
 116, 172, 351, 396, 400, 429,
 496, 526, 530
 Dispersion, 353, 446
 Precipitation, 81, 165
 Work, 81, 181, 455, 514
 Hastelloy-X, 122
 Helium, 111, 119, 134, 176, 183, 185,
 216, 230, 243, 244, 245, 292,
 304, 332, 342, 349, 353, 377,
 394, 400, 448, 451, 506, 523
 Hydrogen, 134, 176, 183, 400, 416

I

Immersion density, 111, 122, 140,
 152, 166
 Impact testing, 53, 93
 Impurities, 75, 78, 85, 134, 183, 185,
 289, 290, 326, 392, 410, 530
 Incoloy 800, 123, 473
 Inconel 625, 123
 Inconel 600, 135

Indium, 181

Internal friction, 39, 64, 400, 407,
 530

Interstitials, 37, 39, 75, 89, 113, 134,
 181, 188, 232, 254, 261, 272,
 275, 319, 324, 360, 530

Iron, 40, 51, 76, 79, 85, 160, 290, 319

Irradiation

 Electron, 303, 430

 Ion, 134, 184, 187, 213, 228,
 236, 244, 259, 303, 317,
 326, 327

 Neutron, 6, 17, 31, 50, 64, 92,
 135, 147, 165, 184, 185,
 213, 228, 241, 311, 326,
 439, 451, 460, 473, 493,
 509, 529

L

Lithium, 448

Loops, 39, 75, 84, 113, 134, 155, 170,
 181, 187, 203, 230, 252, 258,
 274, 278, 306, 331, 425, 527,
 531

M

Manganese, 46

Microhardness, 50

Microscopy

 FIM, 77, 194

 Optical, 111, 369, 423, 469,
 523

 SEM, 150, 371

 TEM, 65, 76, 79, 84, 111, 122,
 140, 160, 167, 181, 187,
 200, 217, 229, 245, 258,
 304, 327, 330, 362, 373,
 400, 419, 425, 444, 469,
 511, 516, 531

Microstructure, 47, 109, 111, 131,
 166, 167, 181, 188, 232, 243,
 248, 259, 276, 360, 401, 437

Mild steels, 75

Molybdenum, 63, 160, 184, 263, 300,
375, 448

N

Nickel alloys, 225, 356

High nickel, 123, 131

Ni-Al alloys, 326 328

Nickel, 63, 123, 131, 160, 213, 225,
238, 241, 259, 263, 275, 292,
317, 324, 326, 327, 349, 353,
356

Nimonic alloys, 327, 330

Nitrogen, 32, 39, 63, 75, 187

O

Ordered structure, 193, 258, 262, 272,
292, 317

Oxygen, 75, 319, 400, 492, 530

P

Precipitates, 33, 67, 75, 111, 122,
138, 165, 169, 233, 252, 258,
259, 275, 308, 328, 355, 360,
382, 392, 412, 443, 468, 516

Performance, 337

Phosphorus, 41, 78

Point defects, 56, 65, 75, 239, 276,
304, 457, 530

Powder metallurgy, 351, 357

Pressure vessel, 17, 31, 39, 46, 63, 78,
102

Q

Quenching, 66, 75

R

Reactors

ATR, 81, 496

Big Rock PR, 97, 100, 102

BR2, 64, 437, 439, 471

CTR, 399

DFR, 137, 184, 317, 381, 510

OMTR, 510

EBR-II, 110, 122, 138, 149,

215, 228, 317, 337, 384,
409, 471, 474, 491, 496

ETR, 6, 338, 471

FFTF, 287

FR 2, 437, 447

FTR, 155, 360

GETR, 338

Herald R, 510

HFIR, 166

JH-1A Army PWR, 452

JRR-2, 64

K-East P, 97

LITR, 97

LMFBR, 109, 122, 149, 287,
303, 339, 360, 399, 473,
492

MTR, 181

San ONOFRE PR, 97

SNR, 471

VVR-S, 50

UCRR, 18, 81, 97

Yankee PR, 97, 99

Recovery, 40, 57, 65, 76, 366, 381,
463

S

Selenium, 259

Silicon, 63, 169, 181

Simulation, of neutron irradiation,
312

Slip, 117, 159, 433

Softening, 119

Stainless steels

304 SS, 123, 125, 138, 149,
213, 228, 230, 241, 253,
304, 343, 347, 361, 382,
392, 438, 473, 493

304L SS, 473

316 SS, 109, 119, 125, 138,
213, 221, 228, 234, 244,
247, 249, 304, 360, 381,
383, 438, 473, 485, 493

316L SS, 304

316 SS, 228

321 SS, 324

- 347 SS, 125, 130
 348 SS, 451
 405 SS, 109
 1.4970 SS, 460, 466
 1.4981 SS, 460, 469
 1.4988 SS, 137, 460, 463
 16Cr-13Ni-Cb, 460
 16Cr-16Ni-Cb, 460
 15Cr-15Ni-Ti-B, 460
 Boron containing, 199
 FV548, 509
 Ti modified, 134
 Strengthening, 6, 81, 512
 Stress rupture, 460
 Structural steels
 A212-B, 17
 A302-B, 17, 41, 79, 89, 92, 103
 A350-LF, 41
 A533-B, 5, 17
 A543-1, 17
 Low alloys, 31
 Swelling, 78, 109, 111, 115, 122, 140,
 149, 155, 199, 213, 217, 218,
 222, 228, 241, 247, 275, 308,
 327, 360, 399
- T
- Tantalum, 259, 263
 Tenelon, 356
 Tensile, 6, 52, 64, 114, 116, 149, 152,
 170, 300, 351, 361, 383, 385,
 394, 399, 409, 473, 475, 509
 Texture, 431
 Titanium, 63, 138, 400, 403, 448
 Transition temperature increase, DTT,
 6, 18, 31, 39, 61, 81, 92
 Transmutations, 168, 183
 Trapping, 66, 76, 79, 176, 239, 301,
 311, 413, 530
 Tubing, 133, 381, 415, 461
 Tungsten, 220, 448
 Twinning, 231, 431
- U
- Ultimate strength, 8, 73, 114, 157,
 475, 526
- V
- Vacancies, 40, 65, 76, 93, 134, 145,
 181, 188, 204, 237, 254, 261,
 272, 275, 290, 292, 319, 324
 Vanadium, 75, 399, 401, 403, 529
 Vanadium alloys, 399
 V-Ti alloys, 403
 V-Cr alloys, 403
 V-Cr-Ti alloys, 403
 Voids, 85, 111, 122, 137, 155, 167,
 181, 187, 190, 214, 220, 228,
 243, 244, 247, 249, 262, 272,
 274, 289, 293, 294, 303, 317,
 326, 360, 382, 400, 423, 460,
 472
- W
- Welding, 7, 79, 461, 496
- Y
- Yield strength, 8, 17, 43, 50, 67, 78,
 114, 119, 157, 176, 181, 409,
 427, 451, 475, 501, 505, 530
- Z
- Zircaloy, 415