

# Subject Index

## A

- AA 2024-T3, metastable pitting, 307
- Absorption, hydrogen, effect on
  - electrochemical potential noise, 375
- Acoustic emission, coupling with
  - electrochemical current noise, 361
- Alloy heat exchangers, corrosion resistance, 266
- Aluminum
  - corrosion, electrochemical noise, 142
  - exfoliation, electrochemical noise measurements, 398
  - metastable pitting, 307
- Aluminum-lithium alloy, exfoliation, 398
- ASTM G 34, 398
- ASTM standardization, electrochemical noise measurement, 446
- Atmospheric corrosion, 411

## B

- Bubble, hydrogen, electrode potential and electrolyte resistance, 375

## C

- Capacitance, role in corrosion potential during metastable pitting, 343
- Carbon steel
  - corrosion resistance, effects of zebra mussel attachment, 186
  - electrochemical noise measurements in high subcritical and supercritical aqueous environments, 247
  - nuclear waste tanks, 201
  - prerusted, characterization in Ibero-American atmospheres, 411
  - stress corrosion cracking, 214
- Chaotic analysis, 129
- Coatings, 3
  - electrochemical noise and impedance, 59
  - reproducibility of electrochemical noise data, 427
- CO—CO<sub>2</sub>—H<sub>2</sub>O systems, on-line monitoring, 214
- Concrete, reinforced, electrochemical noise and electrochemical impedance spectroscopy, 39
- Constituent particles, 307
- Cooling water systems, corrosion and fouling monitoring, 230

- Copper-depleted zones, metastable aluminum, 307

## Corrosion

- ASTM standardization of electrochemical noise measurement, 446
- electrochemical noise under hydrodynamic conditions, 387
- high subcritical and supercritical aqueous environments, 247
- hydrogen absorption effect on electrochemical potential noise, 375
- localized (*see* Localized corrosion)
- online evaluation, 173
- reproducibility of electrochemical noise data, 427
- uniform (*see* Uniform corrosion)
- Corrosion monitoring, 186
  - heat transfer in cooling water systems, 230
  - in-situ technique, 3
  - nuclear waste tanks, 201
  - steam generators, 288
- Corrosion rate measurement
  - electrochemical noise measurement, 79
  - solution resistance effects on electrochemical noise resistance, 93
- Corrosion resistance, effects of zebra mussel attachment, 186
- Coupling current, 186
  - metastable pitting in aluminum, 307
- Crevice corrosion
  - identification using artificial neural network, 157
  - steam generator materials, 288

## D

- Data analysis techniques, 114
- Degree of localization, 186
  - nuclear heat exchanger tubes, 266
  - steam generator materials, 288
- Depassivation, 142
- Diffusion, 387

## E

- Electric Power Research Institute, review of projects since 1984, 173
- Electrochemical current noise, 114, 186
  - coupling with acoustic emission, 361
  - metastable pitting in aluminum, 307
  - steam generator materials, 288

- Electrochemical current noise—*continued*  
 steel under hydrodynamic conditions, 387
- Electrochemical impedance spectroscopy, 142  
 comparison with electrochemical noise measurements, 39  
 exfoliation of aluminum alloys, 398  
 iron in chloride media, 59
- Electrochemical noise  
 analysis, iron in chloride media, 59  
 corrosion resistance, nuclear heat exchanger tubes, 266  
 identification using artificial neural network, 157  
 impedance, 3  
 in-situ technique, 3  
 metastable pitting, 307  
 reproducibility of data from coated metal systems, 427  
 spontaneous, 142  
 stainless steel in chloride solutions, 101  
 steel under hydrodynamic conditions, 387  
 use in investigating effects of zebra mussel attachment, 186
- Electrochemical noise measurement  
 ASTM standardization, 446  
 comparison of spectral and chaotic analysis, 129  
 comparison with impedance spectroscopy, 39  
 corrosion rate determination, 79  
 during exfoliation of aluminum alloys, 398  
 effect of metallurgical factors, 332  
 evaluation of steam generator materials, 288  
 nuclear waste tanks, 201  
 on-line monitoring, 214  
 potentiostatic, 114  
 prerusted steel, characterization in Ibero-American atmospheres, 411  
 simultaneous corrosion and fouling monitoring, 230  
 steels in high subcritical and supercritical aqueous environments, 247  
 stochastic behavior, 142
- Electrochemical noise resistance, solution resistance effects, 93
- Electrochemical potential noise, 79, 186  
 metastable pitting in aluminum, 307  
 nuclear heat exchanger tubes, 266  
 nuclear waste tanks, 201  
 steam generator materials, 288  
 steel under hydrodynamic conditions, 387
- Electrochemical tests, standardization, 446
- Electrolyte resistance, 375
- EXCO test, 398
- Exfoliation corrosion, electrochemical noise measurements  
 aluminum, 398  
 aluminum alloys, 398
- ## F
- Fast Fourier transform, comparison with spectral analysis using maximum entropy method, 114
- Forced convection, 387
- Fouling monitoring, heat transfer in cooling water systems, 230
- Fractal analysis, 129
- ## G
- Galvanostatic electrochemical noise measurement, 375
- ## H
- Heat exchangers, corrosion and fouling monitoring, 230
- Heat tint, 343
- Hydrogen, absorption effect on electrochemical potential noise, 375
- ## I
- Impedance, interfacial, 3
- Impedance spectroscopy  
 comparison with electrochemical noise measurements, 39  
 iron in chloride media, 59
- Inclusions, 332
- Inhibitor, 59  
 corrosion, 201
- Instrumentation, electrochemical noise, 173
- Intergranular corrosion  
 aluminum alloys, 398  
 nuclear heat exchanger tubes, 266
- Iron, in chloride media, electrochemical noise and impedance analysis, 59
- Iron electrode, hydrogen absorption effect on electrochemical potential noise, 375

## L

- Laboratory testing, standardization, 446
- Linear circuit model, 93
- Linear polarization resistance, 79
- Localized corrosion
  - heat exchangers, 230
  - in-situ measurement, 3
  - molybdenum implantation role, stainless steel, 114
  - particle impacts, 361

## M

- Manganese sulfide, effect on
  - electrochemical noise, 332
- Marine coatings, reproducibility of
  - electrochemical noise data, 427
- Mass loss measurements, 79
- Maximum entropy method
  - comparison with spectral analysis using fast Fourier transform, 114
  - metastable aluminum, 307
- Metallurgical factors, effect on
  - electrochemical noise, 332
- MICAT project, 411
- Microstructure, nuclear heat exchanger tubes, 266
- Molybdenum, implantation and localized corrosion on stainless steel, 114
- Monitoring, corrosion and fouling, 230
- Multilayer feedforward network, 157

## N

- Neural network, artificial, pitting and crevice corrosion, spectra identification, 157
- Nitrates, pitting induction, 201
- Noise resistance, 79
  - iron in chloride media, 59
  - metastable aluminum, 307
- Nuclear heat exchanger tubes
  - corrosion resistance, 266
- Nuclear power, steam generator materials, 288
- Nuclear waste tanks, electrochemical noise measurements, 201

## O

- Oil industry, stress corrosion cracking, on-line monitoring, 214
- On-line monitoring, stress corrosion cracking, 214

## Oxides, 411

## P

- Permeation, electrochemical, 375
- Pit stabilization factor, 307
- Pitting, 3
  - effect of metallurgical factors, 332
  - heat exchangers, 230
  - high subcritical and supercritical aqueous environments, 247
  - identification using artificial neural network, 157
  - metastable, 307, 332, 343
  - nuclear heat exchanger tubes, 266
  - nuclear waste tanks, 201
  - stainless steel, 101, 114, 343
- Polarization resistance
  - iron in chloride media, 59
  - stainless steel in chloride solutions, 101
- Polymer coatings, electrochemical noise and impedance, 59
- Potentiostatic electrochemical noise measurement, 114, 332
- Power spectral density, 114, 129
  - exfoliation of aluminum alloys, 398
  - metastable aluminum, 307
  - slurry erosion-corrosion studies, 361

## R

- Repassivation, 307
- Reproducibility, of data, 427
- Resistance noise, 186
  - steam generator materials, 288
- Rotating disk electrode, 387

## S

- Shot noise model, 93
- Slurry erosion-corrosion studies, coupling of acoustic emission and electrochemical current noise, 361
- Solution resistance, effects on electrochemical noise resistance, 93
- S' particles, 307
- Spectral analysis, 129
  - comparison of fast Fourier transform and maximum entropy method, 114
- Spectral noise resistance, iron in chloride media, 59
- Stainless steel
  - in chloride solution, metallurgical factor effect on electrochemical noise, 332

Stainless steel—*continued*

- in chloride solutions, electrochemical noise, 101
- corrosion identification using artificial neural network, 157
- corrosion resistance, effects of zebra mussel attachment, 186
- electrochemical noise measurements in high subcritical and supercritical aqueous environments, 247
- localized corrosion, molybdenum implantation role, 114
- nuclear waste tanks, 201
- pitting corrosion, 343

## Steam generators

- corrosion monitoring, 288
- corrosion resistance, 266

## Steel

- electrochemical noise under hydrodynamic conditions, 387 (*see also* Carbon steel)

## Stochastic behavior, electrochemical noise measurement, 142

## Stress corrosion cracking, 3

- high subcritical and supercritical aqueous environments, 247
- on-line monitoring, 214

## Sulfate-reducing bacteria, 186

## Sulfuric acid, 375

- slurry erosion-corrosion studies, 361
- Supercritical aqueous system, 247
- Surveillance instrumentation, corrosion, 173

**T**

## Technology demonstrations, 173

## Test standards, 446

## Time analysis, slurry erosion-corrosion studies, 361

## Titanium, effect on electrochemical noise, 332

## Twin-electrode probe, 343

**U**

## Underdeposit corrosion, 230

## heat exchangers, 266

## Uniform corrosion

## in-situ measurement, 3

## stainless steel in chloride solutions, 101

## UNS N 04400, 266

**Z**

## Zebra mussels, effects on corrosion resistance, 186