

Subject Index

A

- Abbreviations
 - occupational safety and health, labs, 673–674
 - specimen preparation, 221
- Abrasive cut-off machines, 36–43
 - design principles of wheel-work piece contact, 36–39
 - machine designs, 39–43
- Abrasive cut-off wheels, 32–36
 - consumable wheels, 32–34
 - slow consumable wheels, 34–36
- Abrasives, 18–19
 - aluminum oxide, 18
 - cubic boron nitride, 18
 - diamond, 18–19
 - polishing, 129–132
 - silicon carbide, 18
 - wet abrasive cutting, sectioning, 16–21
- Acrylics
 - occupational safety and health, labs, 668
 - specimen preparation, 436–439
- After preparation cleaning, 82–84
- Agency for Toxic Substance and Disease Registry (ATSDR), 683–684
- Alcohol-based grinding/polishing fluids, 97
- Alumina wet grinding paper, 105–106
- Aluminum
 - electrolytic polishing and etching, 464
 - specimen preparation, 352–356
- Aluminum alloys, 356–358
- Aluminum oxide
 - abrasive types, 18
 - grinding abrasives, 93
 - specimen preparation, 238–240
- American Conference of Government Industrial Hygienists (ACGIH), 683
- Analog cameras, automatic image analysis, 614–615
- Anodic etching, 172–173
- Anodized coatings, specimen preparation, 247–251
- Anodizing, etching, 173
- Antimony, specimen preparation, 361–364
- Arc of contact, metallographic/materialographic cutting operation, 31
- Archiving, 619
- Artifacts of electrolytic polishing, selection of preparation method, 7
- ASTM B 487, 576
- ASTM C 664, 576
- ASTM E 45, 570
- ASTM E 112, 571–573
- ASTM E 562, 569
- ASTM E 930, 573
- ASTM E 1077, 575
- ASTM E 1122, 570
- ASTM E 1181, 573
- ASTM E 1245, 570
- ASTM E 1268, 574
- ASTM E 1382, 573
- ASTM E 1578, 619
- ASTM E 2014, 668, 674
- ASTM E 2109, 574–575
- ASTM standards
 - cutting fluids, wet abrasive cutting, 29
 - hardness, 625
 - metallography, 188–193
- Atomic force microscope (AFM), 561
- Automatic grinding equipment, 119, 135
- Automatic image analysis, 577–617
 - analog cameras, 614–615
 - automatic measurements, 600–602
 - background correction, 586–588
 - banding degree, 608
 - brightness and contrast, 581–586
 - cameras, 614–615
 - compacted graphite, 613
 - computers, 614
 - contrast stretching, 588–589
 - depth measurements, 608–610
 - digital cameras, 615–616
 - digital imaging, 579, 602–613
 - digital imaging technology, 613–616
 - ductile cast iron, 611–613
 - grain size, 606–608
 - graphite in iron castings, 610–611
 - gray cast iron, 613
 - hardware, 613–616

- histogram, 581
- image acquisition, 579–580
- image calibration, 595–598
- image digitization, 580–581
- image measurement, 598–602
- image processing, 586–595
- implementation, 617–618
- inclusion rating, 603–606
- manual measurements, 599–600
- open source/public domain software, 617
- percent area, 602–603
- printers, 616
- sharpening, 593–595
- smoothing, 592–593
- software, 616–617
- thickness measurements, 608–610
- volume fraction, 602–603
- watershed filter, 590–592
- Automatic measurements, automatic image analysis, 600–602
- Automatic systems, polishing, 140–143
- Automation labs, 651–654
- Availability of NIOSH Registry of Toxic Effects of Chemical Substances, 681

B

- Background correction, automatic image analysis, 586–588
- Bacteria and fungi, cutting fluids, wet abrasive cutting, 28–29
- Bakelite bond, 20–21
- Banding, quantitative metallography/materialography, 574
- Banding degree, automatic image analysis, 608
- Bandsawing, 48–52
 - blades, 49–51
 - cutting fluids, 51
 - machines, 49–51
 - safety, 49
 - tips, 51–52
- Barium titanate, specimen preparation, 241
- Baumann hammer, 644
- Before preparation start cleaning, 82
- Beryllium, specimen preparation, 365–367

- Bias, quantitative metallography/materialography, 568–569
- Blades, bandsawing, 49–51
- Bond materials
 - cut-off wheel, 20–21
 - wet abrasive cutting, sectioning, 16–21
- Bones, specimen preparation, 427–430
- Boron carbide
 - grinding abrasives, 97
 - specimen preparation, 227–232
- Brass, specimen preparation, 376–380
- Brightness and contrast, automatic image analysis, 581–586
- Brinell hardness testing, 626–628
- British Standards Institution, 684
- Brittle materials, grinding, 92–93
- Bronze
 - electrolytic polishing and etching, 467
 - specimen preparation, 376–380
- Building labs, 649, 650–663

C

- Calcium oxide, specimen preparation, 241
- Calibration, quantitative metallography/materialography, 568
- Cameras, automatic image analysis, 614–615
- Capacitors, specimen preparation, 298–300
- Carbonitrided steels, specimen preparation, 339–342
- Cement clinker, specimen preparation, 346–349
- Cemented carbides, 187
- Ceramic capacitors, specimen preparation, 281–284
- Ceramic layers, specimen preparation, 268–270
- Ceramic resistors, specimen preparation, 281–284
- Ceramics
 - deformation, grinding, 92–93
 - specimen material, 182
 - specimen preparation, 232–235

- Cerium oxide, specimen preparation, 241
- Chemical disposals, occupational safety and health, labs, 672–673
- Chemical etching, 172
- Chemical mechanical polishing (CMP), 7, 151–152
- Chemical microetching, examination purpose, 194–217
- Chemical polishing, 7
 - electrolytic polishing/etching, 168
- Chips, sliding, plowing, grinding mechanics, 22
- Chromium
 - electrolytic polishing and etching, 464–465
 - specimen preparation, 367–370
- Chromium carbide, specimen preparation, 232–235
- Chromium oxide, specimen preparation, 238–240
- Circular sawing, 48
- Clamping, thermal damage, wet abrasive cutting, 24–25
- Classical etching, 172
- Classification of materials, specimen material, 181
- Cleaning, 82–84
 - after preparation, 82–84
 - drying, 83
 - ethanol, 83
 - grinding disks, 84
 - hand, 82–83
 - polishing cloths, 84
 - before preparation start, 82
 - rubbing effect, 83
 - ultrasonic, 83
 - ultrasonic apparatuses, 83
- Cleanliness, 84
- Cloths, polishing, 124–129
- Coatings, specimen material, 182–183
- Cobalt
 - electrolytic polishing and etching, 465–466
 - specimen preparation, 370–373
- Cobalt-based super alloys, specimen preparation, 373–376
- Cold mounting resins, occupational safety and health, labs, 667
- Color etching, 172
- Color ratings system, occupational safety and health, labs, 669
- Compacted graphite, automatic image analysis, 613
- Comparison procedure, quantitative metallography/materialography, 571–572
- Composites
 - specimen material, 183
 - specimen preparation, 276–281
- Compressed air, cleaning, 83
- Computers, automatic image analysis, 614
- Concrete, specimen preparation, 346–349
- Confocal laser scan microscope, 552–555
- Consumable abrasive cut-off wheels
 - storing, 33–34
 - wheel dimensions, 33
 - wheel velocity, 32–33
- Consumables, specimen preparation, 221
- Contemporary grinding, 106–117
 - diamond film, 109
 - diamond pads, 109
 - fine grinding cloths, 116
 - magnetic fixation, 106–107
 - metal-bonded diamond-coated disks, 109
 - resin-bonded diamond grinding disks, 107–108
 - resin-bonded SiC grinding disks, 108
 - rigid composite disks, 109–116
- Contrast stretching, automatic image analysis, 588–589
- Cooling, cutting fluids, 26
- Cooling system, cutting fluids, wet abrasive cutting, 27–28
- Copper
 - electrolytic polishing and etching, 466
 - specimen preparation, 376–380
- Copper-bearing alloys, specimen preparation, 380–383
- Cubic boron nitride, abrasive types, 18

Cubic boron nitride (CBN), grinding abrasives, 97

Cut-off grinding process, wet abrasive cutting, sectioning, 15–16

Cut-off wheel

- abrasive types, 18–19
- bond material, 20–21
- grade, 20
- grain size, 19–20
- rpm, 30
- selection, 44–45
- specifications, 16–18
- structure, 20
- truing and dressing, 26
- wear, 25–26
- wet abrasive cutting, sectioning, 16–21

Cutting fluids, 26–29

- ASTM standards, 29
- bacteria and fungi, 28–29
- bandsawing, 51
- cooling system, 27–28
- grinding fluid application, 27
- grinding fluid concentration, 28
- grinding fluid disposal, 29
- health and safety aspects, 29
- lubrication and cooling, 26
- synthetic grinding fluids-oil-based, 26–27
- water quality, 28

CVD coatings, specimen preparation, 247–251

D

Dangers, occupational safety and health, labs, 664

Dark-field illumination (DF), etching, 169

Decarburization, quantitative metallography/materialography, 575–576

Deformation, 89–93

- brittle materials, 92–93
- ceramics, 92–93
- grinding, 86
- metals, 89–92
- polishing, 122–124

Depth measurements, automatic image analysis, 608–610

Design principles of wheel-work piece contact

- abrasive cut-off machines, 36–39
- direct cutting, 36
- oscillating cutting, 36–37
- rotating work piece, 39
- step cutting, 38–39

Diamond products

- abrasive types, 18–19
- film, 109
- fixed grains, 95
- grinding abrasives, 94–96
- loose grains, 95–96
- monocrystalline, 94
- pads, 109
- pastes, 96
- polycrystalline, 94
- sprays, 96
- suspensions, 96

Differential interference contrast (DIC), etching, 169

Diffusion coatings, specimen preparation, 251–254

Digital cameras, automatic image analysis, 615–616

Digital image management, 619

Digital imaging, automatic image analysis, 579, 602–613

Digital imaging technology, automatic image analysis, 613–616

Diodes, specimen preparation, 281–284

Direct cutting, design principles of wheel-work piece contact, 36

Documentation, optical reflected light microscope, 550–552

Drying, cleaning, 83

Ductile cast iron, automatic image analysis, 611–613

Dust, occupational safety and health, labs, 667

Dynamic hardness testing procedures, 644–645

E

Economy, grinding, traditional, 105

Edge retention, grinding, traditional, 103–105

- Education, labs, 651
- Electric discharge machining (EDM), sectioning by melting, 46
- Electrolytes, polishing/etching, 163–164
- Electrolytic polishing and etching, 172–173, 453–475
 - aluminum, 464
 - bronze, 467
 - chromium, 464–465
 - cobalt, 465–466
 - copper, 466
 - gray cast iron, 459
 - hard metals, 474–475
 - heat treated steels, 459–460
 - high carbon steels, 457
 - high-speed steels, 462–463
 - iron, 462
 - lead, 467–468
 - low-alloyed tool steels, 463
 - low carbon steels, 457–458
 - magnesium, 468–469
 - nickel, 469
 - silver, 469–470
 - stainless steels, 460–461
 - super alloys, 461
 - tin, 470–471
 - titanium, 471
 - tungsten, 472
 - vanadium, 472–473
 - zinc, 473
 - zirconium, 474
- Electrolytic polishing/etching, 156–168
 - chemical polishing, 168
 - electrolytes, 163–164
 - electrolytic thinning for transmission electron microscope (TEM), 167–168
 - electropolishing in practice, 164–165
 - equipment, 165–166
 - field metallography, 166–167
 - nondestructive electropolishing, 166–167
 - occupational safety and health, labs, 665
 - process, 156–163
- Electrolytic polishing etching, artifacts, 7
- Electrolytic thinning for transmission electron microscope (TEM), 167–168
- Electrolytically deposited coatings, 251–254
- Electron backscatter diffraction (EBSD), 559–560
 - polishing, 149–150
- Electron microscopy, 558–561
 - atomic force microscope (AFM), 561
 - electron backscatter diffraction (EBSD), 559–560
 - electron probe microanalyzer (EPMA), 560
 - energy dispersive spectroscopy (EDS), 559
 - focused ion beam (FIB), 560
 - magnetic force microscopy (MFM), 561
 - scanning electron microscope (SEM), 558–559
 - scanning probe microscopes (SPM), 560–561
 - scanning transmission electron microscope (STEM), 558
 - transmission electron microscope (TEM), 558
- Electron probe microanalyzer (EPMA), 560
- Electropolishing in practice, 164–165
- Energy dispersive spectroscopy (EDS), 559
- Engraving, marking, 80
- Environment, grinding, traditional, 105
- Environmental Protection Agency (EPA), 683
- EPDM polymers, 430–436
- Epoxy, occupational safety and health, labs, 667
- Equipment
 - electrolytic polishing/etching, 165–166
 - labs, 656–660
- Equotip tester, 645
- Etchant names, examination purpose, 217
- Etching, 169–176
 - anodic, 172–173
 - anodizing, 173
 - chemical, 172

classical, 172
 color, 172
 dark-field illumination (DF), 169
 differential interference contrast (DIC), 169
 electrolytic, 172–173
 examination purpose, 194
 fluorescence, 170
 grain boundary etching, 171
 grain contrast etching, 170–171
 heat tinting, 172
 ion, 173–174
 macroetching, 174–175
 microetching, 169
 microscope techniques, 169–170
 occupational safety and health, labs, 665–666
 physical, 173–174
 polarized light (POL), 169–170
 potentiostatic, 173
 precipitation, 172
 preparation process, 13
 reactive sputtering, 174
 relief polishing, 173
 reproducibility, 171–172
 sputtering, 174
 thermal, 174
 vapor deposition, 174
 Ethanol, cleaning, 83
 European Union (EU), occupational safety and health, labs, 669–670, 684
 Examination purpose, 179, 188
 ASTM standards, 188–217
 chemical microetching, 194–217
 etchant names, 217
 etching practice, 194
 Eyepieces, optical reflected light microscope, 535–536

F

Failure analysis, labs, 651
 Feed speed, metallographic/materialographic cutting operation, 30–31
 Ferrous metals, specimen material, 183–184
 Field metallography

electrolytic polishing/etching, 166–167
 polishing, 150–151
 Field metallography/materialography, specimen preparation, 475–476
 Field selection, quantitative metallography/materialography, 568–569
 Fine grinding, 86, 119
 Fine grinding cloths, 116
 Fixed grains, diamond products, 95
 Flammable and Combustible Liquids, 680
 Flammable liquids, occupational safety and health, labs, 667
 Fluorescence, etching, 170
 Focused ion beam (FIB), 560
 Force
 material removal, grinding, 89
 metallographic/materialographic cutting operation, 30
 Fracturing, sectioning, 45
 Free cutting, 31–32
 automatics, 32
 hand, 32

G

Galvanization, specimen preparation, 251–254
 General Description and Discussion of the Levels of Protection and Protective Gear, 680–681
 General studies or routine work, 14
 General use, machine designs, abrasive cut-off, 40–41
 Generic methods, specimen preparation, 219
 Germanium, specimen preparation, 288–291
 Glasses, specimen preparation, 244–247
 Gold, specimen preparation, 384–387
 Grades
 cut-off wheel, 20
 hard, 20
 soft, 20
 Grain boundary etching, 171
 Grain contrast etching, 170–171

Grain penetration, material removal, grinding, 89

Grain shape, material removal, grinding, 88

Grain size
 automatic image analysis, 606–608
 cut-off wheel, 19–20
 quantitative metallography/materialography, 571–573

Graphite in iron castings, automatic image analysis, 610–611

Gray cast iron
 automatic image analysis, 613
 electrolytic polishing and etching, 459
 specimen preparation, 315–318

Grinding, 85–86
 chips, sliding, plowing, 22
 contemporary, 106–117
 deformation, 86, 89–93
 fine, 86
 material removal, 86–89
 plane, 85
 traditional, 99–106
 wet abrasive cutting, sectioning, 21–22

Grinding, traditional, 99–106
 alumina wet grinding paper, 105–106
 economy, 105
 edge retention, 103–105
 environment, 105
 relief, 103–105
 SiC wet grinding paper, 100–105
 stones/disks, 99–100
 zirconia alumina wet grinding paper, 105–106

Grinding abrasives, 93–97
 aluminum oxide, 93
 boron carbide, 97
 cubic boron nitride (CBN), 97
 diamond, 94–96
 silicon carbide, 93

Grinding disks cleaning, 84

Grinding fluid
 application, 27
 concentration, 28
 disposal, 29

Grinding/polishing equipment, 117–119
 automatic grinding, 119
 fine grinding, 119
 manual grinding, 117–119
 plane grinding, 117–119

Grinding/polishing fluids, 89, 97–99
 alcohol-based, 97
 oil-based, 98–99
 water-based, 97
 water-oil based, 98

Grit number, 19

H

Hacksawing, 48

Hand cleaning, 82–83

Hard grade, 20

Hard metals, electrolytic polishing and etching, 474–475

Hardness, 623–625
 ASTM standards, 625
 indentation, 623–624
 testing special methods, 646

Hardness values
 conversion, 642–643
 precision, 642

Hardware, automatic image analysis, 613–616

Hazard Communication Standard (HCS), OSHA standard, 674–679

Health and safety aspects, cutting fluids, 29

Heat tinting, etching, 172

Heat treated steels, electrolytic polishing and etching, 459–460

High-alloy steels, specimen preparation, 325–328

High carbon steels
 electrolytic polishing and etching, 457
 specimen preparation, 307–311

High-speed steels
 electrolytic polishing and etching, 462–463
 specimen preparation, 343–346

Histogram, automatic image analysis, 581

HMIS, occupational safety and health, labs, 670

Hot dip zinc coatings, specimen preparation, 254–257
 Human eye, light microscopy, 526–527
 Hydroxyapatite (HA) coating, specimen preparation, 223–226

I

Identification tag marking, 80
 Illumination, optical reflected light microscope, 536–537
 Image
 acquisition, 579–580
 calibration, 595–598
 digitization, 580–581
 measurement, automatic image analysis, 598–602
 processing, automatic image analysis, 586–595
 Implementation, automatic image analysis, 617–618
 Inclusion rating
 automatic image analysis, 603–606
 quantitative metallography/materialography, 570
 Indentation hardness, 623–624
 Instrumented indentation testing, 641–642
 Integrated circuits, specimen preparation, 301–305
 Intercept procedure, quantitative metallography/materialography, 572–573
 International Chemical Safety Cards, 682–683
 Ion etching, 173–174
 Iron, electrolytic polishing and etching, 462

J

Job Safety Analysis (JSA), 670–672

K

Knoop hardness testing, 633–634

L

Laboratory information management systems (LIMS), 619
 Labs, 649
 automation, 651–654
 building, 649, 650–663
 education, 651
 equipment, 656–660
 failure analysis, 651
 layout, 660–662
 maintenance, 662–663
 occupational safety and health, 649, 664–684
 planning, 654–656
 purpose, 650
 quality control, 650
 rationalization, 651–654
 research, 651
 running, 649
 testing and inspection labs, 651
 Laser torching, sectioning by melting, 46
 Layout, labs, 660–662
 Lead
 electrolytic polishing and etching, 467–468
 specimen preparation, 387–391
 Light microscopy, 525–527
 human eye, 526–527
 magnification, 527
 magnifying lens and microscope, 527
 visible light, 525–526
 List of Highly Hazardous Chemicals, Toxics and Reactives, OSHA standards, 680
 Literature, occupational safety and health, labs, 684–686
 Loose grains, diamond products, 95–96
 Low-alloy steels, specimen preparation, 336–339
 Low-alloyed steels, electrolytic polishing and etching, 463
 Low carbon steels
 electrolytic polishing and etching, 457–458
 specimen preparation, 311–314
 Lubricants, 97–99

cutting fluids, 26

M

- Machine designs, 39–43
 - general use, 40–41
 - polishing, 135–139
 - precision, 41–43
- Machines, bandsawing, 49–51
- Macroetching, 174–175
- Magnesium
 - electrolytic polishing and etching, 468–469
 - specimen preparation, 391–394
- Magnesium oxide, specimen preparation, 241
- Magnetic fixation, contemporary grinding, 106–107
- Magnetic force microscopy (MFM), 561
- Magnification, light microscopy, 527
- Magnifying lens and microscope, 527
- Maintenance, labs, 662–663, 673
- Malleable cast iron, specimen preparation, 315–318
- Manganese, specimen preparation, 395–397
- Manual grinding equipment, 117–119, 135
- Manual measurements, automatic image analysis, 599–600
- Marking, 80
 - engraving, 80
 - identification tag, 80
 - stamping, 80
 - with waterproof ink, 80
- Martens scratch hardness, 646
- Material exam, 179
- Material removal, 86–89
 - force on specimens, 89
 - grain penetration, 89
 - grain shape, 88
 - grinding, 86
 - grinding/polishing fluids, 89
 - polishing, 120–122
 - rake angle, 87–88
- Material Safety Data Sheet (MSDS), occupational safety and health, labs, 670–672
- Materialographic specimen, 7–9
 - specimen or sample, 8–9
- Materialography, 3
- Mechanical damage, wet abrasive cutting, 22–23
 - unplane surface, 23
 - waviness, 23
- Mechanical polishing artifacts, selection of preparation method, 7
- Mechanical preparation, occupational safety and health, labs, 665
- Mechanical surface preparation. *see* grinding
- Medium carbon steels, specimen preparation, 307–311
- Metal-bonded diamond-coated disks, contemporary grinding, 109
- Metallographic/materialographic cutting operation
 - arc of contact, 31
 - cut-off wheel rpm, 30
 - feed speed, 30–31
 - force, 30
 - free cutting, 31–32
 - power, 31
 - wet abrasive cutting, sectioning, 29–32
 - wheel velocity, 30
- Metallographic/materialographic preparation, 5–6
- Metallography, 3
- Metals, deformation, grinding, 89–92
- Microelectronic material, specimen preparation, 291–293
- Microelectronic materials, polishing, 143–147
- Microelectronic packages
 - polishing, 147–149
 - specimen preparation, 295–298, 301–305
- Microetching, 169
- Microindentation hardness, 636–639
- Microscopes
 - options, 537–538
 - techniques, etching, 169–170
- Microtomy, polishing, 155
- Mineralogical materials, specimen material, 184
- Minerals, ores, specimen preparation, 349–352

Mohs scratch hardness, 646
 Molybdenum, specimen preparation, 398–401
 Monocrystalline, diamond products, 94
 Mounting
 occupational safety and health, labs, 664–665
 preparation process, 11

N

National Fire Protection Association (NFPA), 684
 National Paint and Coatings Association, 684
 National Technical Information Service (NTIS), 683
 National Toxicology Program (NTP), 683
 NFPA 704 Hazard Identification Ratings System, 668–669
 Nickel
 electrolytic polishing and etching, 469
 specimen preparation, 402–405
 NIOSH standards, 681–682
 Nodular cast iron, specimen preparation, 319–321
 Nondestructive electropolishing, electrolytic polishing/etching, 166–167
 Nonferrous metals, specimen material, 184–186

O

Occupational Exposure to Hazardous Chemicals in Laboratories, 679–680
 Occupational Safety and Health Administration (OSHA) standards
 Availability of NIOSH Registry of Toxic Effects of Chemical Substances, 681
 Flammable and Combustible Liquids, 680
 General Description and Discussion of the Levels of Protection and Protective Gear, 680–681
 Hazard Communication Standard (HCS), 674–679
 List of Highly Hazardous Chemicals, Toxics and Reactives, 680
 Occupational Exposure to Hazardous Chemicals in Laboratories, 679–680
 Occupational safety and health labs, 649, 664–684
 abbreviations, 673–674
 acrylics, 668
 Agency for Toxic Substance and Disease Registry (ATSDR), 683–684
 American Conference of Government Industrial Hygienists (ACGIH), 683
 ASTM E 2014, 668, 674
 British Standards Institution, 684
 chemical disposals, 672–673
 cold mounting resins, 667
 color ratings system, 669
 dangers, 664
 dust, 667
 electrolytic polishing/etching, 665
 Environmental Protection Agency (EPA), 683
 epoxy, 667
 etching, 665–666
 EU system, 669–670
 European Union (EU), 684
 flammable liquids, 667
 HMIS, 670
 International Chemical Safety Cards, 682–683
 Job Safety Analysis (JSA), 670–672
 literature, 684–686
 maintenance and service, 673
 Material Safety Data Sheet (MSDS), 670–672
 mechanical preparation, 665
 mounting, 664–665
 National Fire Protection Association (NFPA), 684
 National Paint and Coatings Association, 684

National Technical Information Service (NTIS), 683
 National Toxicology Program (NTP), 683
 NFPA 704 Hazard Identification Ratings System, 668–669
 NIOSH standards, 681–682
 OSHA standards, 674–681
 polyesters, 668
 risk phrases, 670
 safety information, 668–672
 sectioning, 664
 Standard Operating Procedure (SOP), 670–672
 standards, 673
 toxic substances, 666
 training, 673
 Oil-based grinding/polishing fluids, 98–99
 Open source/public domain software, image analysis, 617
 Optical examination methods, reflected light microscope, 540–546
 Optical fibers, specimen preparation, 244–247
 Optical reflected light microscope, 528–555
 confocal laser scan microscope, 552–555
 documentation, 550–552
 eyepieces, 535–536
 illumination, 536–537
 microscope options, 537–538
 optical examination methods, 540–546
 path of light rays, 528
 practical use of microscope, 546–550
 reflected-light microscope, 538–540
 stereo microscopy, 555–557
 Ores, specimen preparation, 349–352
 Organic materials, specimen material, 186–187
 Oscillating cutting, design principles of wheel-work piece contact, 36–37
 Oxyacetylene torching, 46

P

Paint layers, specimen preparation, 257–260
 Palladium, specimen preparation, 406–409
 Parameters, specimen preparation, 220–221
 Pastes, diamond products, 96
 Path of light rays, optical reflected light microscope, 528
 PCB coupon, specimen preparation, 305–307
 Percent area, automatic image analysis, 602–603
 Phenolic bond, 20–21
 Physical etching, 173–174
 Pitting, 9
 Plane grinding, 85, 117–119
 Planimetric procedure, quantitative metallography/materialography, 572
 Planning, labs, 654–656
 Plasma spray coatings, specimen preparation, 265–267, 270–273
 Plasma torching, sectioning by melting, 46
 Plated coatings, specimen preparation, 251–254
 Point count, quantitative metallography/materialography, 569
 Polarized light (POL), etching, 169–170
 Poldi impact hardness tester, 644
 Polishing, 120–155
 abrasives, 129–132
 automatic grinding/polishing equipment, 135
 automatic systems, 140–143
 chemical mechanical polishing (CMP), 151–152
 cloths, 84, 124–129
 deformation, 122–124
 dynamics, 139–140
 electron backscatter diffraction (EBSD), 149–150
 field metallography, 150–151
 machine design, 135–139
 manual grinding/polishing equipment, 135
 material removal, 120–122

microelectronic materials, 143–147
 microelectronic packages, 147–149
 microtomy, 155
 polishing dynamics, 139–140
 preparation methods, 132–134
 printed circuit boards (PCB), 143
 rough, 120
 semiautomatic systems, 140–143
 thin sections, 152–154
 ultramilling, 155
 Polycrystalline diamond products, 94
 Polyesters, occupational safety and health, labs, 668
 Polymers, specimen material, 187
 Porosity in thermal spray coatings, 574–575
 Potentiostatic etching, 173
 Powder metals
 specimen material, 187
 specimen preparation, 439–443
 Power, metallographic/
 materialographic cutting
 operation, 31
 Power hacksawing, 48
 Practical use of microscope, 546–550
 Precipitation etching, 172
 Precision
 cut-off, slow consumable wheels, 35
 machine designs, abrasive, 41–43
 Preparation methods
 polishing, 132–134
 selection of preparation
 method, 7
 Preparation process, 9–13
 etching, 13
 mounting, 11
 sectioning, 10–11
 surface preparation, 11–13
 Preservation, 81
 Printed circuit boards (PCB),
 polishing, 143
 Printers, automatic image analysis, 616
 Process, electrolytic polishing/etching,
 156–163
 Punching, shearing, 47

Purpose, labs, 650
 PVD coatings, specimen preparation,
 247–251

Q

Quality control labs, 650
 Quantitative metallography/
 materialography, 565–576
 ASTM B 487, 576
 ASTM C 664, 576
 ASTM E 45, 570
 ASTM E 112, 571–573
 ASTM E 562, 569
 ASTM E 930, 573
 ASTM E 1077, 575
 ASTM E 1122, 570
 ASTM E 1181, 573
 ASTM E 1245, 570
 ASTM E 1268, 574
 ASTM E 1382, 573
 ASTM E 2109, 574–575
 banding, 574
 bias, 568–569
 calibration, 568
 comparison procedure, 571–572
 decarburization, 575–576
 field selection, 568–569
 grain size, 571–573
 inclusion rating, 570
 intercept procedure, 572–573
 other standards, 576
 planimetric procedure, 572
 point count, 569
 porosity in thermal spray
 coatings, 574–575
 specimen preparation, 567–568
 stereology, 565–567
 volume fraction, 569

R

Rake angle, material removal,
 grinding, 87–88
 Rationalization, labs, 651–654
 Reactive sputtering, etching, 174
 Reflected-light microscope, 538–540
 Relief

grinding, 103–105
 polishing, 173
 Reporting locations, 15
 Reproducibility, etching, 171–172
 Research labs, 651
 Research studies, 14
 Resin-bonded diamond grinding disks,
 107–108
 Resin-bonded SiC grinding disks, 108
 Resistors, specimen preparation,
 293–295
 Rigid composite disks, grinding,
 109–116
 Risk phrases, occupational safety
 and health, labs, 670
 Rockwell hardness testing, 634–636
 Rotating work piece, 39
 Rough polishing, 120
 Rubber bonds, 21
 Rubbing effect, cleaning, 83
 Running labs, 649

S

Safety
 bandsawing, 49
 occupational safety and health,
 labs, 668–672
 Sample, materialographic specimen,
 8–9
 Sawing
 bandsawing, 48–52
 circular sawing, 48
 hacksawing, 48
 power hacksawing, 48
 sectioning, 47–52
 Scanning electron microscope (SEM),
 558–559
 Scanning probe microscopes (SPM),
 558–561, 560–561
 Scanning transmission electron
 microscope (STEM), 558
 Scleroscope, 645
 Section type, selection, sectioning,
 14–15
 Sectioning, 14–53, 15
 abrasive cut-off machines, 36–43
 abrasive cut-off wheels, 32–36
 fracturing, 45
 occupational safety and health,
 labs, 664
 other methods, 45–53
 preparation process, 10–11
 sawing, 47–52
 sectioning by melting, 46
 selection, 14–15
 shearing, 46–47
 wet abrasive cutting, 15–32
 wet abrasive cutting tips, 43–45
 wire cutting, 52–53
 Sectioning by melting, 46
 electric discharge machining
 (EDM), 46
 laser torching, 46
 oxyacetylene torching, 46
 plasma torching, 46
 Selection, sectioning, 14–15
 general studies or routine
 work, 14
 reporting locations, 15
 research studies, 14
 section type, 14–15
 study of failures, 14
 Selection of preparation method, 6–7
 artifacts of electrolytic
 polishing, 7
 artifacts of mechanical
 polishing, 7
 preparation methods, 7
 Semiautomatic systems, polishing,
 140–143
 Semiconductors, specimen
 preparation, 288–291
 Sharpening, automatic image analysis,
 593–595
 Shearing
 punching, 47
 sectioning, 46–47
 Si wafers, specimen preparation,
 288–291
 SiC fibers in Ti matrix, specimen
 preparation, 273–276
 SiC wet grinding paper, 100–105
 Silicon, specimen preparation, 288–291
 Silicon carbide
 abrasive types, 18
 grinding abrasives, 93

- Silicon nitride, specimen preparation, 235–237
- Silicon oxide, specimen preparation, 241
- Silver
 - electrolytic polishing and etching, 469–470
 - specimen preparation, 409–412
- Sintered carbides
 - specimen material, 187
 - specimen preparation, 443–447
- Slow consumable wheels
 - precision cut-off, 35
 - storing, 36
 - truing and dressing, 34–35
 - use, 35
 - wheel dimensions, 35
 - wheel velocity, 35
- Smoothing, automatic image analysis, 592–593
- Soft grade, 20
- Software, automatic image analysis, 616–617
- Solder balls, specimen preparation, 295–298
- Sorby, Henry Clifton, 5–6
- Special methods hardness testing, 646
- Specimen material, 179, 181–187
 - ceramics, 182
 - classification of materials, 181
 - coatings, 182–183
 - composites, 183
 - ferrous metals, 183–184
 - materialographic specimen, 8–9
 - mineralogical materials, 184
 - nonferrous metals, 184–186
 - organic materials, 186–187
 - polymers, 187
 - powder metals, 187
 - sintered carbides, 187
- Specimen preparation, 179–180, 218–521
 - abbreviations, 221
 - acrylics, 436–439
 - aluminum, 352–356
 - aluminum alloys, 356–358
 - aluminum oxide, 238–240
 - anodized coatings, 247–251
 - antimony, 361–364
 - barium titanate, 241
 - beryllium, 365–367
 - bones, 427–430
 - boron carbide, 227–232
 - brass, 376–380
 - bronze, 376–380
 - calcium oxide, 241
 - capacitors, 298–300
 - carbonitrided steels, 339–342
 - cement clinker, 346–349
 - ceramic capacitors, 281–284
 - ceramic layers, 268–270
 - ceramic resistors, 281–284
 - ceramics, 232–235
 - cerium oxide, 241
 - chromium, 367–370
 - chromium carbide, 232–235
 - chromium oxide, 238–240
 - cobalt, 370–373
 - cobalt-based super alloys, 373–376
 - composites, 276–281
 - concrete, 346–349
 - consumables, 221
 - copper, 376–380
 - copper-bearing alloys, 380–383
 - CVD coatings, 247–251
 - diffusion coatings, 251–254
 - diodes, 281–284
 - electrolytic polishing and etching, 453–475
 - electrolytically deposited coatings, 251–254
 - EPDM polymers, 430–436
 - field metallography/ materialography, 475–476
 - galvanization, 251–254
 - generic methods, 219
 - germanium, 288–291
 - glasses, 244–247
 - gold, 384–387
 - gray cast iron, 315–318
 - high-alloy steels, 325–328
 - high carbon steels, 307–311
 - high-speed steels, 343–346
 - hot dip zinc coatings, 254–257
 - hydroxyapatite (HA) coating, 223–226
 - integrated circuits, 301–305

- lead, 387–391
- low-alloy steels, 336–339
- low carbon steels, 311–314
- magnesium, 391–394
- magnesium oxide, 241
- malleable cast iron, 315–318
- manganese, 395–397
- medium carbon steels, 307–311
- microelectronic material, 291–293
- microelectronic packages, 295–298, 301–305
- minerals, ores, 349–352
- molybdenum, 398–401
- nickel, 402–405
- nodular cast iron, 319–321
- optical fibers, 244–247
- paint layers, 257–260
- palladium, 406–409
- parameters, 220–221
- PCB coupon, 305–307
- plasma spray coatings, 265–267, 270–273
- plated coatings, 251–254
- powder metals, 439–443
- PVD coatings, 247–251
- quantitative metallography/
materialography, 567–568
- resistors, 293–295
- semiconductors, 288–291
- Si wafers, 288–291
- SiC fibers in Ti matrix, 273–276
- silicon, 288–291
- silicon nitride, 235–237
- silicon oxide, 241
- silver, 409–412
- sintered carbides, 443–447
- solder balls, 295–298
- stainless steels, 328–333
- steps, 219–220
- super alloys, 333–335
- teeth, 427–430
- thermal spray coatings, 260–265
- tin, 413–416
- tin cubic boron nitride, 232–235
- tissue, 427–430
- titanium, 416–420
- titanium carbide, 232–235
- titanium nitride, 232–235
- transistors, 301–305
- trouble shooting, 476–521
- tungsten carbide, 232–235
- uranium, 447–450
- white cast iron, 322–324
- wrought aluminum alloys, 359–361
- YBCO ceramic super conductors, 285–288
- zinc, 420–423
- zinc oxide, 241
- zirconium, 424–427
- zirconium dioxide, 241
- Sprays, diamond products, 96
- Sputtering, etching, 174
- Stainless steels
 - electrolytic polishing and etching, 460–461
 - specimen preparation, 328–333
- Stamping, marking, 80
- Standard Operating Procedure (SOP), 670–672
- Standards, occupational safety and health, labs, 673
- Static hardness testing, 626–643
 - Brinell hardness testing, 626–628
 - hardness values conversion, 642–643
 - hardness values precision, 642
 - instrumented indentation testing, 641–642
 - Knoop hardness testing, 633–634
 - microindentation hardness, 636–639
 - Rockwell hardness testing, 634–636
 - universal hardness, 639–642
 - Vickers hardness testing, 628–632
- Step cutting, design principles of wheel, 38–39
- Steps, specimen preparation, 219–220
- Stereo microscopy, 555–557
- Stereology, 565–567
- Stones/disks, grinding, 99–100
- Storage, 81
- Storing
 - consumable abrasive cut-off wheels, 33–34
 - slow consumable wheels, 36

Structure, cut-off wheel, 20
 Study of failures, selection, sectioning, 14
 Super alloys
 electrolytic polishing and etching, 461
 specimen preparation, 333–335
 Surface preparation, 11–13
 Suspensions, diamond products, 96
 Synthetic grinding fluids-oil-based, 26–27

T

Teeth, specimen preparation, 427–430
 Testing and inspection labs, 651
 Thermal damage, wet abrasive cutting, 23–25
 clamping, 24–25
 wet cutting, 25
 Thermal etching, 174
 Thermal spray coatings, specimen preparation, 260–265
 Thickness measurements, automatic image analysis, 608–610
 Thin sections, polishing, 152–154
 Tin
 electrolytic polishing and etching, 470–471
 specimen preparation, 413–416
 Tin cubic boron nitride, specimen preparation, 232–235
 Tissue, specimen preparation, 427–430
 Titanium
 electrolytic polishing and etching, 471
 specimen preparation, 416–420
 Titanium carbide, specimen preparation, 232–235
 Titanium nitride, specimen preparation, 232–235
 Toxic substances, occupational safety and health, labs, 666
 Traditional grinding, 99–106
 Traditional versus contemporary methods, specimen preparation, 218
 Training, occupational safety and health, labs, 673

Transistors, specimen preparation, 301–305
 Transmission electron microscope (TEM), 558
 Trouble shooting, specimen preparation, 476–521
 True microstructure, 5–6, 6
 Truing and dressing
 cut-off wheel wear, wet abrasive cutting, 26
 slow consumable wheels, 34–35
 Tungsten, electrolytic polishing and etching, 472
 Tungsten carbide, specimen preparation, 232–235

U

Ultramilling, polishing, 155
 Ultrasonic apparatuses cleaning, 83
 Ultrasonic cleaning, 83
 Universal hardness, static hardness testing, 639–642
 Unplane surface, mechanical damage, wet abrasive cutting, 23
 Uranium, specimen preparation, 447–450
 Use, slow consumable wheels, 35

V

Vanadium, electrolytic polishing and etching, 472–473
 Vapor deposition, etching, 174
 Vickers hardness testing, 628–632
 Visible light, light microscopy, 525–526
 Volume fraction
 automatic image analysis, 602–603
 quantitative metallography/materialography, 569

W

Water-based grinding/polishing fluids, 97
 Water-oil based grinding/polishing fluids, 98

Water quality, cutting fluids, wet
 abrasive cutting, 28
Waterproof ink marking, 80
Watershed filter, automatic image
 analysis, 590–592
Waviness, mechanical damage, wet
 abrasive cutting, 23
Wet abrasive cutting, sectioning, 15–32
 abrasives and bond materials,
 16–21
 cut-off grinding process, 15–16
 cut-off wheel, 16–21
 cut-off wheel wear, 25–26
 cutting fluids, 26–29
 grinding mechanics, 21–22
 mechanical damage, 22–23
 metallographic/materialographic
 cutting operation, 29–32
 thermal damage, 23–25
 tips, 43–45
Wet cutting, thermal damage, 25
Wheel dimensions
 consumable abrasive cut-off
 wheels, 33
 slow consumable wheels, 35
Wheel velocity
 consumable abrasive cut-off
 wheels, 32–33
 metallographic/materialographic
 cutting operation, 30

 slow consumable wheels, 35
White cast iron, specimen preparation,
 322–324
Wire cutting, 52–53
Wrought aluminum alloys, specimen
 preparation, 359–361

Y

YBCO ceramic super conductors,
 specimen preparation, 285–288

Z

Zinc
 electrolytic polishing and etching,
 473
 specimen preparation, 420–423
Zinc oxide, specimen preparation, 241
Zirconia alumina wet grinding paper,
 105–106
Zirconium
 electrolytic polishing and etching,
 474
 specimen preparation, 424–427
Zirconium dioxide, specimen
 preparation, 241