

Subject Index

A

Accelerated tests
 dose rate effect, 54
 Acoustic emission testing, 81
 Aging, 41, 60, 162, 207, 216
 Alloy plates
 chemical composition, 259
 Alloying elements in steels, 247 (fig)
 Alloys, 64, 130, 257, 259
 Annealing
 and rebrITTLEMENT—model, 206
 behavior, 189, 200
 Charpy transition temperature response, 213–214
 fracture toughness response, 213
 high temperature studies, 214
 isochronal, 192–198
 kinetics of irradiated pressure vessel steels, 214, 216
 model, 207, 215
 of defects, 229
 postirradiation, 250, 253 (table)
 recovery, 48, 49 (table), 188, 207, 211
 temperature—effect on recovery of irradiated-induced microhardness increase, 209 (fig)
 ASME Boiler and Pressure Vessel Code, 4, 123
 ASME Code, Section III, Appendix G, 175
 ASTM Standards
 E 25-81: 84
 E 185: 9
 E 185-73: 83, 84
 E 399: 21, 53 (ftn), 54 (ftn)
 E 399-83: 124
 E 509: 207
 E 813-81: 92, 95, 96, 125
 ASTM Special Technical Publications
 STP 819, vii
 STP 909, vii
 Atomic energy (*See* Nuclear power plants, Reactors)
 Atomic defect, 257
 Atomic Energy Research Establishment Harwell (AERE-Harwell), United Kingdom, 4
 Automatic ultrasonic testing, 81
 Azimuthal reactor pressure vessel fluence distributions, 133, 135–136

B

Behavior predictions—end of life, 41
 Bellline materials—Reactor pressure vessels, 148
 Bznau nuclear power reactor, 50–51 (tables)
 Binary alloy Fe-0.8 Cu
 microhardness, 65 (fig)
 relative peak height vs temperature, 64 (figs)
 Boiling water reactors, 130, 163
 Brittle failure, 4–5, 188
 Brittle fracture, 115, 121, 123, 161
 Budapest Research Institute for Iron and Steel, 74

C

Capsule testing, 85
 Catastrophic vessel rupture, vii
 Cavity dosimetry, 145, 152–155 (fig, table)
 Charpy impact energy levels, 78 (fig)
 Charpy impact energy vs temperature curve, 115
 Charpy impact testing
 Krško pressure vessel material, 87 (table)
 Charpy impact tests—summary, 264
 Charpy surveillance, 76 (fig), 77, 178 (fig)
 Charpy testing machine, 50 (table)
 Charpy transition temperature, 213, 214 (fig), 215
 Charpy-V energy in pressure vessel steels, 137–140 (figs)
 Charpy V-notch curves, 85–87 (figs), 88
 Charpy V-notch specimens
 used to monitor embrittlement, 174
 Charpy V-notch impact testing
 energy transition curves, 118–119 (figs)
 specimens, 10–13 (figs), 84
 Wolpert-Amsler Charpy hammer type PW 30/15, 84
 test data, 14–15 (figs), 18, 117, 118 (table), 118–119 (fig)
 test results, 96–98 (figs, tables)
 tests, 4, 6–8
 upper shelf energy (USE), 24, 178
 with trepan material, 14, 24
 Chemical composition
 of alloy plates, 259
 pressure vessel steels, 84 (table), 116–117, 174
 Chemical impurities, 136

Chernobyl accident, vii
 Cleavage fracture, 125
 Clustering, 243–255
 COD (*See* Crack mouth opening displacement)
 Collaborative research, 48
 Component failure behavior over toughness range, 4
 Coolant temperatures—light water reactors, 168, 171
 Cooperation, international, vii
 Copper, 39
 Copper
 effect on chemistry factor, 179–181 (figs)
 embrittlement role, 230
 in light water reactors, 164
 in nuclear power plants, 177
 in pressure vessel steels, 137, 141, 145, 147
 particles, 237 (table)
 precipitates, 206–207
 precipitation model, 213, 216
 trend curves, 177
 Copper bearing reactor pressure vessel steels, 246
 Copper content, radiation damage—summary, 263
 Core diameter vs reactor pressure vessel diameter, 131, 132 (fig, table)
 Core edge and RPV, input of steel shields (neutron pads), 133
 Core geometrics, 133
 Core types—neutron flux density, 133, 134 (fig)
 Correlation monitor materials, 92–93
 Crack arrest toughness
 radiation effects, 217
 Crack extension, 24
 Crack growth, 23 (fig), 96
 Crack initiation, 24
 Crack mouth opening displacement (COD), 95
 Cyclic crack growth, 3
 Cylindrical rings of reactor pressure vessels, 142 (fig)

D

Damage due to irradiation
 embrittlement, 164
 Defect impurity interaction studies in metals, 257
 Defect size distribution, 246
 Defects, 229, 234–236 (figs)
 Deformation theory, 109 (fig)
 Degradation
 irradiation effect thermal aging, 23, 41
 irradiation induced, 264
 DENS (*See* Diffuse elastic neutron scattering)
 DENT (*See* Double edge notched tension)
 Density flux, 127, 133–134, 143
 Design
 light water reactors, 115, 130, 161–173

Diffuse elastic neutron scattering, 49 (table), 61, 67
 Doppler broadening, 191–195 (figs), 197–200 (figs), 200 (table)
 Doppler S value vs microhardness, 43–44 (figs)
 Dose rate effect
 accelerated tests, 54
 irradiation experiments, 56 (table)
 Dosimetry, cavity, 145
 Dosimetry techniques—summary, 263
 Double edge notched tension (DENT)
 specimens
 fracture mechanics testing, 6–8
 Drop-weight test, 4
 Ductile crack growth, 96
 Ductile-to-brittle transition temperature, 115–116
 Dynamic fracture testing, 94

E

Edge notched tension specimens, 6–8
 Elastic fracture mechanics properties
 code procedure, 5 (fig)
 Elastic neutron scattering, 49, 61, 67
 Elastic plastic fracture
 mechanics, 172
 toughness, 92
 Electron microscopy, 41
 Embrittlement (*See also* Irradiation embrittlement, Neutron fluences, Pressure vessel steels, Radiation embrittlement)
 consideration in plant design, 174
 copper, 230
 forecasting, 183
 influence of flux density, 127, 128 (fig)
 irradiation, 3, 41, 115–117, 121, 145
 light water reactors, 56 (fig)
 mechanisms, 215
 model, 210
 neutron, 83, 147
 of steels, under neutron irradiation, 246, 257
 of weld metal, 199
 pressure vessel steel, 229
 radiation
 impact on nuclear plant operations, 174
 surveillance programs, 3, 5, 145, 177–183
 reirradiation, 206–207
 Embrittlement mechanisms, 59
 Emission testing, acoustic, 81
 Empirical model, 213–214 (figs)
 End-of-life (EOL)
 behavior predictions, 41
 RPV fluences, 134–135
 RPV material toughness, 131
 Energy transition curves, 118–119 (figs)
 Environmental effects—interactions with irradiation embrittlement, 168
 EOL (*See* End-of-life)

F

- Fast neutron flux, 159
- Fast neutron irradiation, 246
- Fatigue damage, 162
- Fe-0.8 Cu—binary alloy
 - microhardness vs temperature after quenching, 65 (fig)
 - relative peak height vs temperature, 64 (figs)
- Ferritic materials
 - fracture toughness properties, 174
- Ferritic steels, 3, 52
- Finland reactor, 264–265
- Finland technical research centre (VTT), 260
- Fluence, 177, 210–211
- Fluence dependence
 - flux measurement and distribution, 76
 - irradiation experiments, 56
 - transition temperature shifts, 120 (fig), 127, 143 (fig), 182
- Fluence distribution—reactor pressure vessel, 133
- Fluence reduction, 133, 143
- Flux density
 - fluence reduction, 133–134, 143
 - influence on embrittlement, 127, 128 (fig)
- Flux measurement and distribution, 76, 77 (fig)
- Flux monitor capsule assembly, 159
- Flux reduction factors, 147, 150, 153 (table), 158 (table), 159
- Flux reduction measures
 - Maine Yankee atomic power station, 145–160
- Forged steel, 130
- Fracture behavior, 49 (table)
- Fracture mechanics
 - impact testing, 94
 - influence of irradiation, 123
 - material properties, 5–6, 16, 24
 - test procedures, 67
 - testing—results, 6–7 (figs)
 - toughness, 73, 92, 115, 172
 - measurements, 93
 - under extreme loading, 18
- Fracture testing, 94
- Fracture toughness
 - for brittle failure, 4, 5 (fig)
 - influence of irradiation, 123
 - measurement, 92, 121, 124 (table), 125, 126–127 (figs)
 - properties, 174
 - response to annealing, 213
 - safety against brittle fracture, 123
 - summary, 263–264
 - test results, 99–110 (figs, tables)
 - testing, 143
- Fuel assembly dimensions
 - Maine Yankee atomic power station, 145, 146 (table)
- Fuel management
 - Maine Yankee atomic power station, 145, 146 (table), 150–151

G

- Geometrics—core, 133
- German surveillance program, 141
- German RPV materials—techniques for quality control, 136
- German Reactor Safety Commission, 134–135
- Goesgen nuclear power station
 - reactor pressure vessel surveillance program, 53 (table)
- Guinier plots
 - small angle neutron scanning cross section for irradiated steel, 250 (fig)
- Gundremmingen A (KRB-A)
 - reactor pressure vessel, 3–4, 9 (fig), 17 (fig), 55
 - trepan investigation, 10 (fig, table), 11 (table), 24

H

- Hanford Engineering Development Laboratory (HEDL), 155
- Hardening, radiation, 229, 255
- Hardness, 189, 192, 196–199, 201
- Heat treatment
 - effects of irradiation experiments, 56 (table)
 - samples, 231–232 (tables)
- Heavy water reactors, 130
- HEDL (*See* Handford Engineering Development Laboratory)
- Hexan-Evalu code—lead factor evaluation, 79
- HFIR (*See* U.S. high flux isotope reactor)
- Hydrotesting, 170

I

- IAEA (*See* International Atomic Energy Agency)
- Idaho National Engineering Laboratory (INEL), 162
- IITM (*See* Instrumental impact testing machine)
- Impact testing, 84, 88, 89 (table), 93, 115
- Impact testing, Charpy V-notch, 87 (table), 94, 118–119, 176
- Impact testing machine (ITM), 50 (table)
- Impurities, 257
- Indexing temperature, 122
- INEL (*See* Idaho National Engineering Laboratory)
- Instrumental impact testing machine, 50 (table)
- Integrity, pressure vessel, 41
- Integrity assurance
 - coordinated research program, 264
- International Atomic Energy Agency (IAEA)
 - correlation monitor material
 - chemical properties, 92, 93 (table)
 - mechanical properties, 93 (table)
 - test methods
 - elastic plastic fracture toughness measurements, 93

- impact testing of Charpy-V notch specimens, 93
 - instrumented impact testing of precracked Charpy specimens, 93
 - linear elastic fracture toughness measurements of Charpy V-notch specimens, 93
 - Irradiated-annealed-reirradiated experiments, 58
 - Irradiated steels
 - cluster number densities, 252–253 (tables)
 - cluster parameters as a function of phosphorus content, 251 (fig), 253 (fig)
 - neutron, 246, 257
 - volume fractions, 255 (fig)
 - yield strength, 249 (fig)
 - Irradiated surveillance specimens
 - Charpy results, 76
 - Irradiated test data, 207, 208 (table)
 - Irradiated vessel model alloys, 257, 259
 - Irradiation
 - conditions, 58 (table)
 - damage, 67, 164, 207, 230
 - damage detection, 231
 - defect physics, 61
 - defect structures, 248
 - effects, 41, 48, 130, 136, 174
 - embrittlement of RPV steels, 189, 190 (table), 206, 214, 216
 - fluence, 210, 211 (fig)
 - influence on fracture toughness, 123
 - microhardness, 209
 - neutron, 243, 257
 - precipitation under, 229–230
 - samples, 231 (table)
 - temperature effects, 209
 - Irradiation effects on materials—summary, 263
 - Irradiation embrittlement
 - chemical composition of pressure vessel steels, 116–117 (table)
 - damage, 164
 - environmental interaction, 168
 - impact on plant operations, 168
 - international programs, 42
 - light water reactors, 162–165
 - national programs, 42
 - of pressure vessel steels, 39, 55, 115–117
 - reactor pressure vessels, 161–173
 - sensitivity of pressure vessel steels, 136
 - strain aging, 41
 - strengthening, 168
 - surveillance programs, 3, 5
 - Swiss research program, 55
 - Irradiation experiments, 56 (table)
 - Irradiation induced degradation—summary, 264
 - Irradiation—influence on fracture toughness, 123
 - Irradiation pressure vessel steels, 214, 216, 243, 257
 - Irradiation program, 60
 - Irradiation test results of reactor pressure vessel steels, 141
 - Isochronal annealing, 192, 195 (fig) 197, 198 (fig)
 - ITM (*See* Impact testing machine)
- K**
- Krško nuclear power plant (Yugoslavia)
 - Charpy impact testing, 87 (table)
 - neutron embrittlement surveillance, 83
- L**
- Lateral shift model, 212 (fig), 216
 - Lattice imperfections, 215
 - Lead factor, 73
 - Lead factor—measurement and calculation, 79
 - Leakage, 133–134, 150–151
 - Leibstadt nuclear power station
 - reactor pressure vessel surveillance program, 54 (table)
 - Licensing procedures, 127, 162
 - Lifetime spectra, 258
 - Lifetime testing—toughness, 75
 - Light water reactor study group (LWRSG), pressurized water reactor (PWR), pressure vessel integrity, 41
 - Light (*See also* Reactor pressure vessels)
 - aging, 162
 - design, 115, 130, 161–173
 - embrittlement and recovery mechanisms programme, 56 (fig)
 - fatigue damage, 162
 - Krško nuclear power plant
 - Charpy impact testing, 87
 - neutron embrittlement surveillance program, 83
 - irradiation embrittlement, 162–165
 - license renewal, 162
 - mechanical test programs, 56
 - nuclear plant operations, 174
 - operating procedures, 168
 - pressure vessel steel program, 56 (fig)
 - pressure vessels, 3–24, 161–173
 - safety, 162
 - surveillance program, 161–173
 - Load displacement curve, 125
 - Low alloy steel, 130
 - Low leakage fuel management, 150, 151 (fig)
 - Low-temperature overpressurization (LTOP), 169–170 (figs), 186
 - LTOP (*See* Low-temperature overpressurization)
 - LWR (*See* Light water reactor)
 - LWRSG (*See* Light water reactor study group)
- M**
- Magnetic scattering, 231
 - Maine Yankee atomic power station
 - design, 145–160

end-of-cycle surveillance, 147
 reactor vessel beltline materials, 148 (fig)

Material behavior
 fracture mechanics, 5–6, 16
 microstructural changes of RPV steels, 204

Material degradation, 23 (fig)

Material toughness tests, 4

Materials constitutional dependence
 irradiation experiments, 56

Materials Engineering Associates (MEA),
 United States, 4, 260

Materials testing system (MTS), 51

Materials testing, Yankee Atomic power station,
 147

Measured lifetime spectra, 258

Mechanical properties
 pressure vessel steels
 annealing, 192, 200
 irradiation embrittlement, 39, 48
 irradiated plates, 247
 steel plate, 93
 prediction models, 174

Mechanical test program, 58, 60, 79

Mechanics of embrittlement, 215

Mechanisms modelling, 39

Mechanisms program, 61

Metal impurities, 259

Microhardness response
 annealing of pressure vessel steels, 207, 209
 (fig), 216
 annealing vs Charpy transition, 213 (fig)
 model predictions, 211
 vs temperature, 65 (fig)

Microphysical experimental methods, 61

Microscopy, transition electron, 41

Microvoids, 204

Model predictions, 182, 183 (fig)

Models and modelling, 39, 182, 207, 210–216,
 232–233

Model alloy plates
 chemical composition, 259 (table)

MTS (*See* Servohydraulic materials testing
 system)

Muehlenberg nuclear power reactor, 50–51
 (tables)

Muon spin rotation spectroscopy, 49, 55, 61, 66,
 230

N

Neutron embrittlement, 189

Neutron embrittlement surveillance program
 Krško nuclear power plant, 83
 Maine Yankee atomic power station, 144–
 160
 nuclear plant operations, 147, 174
 pressure vessel steels, 54, 59, 174

Neutron exposition, 217

Neutron exposure, 3

Neutron exposure—surveillance program
 Krško plant, 88 (table)

Neutron fluence
 nuclear plant operations, 177
 pressure vessel steels, 43, 115, 131, 132 (fig,
 table), 177

Neutron fluence reduction, 133, 143

Neutron flux, 133, 134 (fig), 159

Neutron irradiation
 effects on RPV materials, 136
 effects on RPV steels, 174
 environment—*influence on fracture
 mechanical characteristics*, 50–51
 (tables), 168
 experiments on welds, 42–45
 reactor pressure vessel steels, 67, 189
 steel samples, 258
 steels, 246, 257

Neutron leakage—*reduction techniques*, 133–
 134

Neutron pads (steel shields)
 between core edge and RPV, 133

Neutron radiation, 188

Neutron radiation effects, 92

Neutron scattering, 61, 239–241

Neutron spectrum, 57 (fig)

Neutron transport calculations, 145

Neutrons, 39

Nickel
 content, radiation damage—*summary*, 263
 effects on chemistry factor, 179
 effects on radiation embrittlement trend
 curves, 177
 in reactor pressure vessel steels, 142, 145

Nil-ductility transition for pressurized thermal
 shock, 165

Nondestructive examination methods, 3

Nondestructive testing, 79, 81

Nonductile failure
 protection against, 4

NPAR (*See* Nuclear plant aging research
 program)

NRC (*See* Nuclear Regulatory Commission)

Nuclear Plant Aging Research Program
 (NPAR), 162

Nuclear power plants (*See also* Reactors)
 Beznav, 50–51 (tables)
 commercial—U.S., 161
 copper content of steel, 177
 design and construction, 131–144
 Federal Republic of Germany (FRG), 131
 Goesgen, 53
 Gundremmingen A, 3–9, 17, 55
 Krško nuclear power plant, 83
 Liebstadt, 54
 Muehlenberg, 50–51
 operations, 174
 prefabricated, 41
 pressure vessel integrity analysis, 175
 safety, vii, 4, 162

Nuclear Regulatory Commission (NRC) (*See*
 U.S. Nuclear Regulatory Commission)

Nuclear steam supply vendors, 163

O

- Oak Ridge research reactor, 264
- Operating procedures
 - light water reactors, 168
- Overpressurization, low temperature, 169–170

P

- Paks NPS (Hungary) surveillance program, 73
- Particle distribution, 238, 239 (table), 240–241 (figs)
- PAT (*See* Positron annihilation techniques)
- Phosphorus, 39
- Phosphorus
 - cluster parameters for irradiated steels, 251 (fig)
 - concentration on radiation sensitivity, 248–249
 - effect on CVN notch ductility, 177
 - in pressure vessel steels, 137, 141, 243–256
- Pion-muon beam line, 66 (fig)
- Plant design, 174
- Plant life extension of nuclear power reactors—summary, 263–266
- Plant operating criteria
 - nuclear, 174
- Plant operations
 - embrittlement, 168
- Plant surveillance, 174
- Plant transients, 170
- Positron annihilation techniques (PAT), 49, 61, 230, 257
- Positron lifetime
 - irradiation damage at high temperature, 259
 - measurements on irradiated pressure vessel model alloys, 257, 259, 260 (fig)
- Positrons, 189, 191, 201
- Postannealing embrittlement, 206, 211
- Post irradiation thermal annealing, 199, 250, 251 (fig)
- Post irradiation thermal heat treatment
 - temperature-time regime, 193–194, 201
- Power reactor annealing data, 215
- Power reactor irradiations, 207, 208 (table)
- Precipitation under irradiation, 229–230
- Prediction curves, 213, 214 (fig)
- Prediction models, 182, 183 (fig)
- Prefabricated nuclear power plant, 41
- Pressure-relieving systems during low-temperature operation, 186
- Pressure-temperature
 - limit curves, 175, 184
 - diagram, 169 (fig)
 - effects of embrittlement on plant operation, 175
 - heat-up limit curve, 184–185
 - summary, 264
- Pressure vessels (*See also* Reactor pressure vessels)
 - integrity, 41
 - irradiation embrittlement, 42–44
 - light water reactors, 56
 - neutron irradiation effects, 92
 - phosphorus dependence of irradiated steels, 45 (fig)
- Sizewell B pressure vessel, 40
- steels
 - annealing, 188–206, 229
 - chemical composition, 116–117
 - irradiated, 214, 216, 243, 257
 - mechanical properties, 3, 39, 48, 93, 174
 - model alloys, 257–260
 - phosphorus content, 243–256
 - neutron embrittlement, 59, 83
 - neutron irradiation effects, 137–140
 - surveillance programs, 91
- strain aging, 42
 - chemical composition, Krško plant, 84 (table)
- surveillance, 53, 92
- surveillance program—Krško nuclear power plant, 83
- surveillance programs—IAEA monitor material, 91
- unirradiated welds, 43
- Pressurized thermal shock, 18–22 (figs), 145, 165
 - summary, 264
- Pressurized thermal transients, 170
- Pressurized water reactors (*See also* Boiling water reactors, Light water reactors, Reactor pressure vessels)
 - chemical composition of beltline region materials, 164 (table)
 - compared to boiling water reactors, 163
 - design, 39–40, 131, 163
 - end-of-life fluence, 163
 - irradiation embrittlement, 164
 - Krško, Yugoslavia, 264
 - Main Yankee atomic power station, 145, 146 (fig, table)
 - Oak Ridge research reactor, 264
 - pressure vessel integrity, 41, 131
 - pressure vessel vs core diameter, 131, 132 (fig, table)
 - Rosendorfer Forschungsreaktor RFR, 190
 - Soviet, 189
- Prestress effect, 22
- Property changes, 39
- PTS (*See* Pressurized thermal shock)

Q

- Quality control techniques—German RPV materials, 136
- Quenching, 65

R

- Radiation damage
 - light water reactors, 171–172
 - measuring effects, 175

- prediction methods, 176
 - summary, 263
 - Radiation defects, 229
 - Radiation effects, 39, 52, 115, 217
 - Radiation embrittlement
 - nuclear plant operations, 176, 177 (fig)
 - pressure vessel steels, 91, 145, 243, 257
 - reactor pressure vessels, 174
 - summary, 263–266
 - trend curves
 - effects of copper, nickel and fluence, 177
 - Radiation hardening, 229, 255
 - Radiation sensitivity, 248
 - Radiation-induced embrittlement relief, 60
 - Radiometric analysis of surveillance capsules, 147, 155 (table), 156
 - Reactor pressure vessels (RPV) (*See also* Boiling water reactors, Heavy water reactors, Light water reactors, Pressurized water reactors)
 - cylindrical rings, 142 (fig)
 - design, 130–144
 - embrittlement program, 55 (table)
 - fluence distribution, 133, 135–136
 - fluence surveillance, 130
 - irradiation effects, 131
 - irradiation test results, 141 (fig)
 - Maine Yankee atomic power station,
 - dimensions, 145, 146 (fig) 147 (table)
 - materials, 48
 - end-of-life (EOL) toughness, 131, 135
 - German experimental nuclear power plants,
 - quality control of steels, 136
 - neutron irradiation effects, 130
 - toughness—improvement, 131
 - neutron flux density, 135
 - nuclear plant operations, 174
 - research, 55
 - safety margins, 166
 - service life, 166
 - steels
 - annealing, 188–205
 - chemical composition, 189 (table), 231 (table), 245 (table)
 - copper bearing, 246
 - effect of copper and phosphorus content, 141, 142 (fig)
 - embrittlement, 161–173
 - fracture toughness, 123
 - irradiation, 230
 - irradiation embrittlement, 48, 49 (table), 67, 115–117, 130
 - irradiation test results, 141
 - neutron irradiation effects, 92, 130
 - nickel content—influence on toughness reduction, 142
 - summary, 264–265
 - surveillance programs, 54, 176
 - Reactor steels
 - chemical composition of materials, 116–117 (table)
 - German RPV materials, techniques for maintaining quality, 3–9, 53, 136
 - irradiation effects, 118–120 (figs)
 - steel embrittlement, 116
 - surveillance and research programs, German, 141
 - RPV (*See* Reactor pressure vessels)
 - Reactors (*See also* Nuclear power plants)
 - boiling water reactors, 130, 163
 - heavy water reactors, 130
 - light water reactors, 56, 83, 115, 130, 161–174
 - pressurized water reactors, 39–41, 131–132, 163–164
 - Reactors—summary, 264–265
 - Reference temperatures, 123, 143, 165
 - Reference test materials, 264
 - Reference toughness, 176 (fig)
 - Rehardening, 60
 - Reimbrittlement
 - model for annealing, 206
 - Reirradiation embrittlement, 207, 216
 - Reirradiation fluences, 211
 - Reliability, 188, 206
 - Research and surveillance programs, vii
 - Research Institute for Iron and Steel (Budapest, Hungary), 74
 - Residual life assessment task, 162, 167
 - Risk assessments, 264
 - Rolls-Royce prefabricated nuclear plant, 41
 - Rosendorfer Forschungsreaktor RFR
 - pressurized water reactor, 190
 - Round-robin test, 74
 - RT_{NDT}, 83
- S**
- Safety, vii, 4, 127
 - Safety
 - against brittle fracture, 123
 - assessments, 264
 - light water reactors, 162
 - operation of reactor pressure vessels, 174
 - SANS (*See* Small angle neutron scattering)
 - SAPHIR materials test reactor, 54
 - SAXS (*See* Small angle X-ray scattering)
 - Scattering, 231, 233, 234–236 (figs), 238–241
 - Servo-hydraulic materials testing system, 51 (table)
 - Silicon
 - effect on CVN notch ductility, 177
 - Sizewell 'B' pressure vessel, 40 (table), 264
 - Small angle neutron scattering (SANS)
 - availability, 55
 - cross sections (Guinier plots) for irradiated steel, 250 (fig), 254 (figs)
 - data analysis
 - constant magnetization, 231, 244
 - defect sizes—nuclear/magnetic identical, 244
 - damaged steel study, 52, 61
 - distribution of atoms, 244

- interpretation, 244
 - irradiated pressure vessel steels, 229–230, 238, 239 (table), 246
 - irradiation damaged steels, 61, 67
 - measurement, 244
 - phosphorus effects, 243
 - scattering, 42–43
 - Small angle X-ray scattering (SAXS), 49, 61
 - Soviet reactor, 189
 - Specimens for surveillance testing, 73
 - Spectroscopy, spin rotation, 49, 55, 61, 66
 - Spectrum effects, 56
 - Spin rotation spectroscopy (*See* Muon spin rotation spectroscopy)
 - μ SR (*See* Muon spin rotation spectroscopy)
 - Steel alloying elements, 247
 - Staatliche Materialprüfungsanstalt, 4
 - Static fracture testing, 95
 - Steel shields (neutron pads), 133
 - Steels (*See also* Pressure vessels)
 - chemical composition, 84 (table), 116–117 (table), 174
 - chemical impurities—control, 136
 - copper and nickel content, 164
 - degradation, vii, viii, 164
 - embrittlement, 122, 164
 - environmental effects, 168
 - ferritic, 3, 52, 230
 - high-temperature cleavage fracture, 168
 - irradiated, doped with phosphorus, 246
 - irradiation, 168, 230
 - low alloy, 130
 - making, refining, pouring, forging, and heat treatment techniques, 56, 136–137
 - material properties—control, 136
 - mechanical properties, 39, 48, 93, 174
 - nondestructive test methods, 188
 - reactor pressure vessels, 3, 56, 92, 115–117, 131, 138, 168
 - Sizewell ‘B’ pressure vessel, 40 (table)
 - surveillance programs, 48
 - Strain aging, 41
 - Stress intensity factors, 175
 - Stress-strain calculation
 - computer codes, 24
 - mechanical tests, 80
 - radiated and annealed specimens, 203
 - Summary
 - radiation embrittlement of reactor pressure vessel steels, 263–266
 - Surveillance, 73, 174–187
 - Surveillance capsule testing, 85 (fig), 147–155, 174
 - Surveillance data base, 174–187
 - Surveillance inspections
 - nondestructive testing, 79, 81
 - Surveillance programs
 - embrittlement, vii, 3, 5
 - fast neutron fluxes, 156 (table), 157, 159
 - flux monitor capsule assembly, 159
 - flux reduction factor (FRF), 149–157, 158 (table), 159
 - German, 141
 - International Atomic Energy Agency, 91
 - Krško nuclear power plant, 83
 - light water reactor pressure vessels, 167
 - Maine Yankee atomic power station, 145–160
 - neutron exposure, 88
 - nondestructive test methods, 204
 - nuclear plant operations, 174–187
 - nuclear power plants, 49, 50–51 (tables)
 - radiation embrittlement, 206
 - reactor pressure vessel steels, 92
 - reactor pressure vessels, 52–53, 135–136
 - Surveillance results
 - summary, 264
 - validation, 17, 67, 74
 - Surveillance testing, 74
 - Swiss Federal Institute of Reactor Research, 55
- ## T
- TEM (*See* Transition electron microscopy)
 - Temperature
 - Charpy indexing, 123
 - ductile-to-brittle transition, 115–116
 - effects under irradiation, 203
 - indexing, 122 (table)
 - positron lifetime, 257–260
 - reference in irradiated state—for design against brittle fracture, 121 (fig)
 - reference temperatures, 123, 143, 165
 - transition, 122 (table)
 - Temperature difference, wall, 75
 - Temperature limits, pressure, 161, 170–171, 177–184
 - Temperature monitoring, Krško plant, 88
 - Temperature-time regime
 - annealing, 210–214
 - for postirradiation thermal heat treatment, 194, 201
 - Tensile strength, 193 (figs), 249 (figs)
 - Tension test parameters
 - irradiated vs unirradiated specimens, 196 (fig), 201–202 (figs)
 - Test methods and procedures
 - assessing radiation effects, 217
 - Charpy V-notch, 50
 - lifetime testing and evaluation, 75
 - nondestructive, 190–191
 - toughness, 93
 - Test reactor data, 48, 141
 - Testing and evaluation, 75 (fig)
 - Thermal annealing
 - changes in Vickers hardness, 198 (table), 199–200
 - effects, summary, 264–265
 - post irradiation, 199–200 (figs, table) 250
 - pressure reactors, 166

summary of effects, 264–265
 weld metal behavior, 199
 Thermal embrittlement, 73
 Thermal heat treatments, 201
 Thermal instability, 60
 Thermal shock, 3, 147, 165
 Thermal shock—pressurized, 166 (fig)
 Thermal shock screening criteria, 165
 Thermal transients, 170
 Toughness, 115, 176, 188, 217
 Toughness tests, 4
 Transferability of data, 54, 67
 Transients, 170–171
 Transition electron microscopy (TEM), 149
 Transition temperature shifts
 Charpy, 213
 energy levels, 78, 79 (table)
 experimental vs prediction, 122 (table)
 fluence dependence, 61 (fig), 120 (fig) 194 (fig)
 fracture toughness, 121
 irradiation effects, 182, 247, 248 (fig)
 surveillance, 73
 specimen irradiation time, 80 (fig)
 Trepan material, Charpy specimens, 14, 24

U

Ultrasonic testing, automatic, 81
 Universität Stuttgart (MPA), 4
 Upper shelf energy (USE)
 adjusted reference temperature effects, 123 (fig)
 crack extension, 24
 surveillance, 53, 171–172, 178
 U.S. Code of federal regulations
 10 CFR 50.61, 165
 10 CFR 50 Appendix G, 175
 U.S. Nuclear Regulatory Commission (USNRC)
 PPG NUREG-0885, 162
 regulatory guide 1.99, 4, 24, 121
 revision 1 and 2, 41, 44, 83, 88, 141, 165, 179–184
 USE (*See* Upper shelf energy)
 USNRC (*See* U.S. Nuclear Regulatory Commission)

V

Vanadium—effect on CVN notch ductility, 177
 Versuchatomkraftwerk Kahl (VAK), 23
 Vertical shift model, 207, 212, 216
 Vessel integrity assurance—summary, 264
 Vessel rupture, vii
 Vessel safety assessments—summary, 264
 Vickers hardness, 190, 191 (fig), 194–200 (figs, table)
 Volume fractions for irradiated steels, 255 (fig)

W

Wall temperature difference, 75
 Warm prestress effect, 22 (fig)
 Wedge opening load (WOL) specimen, 50
 Weld material
 measured and calculated reference curves, 81 (fig)
 reactor pressure vessels, 140 (figs)
 Welds and weldments
 annealing benefit, 213, 214
 chemistry effects, 179, 180 (fig), 182
 comparison of shift predictions, 166 (fig)
 copper and nickel content, 164, 177–181 (figs)
 neutron irradiation experiments, 42–46
 Maine Yankee atomic power station, 145–147, 148 (fig)
 metal embrittlement, 199
 sensitivity to embrittlement, 147
 WOL (*See* Wedge opening load specimen)
 Wolpert-Amsler Charpy hammer type PW 30/15, 84

Y

Yankee atomic power station (*See* Maine Yankee atomic power station)
 Yield strength for irradiated plates, 249 (fig)
 Yugoslavia, Krško reactor, 264