Subject Index

A

Absorption, 343
Acetylcholinesterase, 343
Acid-mine drainage, 212
Acute mortality model, 35
Acute toxicity, 84, 193
Adaptive responses, 15
Alice Mine—abandoned mine site, 212
Allometry, 149
Animal and Plant Health Inspection Service (USDA), 6
Animal care, 5–6
Animal research, 5–6
Animal welfare legislation, 5–11
Antioxidants, 15–16
Aortic cannulation, 131
APHIS. *See* Animal and Plant Health Inspection Service (USDA)
Aquatic bioassays, 183
Aquatic environment
  abandoned mine sites, 212
  chemical toxicants, 107, 112(fig), 114(fig)
  ecological impact assessment, 48
Aquatic organisms, 16, 35, 107, 166
Aquatic systems
  indices of oxidative stress, 15
  selective toxicity, 343
  xenobiotics, 107
Aquatic toxicity, 35, 183, 324
Arbacia punctulata, 324
Aroclor, 305
Artemia, 315
ASTM standards
  D 4229-84, 183
  E 724-89, 355
  E 729-88, 183
  E 729-88a, 355
  E 1022-84, 355
  E 1023-84, 183, 185
  E 1191-87, 355
  E 1203, 315
  E 1241-88, 356

B

Benthic community structure, 48
Benthic organisms
  sediment composition effect, 263
  toxicity of contaminated sediments, 280
Benthic sampling, 212
Benzo(a)pyrene, 97
Bioaccumulation, 166, 263, 305
Bioassay, 183, 280, 337
Biochemical responses
  associated with oxidative stress, 15
  fish gill sensitivity to waterborne pollutants, 223
Bioconcentraton, 139, 183, 369(table), 372(table)
Biological effects model, 35
Biomarkers, 15
Biomass, 280
Biomonitoring, 15
Biota, 35
Body residue, 183
Body size, 149
Brine shrimp, 315

C

Cancer epizootics
  from chemical carcinogen exposure, 97
Carbofuran, 193
Carcinogenic effects, 97
Carcinogenicity, 97
Catalase, 15
CERCLA. *See* Comprehensive environmental Compensation, and Liability Act of 1980.
Chemical carcinogen exposure
  impact on saltwater and freshwater systems, 97
Chemical mixtures, 107
Chemicals
  test, 194(table)
  toxic response test methodologies, 36
Chinook salmon, 193
Chronic toxicity, 193
"Cold-blooded" animals. *See* Lower vertebrates.
Compartmental models
  pharmacokinetics, 139, 149
Comprehensive Environmental Response Compensation, and Liability Act of 1980 (CERCLA), 35
Computer program—PUP, 337
Concentration addition, 107

Copyright© 1991 by ASTM International www.astm.org

Copper
lethal to striped bass, 193, 199–200(table)
sperm cell toxicity test, 324
Crustaceans—food, 315
Cyprinodon variegatus, 97, 315, 354
Cytochrome P-450, 166

D

Damage assessment, 35
Daphnia pulex, 84
Decision making framework (DMF), 337
Detention basin
to remove particulates from runoff, 294
Detoxification, 15, 343
Developmental abnormalities—embryo, 67
Diazinon, 343
Diethylenetriaminepentaacetic acid, 337
7,12-dimethylbenz(a)anthracene, 97
Diporeia sp., 263
Discriminant function analysis, 245
Dissolved oxygen, 149
Disposal options—dredged material, 337
DMF. *See* Decision making framework.
Dredged material evaluation, 337
Drug pharmacokinetics, 131
DTPA, 337

E

Early life-stage tests, 354, 358–366(tables)
Ecological impact assessment, 48
Effluent induced lesions, 71–74(tables), 84
Effluent sampling, 68, 70(table)
Eggs and larvae—fish, 35
ELA. *See* Embryo larval assay.
Elimination, 139
Embryo larval assay (ELA)
parameters, 67
Embryo lethality, 67
Endosulfan, 193, 354
English sole (*Parophrys vetulus*), 97
Environmental contamination, 15, 107, 167
Environmental regulations, 108
Enzyme induction, 1966
EROD, 166
Estuary, 305
Ethics—animal welfare, 5–6
Experimental animals, 5–6
Experimental design, 139
Exposure model, 35

F

Fathead minnow
effects of chemical exposure, 107, 119–120(fig)
Fatty acids, 315
Fertilization—sperm cell toxicity test, 324
Fish
accumulation of water-borne xenobiotics, 149
acute toxicity syndromes, 245
carcinogenosis models, 97
eggs and larvae, 35
free-swimming
pharmacokinetic data collection, 131
guppy (*Poecilia reticulata*), 97
Japanese medaka (*orizias latipes*), 67, 97
lower vertebrate research, 5
pharmacokinetics, 139, 149
physiology literature, 245
toxic effects of aquatic organiosms, 166
Fish gill, 223
Fish physiology literature
for predicting fish acute toxicity syndromes, 245, 247(table), 250(table), 252(table), 254(table)
Foci of cellular alteration, 97
Food quality, 315
Free radicals, 15

G

Glutathione, 15
Guidelines for care of laboratory animals, 5–6

H

Hazard evaluation, 354
Hazardous wastes, 212
Heavy metals
detention basins, 294
marine toxocological studies, 315, 319(table)
prediction of plant uptake, 337
reclamation at hazardous waste site, 212
Hepatic MFO activity, 166
Hepatic neoplastic lesions, 97
Hepatocellular adenoma, 97
Hepatocellular carcinoma, 97
Histopathology
fish gill sensitivity to waterborne pollutants, 223
Hydrophobic organic micropollutants, 167

I

IC_{50}, 343
Impact assessment
  chemicals, 55–56(table)
  sediment quality, 48, 50–53(figs)
Industrial processes
  source water used, 84
Indwelling stomach tube
Interlaboratory testing, 354, 356(table)
Isobole diagrams, 107, 111(fig), 116–118(figs), 121(fig)

J, K

Japanese medaka, 67
Joint toxicity, 107, 125(table)
Killifish, 343

L

Laboratory Animal Welfare Act of 1966, 6
Laboratory animals, 5–6
Laboratory toxicity tests, 35
Larval fish—food, 315
Larval striped base, 193
Larvae—fish, 35, 193
LC_{50}, 343
Legislation.
  See also Animal welfare legislation.
Linear solvation energy model, 263
Lipid peroxidation, 15
Liver neoplasms, 97
Loach, 343
Lower vertebrate research, 5

M

Macroinvertebrates, 212
Malathion, 193
Marine toxicity, 315, 324
Menidia beryllina, 315
Metals—fish gill toxicity, 223
Metals settling model
  to evaluate detention basin effectiveness, 294
METSET. *Metals settling model.*
Methology
  laboratory toxicity tests, 35
  predictive, 108
MFO. *See* Mixed function oxygenase activity.
Micropollutants
  in aquatic organisms, 166
Microsomal fraction, 343
Mines, abandoned—sites
  Alice mine, 212
Mines, abandoned—water quality problems, 212
Misgurnus anguillicaudatus, 343
Mixed-function oxygenase activity, 166
Mode of action, 107
Models—toxicity, 35, 107, 294
Molinate, 193
Mollusc, 305
Morone saxanilis. *See* Striped bass. CCCC
Mysidopsis bahia, 315

N

Narcosis, 183
National Institues of Health (NIH), 5
National Institutes of Health Guide, 5
Natural resource damage assessment model for Great Lakes Environment (NRDAM/GLE), 35–36
Neanthes arenaceodentata
  biomass data, 289(table)
  sediment exposure, 280, 286–287(tables)
NIH. *See* National Institutes of Health.
NRDAM/GLE. *See* Natural resource damage assessment model for Great Lakes Environment.

O

OCPs. *See* Organochlorine pesticides.
Organic chemicals, 183
Organic toxicants—fish gill sensitivity, 223
Organochlorine pesticides, 166
Organometallic toxicants—fish gill sensitivity, 223
Organophosphorus insecticides, 343
Oryzias latipes, 67, 343
Oxidative stress, 15
Oxygen toxicity, 16
Oxyradicals, 15

P

PAHs. *See* Polycyclic aromatic hydrocarbons.
Partition coefficients, 263
Parophrys vetulus, 97
PCBs. *See* Polychlorinated biphenols.
Pentachlorobenzene, 354
Peroxidase, 15
Pesticides
  in marine shrimp, 318(table)
  in runoff from croplands, 294

Pesticides—*continued*
lethal to striped bass, 199–200(table)
marine toxicological studies, 315
pH, 149
Pharmacokinetic data collection, 131, 139, 149
Pharmacokinetic modeling
experimental design, 139
of xenobiotics in fish, 131, 149
scaling bioconcentration, 149
Physiology
fish gill sensitivity to waterborne pollutants, 223
predicting acute toxicity syndromes, 245
Pimephales promelas
effects of chemical toxicants, 107
Plant uptake program (PUP)
heavy metals, 337
Pollutant effects modeling, 35
Pollutant exposure, 35, 107
Polychlorinated biphenyls, 166, 263, 305
Polychlorinated terphenyl, 305
Polyciclic aromatic hydrocarbons, 97, 166, 263
Powdered activated carbon, 67
Predictive methodology
compartmental models, 139
modeling joint toxicity of xenobiotics, 108
pharmacokinetic models, 139
PROD, 166
Pseudopleuronectes americanus), 97
PUP. *See* Plant uptake prediction.

Q

QSAR. *See* Quantitative structure-activity relationship (QSAR).
Quantitative structure-activity relationships (QSAR), 107, 122(fig), 263

R

Reclamation, 212, 216–218(tables)
Redox cycling, 16, 17(fig)
Reference material, 315
Regulations for animal care, 5
Response addition, 107

S

Salinity, 149
Scaling
pharmacokinetic modeling, 149, 155(fig)
Sea urchin fertilization, 324
Sediments
ecological impact assessment, 48
evaluation, 337
polychlorinated terphenyls, 305
sublethal toxicity, 280
toxicity assessment, 263, 280
7,12-dimethylbenz(a)anthracene, 97
Sheepshead minnow, 97, 354
Short-term marine toxicity, 324
Source water toxicity, 84, 88–89(tables)
Southern Chesapeake Bay, 305
Sperm cell toxicity test, 324
Stormwater—sediment removal, 294
Striped bass
lethal substances, 202–203(tables), 205–206(tables)
toxicity tests, 193
Superoxide dismutase, 15

T

Temperature, 149
Test methods, 35, 48
Thiobencarb, 193
Tiered testing, 48, 337
Toxic organics, 263
Toxic response assessment
test methodologies, 36
Toxicant body residues, 183
Toxicant body residues—literature, 186(table)
Toxicant concentrations, 67, 166
Toxicants, multiple
joint action, 107
Toxicity
diazinon to killifish and loach, 343
fish gill sensitivity to waterborne pollutants, 223
Toxicity bioassays
test methodology, 183, 280, 294
Toxicity identification evaluation, 84
Toxicity modeling, 35, 84, 107, 245, 294
Toxicity reduction of stormwater runoff, 294
Toxicity reduction plan, 67, 75–77(tables)
Toxicity testing
fish gill—waterborne pollutants, 223
reclamation at hazardous waste site, 212
sperm cell toxicity test, 324
with larval striped bass, 193
Toxicological studies, 315

U

Uptake
rate coefficient, 263, 271–272(tables), 276(table)
xenobiotic—in fish, 139
Urban runoff, 294
Urinary catheriation, 131

V

Variability study, 84
Vertebrate. *See* Lower vertebrate research.

W

Waste stream treatment, 68
Wastewater effluents
sperm cell toxicity test, 324
toxicant reduction strategies, 67, 84
toxicity identification, 84
Water quality, 35, 212
Winter flounder (*Pseudopleuronectes americanus*), 97
Waterborne pollutants—fish gill sensitivity, 223

X

Xenobiotics
acute toxicity tests—fathead minnows, 115(table)
environmental contamination, 15, 107
pharmacokinetic modeling in fish, 131d
water-borne
accumulation by fish, 149