B

Index

A

Accelerating	Basic outflow meter (see Outflow
Boundaries, 135, 136, 142	meter)
Lateral and longitudinal, 129,	Belted bias tire, 82
130	Bias ply tire, 82
Longitudinal and traverse, 132	Bituminous concrete, 14, 44, 130
Maximum vehicle, 135	Braking, 119, 132
Vehicle, 133, 142	Anti-wheel-lock systems, 123
Accident	Line pressure, 129
Analysis, 125	Trailer, 107
Investigation, 116, 125	British Pendulum Number (tester),
Multidisciplinary, 116	37, 128, 130
Pavement surface information	British Road Research Laboratory,
needs, 116	117
Reconstruction, 117, 118, 125	
Acoustical weighting curves, 27	C
Adhesion component of friction,	
114	Calibration, 112
Aircraft tire, 98	California Portable Skid Tester, 44
Airjets, 83	Cartography, 64
Airjets, 83 Amplitudes, 10	Cartography, 64 Cartridge, 23
• •	<u> </u>
Amplitudes, 10	Cartridge, 23
Amplitudes, 10 Anti-wheel-lock braking systems,	Cartridge, 23 Channels, 95
Amplitudes, 10 Anti-wheel-lock braking systems, 123	Cartridge, 23 Channels, 95 Chip-sealed surface, 44
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity Road, 95	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24 Conservative skid number, 124
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity Road, 95 Rounding, 72	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24 Conservative skid number, 124 Controlled maneuvers, 128
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity Road, 95 Rounding, 72 Shape, 62	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24 Conservative skid number, 124 Controlled maneuvers, 128 Cornering, 119, 132
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity Road, 95 Rounding, 72 Shape, 62 Size, 62	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24 Conservative skid number, 124 Controlled maneuvers, 128 Cornering, 119, 132 Force, 105
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity Road, 95 Rounding, 72 Shape, 62 Size, 62 Spacing, 62	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24 Conservative skid number, 124 Controlled maneuvers, 128 Cornering, 119, 132 Force, 105 Correlation
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity Road, 95 Rounding, 72 Shape, 62 Size, 62 Spacing, 62 Typical, 64 Asphalt concrete (see Bituminous concrete)	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24 Conservative skid number, 124 Controlled maneuvers, 128 Cornering, 119, 132 Force, 105 Correlation Adhesion component and reduced microtexture size, 114 Friction and texture depth, 45,
Amplitudes, 10 Anti-wheel-lock braking systems, 123 Asperity Road, 95 Rounding, 72 Shape, 62 Size, 62 Spacing, 62 Typical, 64 Asphalt concrete (see Bituminous	Cartridge, 23 Channels, 95 Chip-sealed surface, 44 Coasting, 24 Conservative skid number, 124 Controlled maneuvers, 128 Cornering, 119, 132 Force, 105 Correlation Adhesion component and reduced microtexture size, 114

Phenomenon, 84 Elastomeric slider, 72

Gradient and outflow time, 55, 56 Electrical sensor, 90 Gradient and texture depth, 47, Ellipticity (depolarization) ratio, 32 48 Laser and skid resistance, 37 F Laser and texture data, 37 Outflow time and water tem-Flat plank experiments, 102 perature, 57 Fluid Percent skid number-speed gra-Film dient and outflow time, 9 Distribution, 75, 86, 87, 88 Rib tire and smooth tire, 58 Intrusion, 76 Skid number and outflow time, Measurement, 90, 91 52, 53, 54, 55 Moire' fringe technique, 91 Skid resistance-speed gradient and Penetration, 79, 82 mean hydraulic radius, 8 Inertia effects, 77 Texture and friction measure-**Properties** ments, 37 Density (inertia), 78 Viscosity, 78 D Fluorescent dye, 91 Fog-sealed surface, 44 Deceleration, 129 Footprint region, 79 Deformable surfaces, 113 Streamlines, 89 Directional lay, 67 Friction Drag force, 101 Average developable, 137, 142 Drainage Estimates, 117 Capability, 3, 8 Factor, 127 High pressure, 141 Hysteresis surface, 114 Surface, 142 Interface, 117 Draping, 5, 69 Lateral, 132 Dry contact area, 76 Longitudinal, 132 Dynamometer wheel, 98 Measurement Dynamic hydroplaning, 69, 75, 76, ASTM E 274-70, 37, 128 86 Braking trailer, 106 Dynamic weighing, 122 British pendulum tester, 37, 128, 130 E California Portable Skid Tester, 44 Effective wetness of pavement, 123 Stereo-photo interpretation, Elastohydrodynamic 118, 130 Analysis, 113 Fluid entrainment, 63

G

Gaussian distribution, 66

General Motors Symposium, 117 Geometrical features, 142	I
Gradient (see Skid resistance-speed gradient)	Incipient skid configuration, 127 Interaction
Grease test, 30	Vehicle-pavement, 123
Grooved portland cement concrete,	Interactive tire designs, 95
42	Applications, 110
Grooves, 95	Construction of patterns and sur-
Lateral, 81	faces, 109
Longitudinal, 81	Flat plank experiments, 102
Grooving	High-speed experiments, 105
Pavement, 44, 83, 119	Principle of operation, 96
Roadway, 10	Schematic view, 97
Gough plots, 117, 119	Small-scale experiments, 98
	Interface
Н	Contaminant, 78
	Friction, 117
Harshness, 17	Interfacial substances, 127
Helium-neon laser, 33	
High-pressure outflow meter, 5, 6	J
Test results, 7, 8, 9	- 1 4 .00
Highway Safety Act of 1966, 113	Jack-knifing skid, 121
Hydraulic radius, 4, 5, 6	Jennite pavement sealer, 14, 130
Mean, 64, 69	₹7
H ₂ O additive, 39	K
Hydroplaning	WC- O.E
Analytical models, 83	Kerfs, 95
Dynamic, 69, 75, 76, 86	L
Empirical findings, 83 Evaluation, 124	L
Factors of importance, 78	Lands, tread, 100
Forms of, 76, 142	Laser light depolarization, 29, 37,
Height indicator, 90	39, 141
Mathematical model, 84, 142	Color effect, 38
Potential prediction, 90, 123	Concept description, 31
Solutions, 83	Configuration, 31
Tire	Dependence on
Effects, 80	Color, 34, 38
Pneumatic, 75, 83	Fine and coarse texture, 34, 37
Tread rubber reversion, 76, 77	Material composition, 34, 39
Viscous, 69, 75, 76, 77	Simulated vehicle dynamics,
Hysteresis surface friction, 114	34, 39

Materials effect, 38	National Highway Traffic Safety Ad-
Measurement, 33	ministration, 116
Physical effects, 33	Near field noise, 20
Surface texture effects, 38	Negative depressions, 96
Laser source and receiver, 31	Noise intensity, 24
Lateral friction, 132	Non-uniform water depths, 123
Light, 30	-
Depolarization (see Laser light depolarization)	0
Lightweight aggregate surfaces, 130	Ottawa sand, 14
Limit maneuvers, 127	Outflow
Linear velocity, 9	Meter, 3, 30, 37, 42, 68, 141
Locked wheel	Data, 52, 53, 54, 55, 56, 57
Skid tester, 118	Drawing, 50
Traction, 119	High pressure, 5, 6
Longitudinal	Photograph of, 4, 6, 51
Acceleration, 132	Test description, 50, 68
Friction, 132	Time (s)
Lubrication theory, 113	Pressurized versus simple grav-
	ity, 5
M	Rubber draping, 5
	Temperature effects, 5, 7
Macrotexture, 18, 40	Versus skid resistance-speed
Parameters, 113	gradients, 6
Mean hydraulic radius, 64, 69	
Mean void	P
Spacing, 68	
Width, 62	Pavement
Mechanical interlocking, 72	Aggregate wear characteristics, 78
Microphone, 19, 23	Friction (see Friction)
Microtexture, 40, 142	Harshness, 17
Parameters, 113	Permeability, 8
Size-friction curve, 114	Porosity, 17, 78
Modified sand patch (see Sand patch	Surface information needs, 116
test)	Texture and surface texture (see
Moire' fringes, 75, 91	Surface texture)
Multidisciplinary accident investiga-	Wetness, 132
tion, 116, 142	PCC pavement, 42
•	Peak slip resistance, 123
N	Pennsylvania Transportation Institute
NaCl, additive, 39	Pavement durability track, 22
raci, additive, 57	ravellient duraointy track, 22

Skid test facility, 14, 22	R
Percent gradient (see Percent skid	
number-speed gradient)	Radial ply tire, 82
Percent skid number-speed gradient,	Rank number, 36
23, 30, 37	Real-time frequencies, 27
Equation for, 14, 24, 30	Reduced microtexture size para-
Versus outflow time, 9	meter, 114
Versus rms (y') rms (y'') , 15	Ribbed tire, 45, 52
Photogrammetry, 64	Roll angle, 129
Photographic analysis	Root mean square, 11
Schonfeld, 128	Roughness
Photography	Road, 118, 123
High speed, 99	Rubber draping, 5
Photomultiplier, 31	
Pistonphone calibrator, 23	S
Play-doh, 34	
Pneumatic tire	Sand patch test, 30, 37, 42, 43, 48,
Friction characteristics, 95	49, 68, 141
Hydroplaning (see Hydroplaning)	Description, 43, 68
Polarization, 31	Photograph of, 44, 49
Popcorn mix, 14	Repeatability, 49
Portland cement concrete, 14, 44	Scatter geometry, 33
Positive protrusions, 96	Seals costs, 42
Powered, 24	Shore A durometer hardness, 60
Preamplifier, 23	Shredding, 72
Pre-crash velocity, 117	Side force, 105
Pressure distribution, 86, 87, 88	Silicone putty impression, 128, 130
Prewetted surface, 136	Sine functions, 10
Prints	Sipes, 81, 95
Surface, 64	Site design, 80
Profile, 9	Skid
Analysis of data, 141	Measurement systems, 123
Autocorrelations, 16	Number, 18
Height, 9	Conservative, 124
Reproductions, 30	Relative, 124
Slope, 9	U.S. microtexture size, 113
Spectral densities, 15, 16	Number-speed gradient, 18, 114
Tracer, 4, 8, 141	Equation for, 15, 30
Traces, 12	Resistance
Protuberances, 142	Data
Pseudofrequencies, 27	PTI skid test facility, 22
Putty, 30	TTI skid test facility, 131

Mean void width, 62, 67
Rounding, 72
Size, shape, spacing, 4, 62
Square-pyramidal, 65
Typical, 64
Design criteria, 142
Information needs, 116
Prints, 64
Texture
Appropriate, 136
Data
PTI skid test facility, 13
TTI skid test facility, 35,
134
Depth, 64, 68, 133, 136
Design, 63
Distribution, shape, size, spac-
ing, 113, 114
Effect on limit maneuvers, 127,
133
Effect on rainwater depth, 118
Fine and coarse description, 40
Measurement procedures
Basic static outflow meter,
4, 141
Cartography, 64
Grease, 30
High-pressure outflow
meter, 5, 141
Hydraulic radius, 5, 64
Laser light depolarization,
29, 141
Light
Profile reproduction, 30
Zero-slope detector, 30
Outflow meter, 3, 30, 37,
42, 50, 68
Profile tracer, 4, 8, 10, 30,
64, 141
Sand patch, 37, 42, 43, 68,
141
Silicone putty impression,

30, 128 Stereo-photo interpretation, 30, 64, 118, 128 Surface prints, 64 Texture meter, 30, 37 Tire noise, 18, 141 Volumetric, 41 Model, 62 Parameters, 112 Principal function, 29 Profile, 4 Random, 62, 70 Sharpness and roundedness, 63 Waviness, 17	gradient, 24 Radial ply, 82 Ribbed and smooth, 45, 52 Surface deformation, 84 Moire' fringes technique, 91 Tread Less, 20 Patterns, 20, 80, 105 Rubber reversion, 76, 77 Tire-pavement interface friction, 117 Topographical map, 93 Traffic Accident (see Accident)
Synthetic (burned clay) aggregate,	Density, 80
115	Transducer, 8, 9
	Displacement, 9
T	Transverse accelerating, 132
Tape recorder, 19 Temperature, 5	U
Test equipment calibration, 112	Ultra-high surface friction, 142
Texas Transportation Institute, 106, 127	Unsprung mass, 121
Texture (see Surface texture) Meter, 30, 37	V
Third-octave band analysis, 23, 27 Tire Aircraft, 98 Belted bias, 82 Bias ply, 82 Carcass, 80 Construction, 82 Types, 82 Design Interactive, 95	Vehicle And tire/surface combination, 101 Operating conditions Factors, 79 Pre-crash, 117 Viscosity, 5 Viscous hydroplaning, 69, 75, 76, 77
Drag force, 100	\mathbf{w}
Inflation pressure, 83 Noise, 18, 23, 141	Water depth, 118
Macrotexture influence, 26	Wavelengths, 10
Versus frequency, 25	Wear
Versus percent skid number	Pavement, 62, 142

Mechanism, 69 Wide band amplifiers, 23 Sharp angular surface, 72 Windscreen, 23 Smooth surface, 71 Wet skid resistance Y Dependence on speed, 3 Wet surface maneuvering, 131 Yaw rate, 129 Wet traction capability prediction, 90 Wetness Z

Pavement, 132

Wheel rotations, 129 Zero slope detector, 30