

Index

- A**
- abrasives
 use in cleaners, 231
 use in laundry detergents, 199
- absorption agents, 156
- acetylated monoglycerides (AcMG), 278, 278 (figure), 279
- acetylenic diols, 119
- acid dyes, 342
- acids. *See also specific types*
 use in laundry detergents, 199
 as textile scouring agents, 334
- 2-(acryloyloxy)ethyltrimethylammonium chloride (AETAC), 409
- Activators
 for bleach, 213
 use in mineral flotation, 403
- acylaminoalkanesulfonates (acyl taurates), 75, 75 (figure)
- acylamphoacetates, 107–108, 107 (figure), 108 (figure)
- acylated oligopeptides, 55–56, 56 (figure)
- acyl glutamates, 55, 56 (figure)
- acyl isethionates, 73–75
- acyl sarcosinates, 55, 55 (figure)
- acyl taurates (acylaminoalkanesulfonates), 75, 75 (figure)
- adhesion promoters, 92, 265, 373
- adhesives, 365–368
- adjuvants, for agricultural chemical formulations, 323, 324–325
- adsorption, 1, 21, 26 (figure)
 chelating agents, 194
 surfactants in detergents, 192, 199
 quaternary ammonium compounds, 98
 techniques to separate surfactants for analysis, 441–442
- after-treatment aids, 223, 342, 344
- agricultural chemical formulations, 323–331. *See also* fertilizers;
 herbicides; pesticides
 application of, 330
 delivery systems for, 325–330, 326 (figure)–328 (figure)
 for seed treatments, 330–331
- air/solid (AS) interface, 26, 372
- alasan, 169, 175, 182
- albumen, 288–289
- alcohol ether phosphates (AEP), 81–83, 82 (figure)
- alcohol ether sulfates (AES), 9, 48, 76–80, 80 (figure), 445
 alkyl polyglycosides (APG) and, 146
 use in applications, 85–86
 biodegradability of, 464
 use in detergents, 195, 196
 environmental impact of, 460
 use in gypsum board, 400
 use in laundry detergents, 199, 203–204, 203 (figure)
 use in personal-care products, 240
 use in shampoos, 261
 solid-phase extraction of, 468
 thin-layer chromatography (TLC) of, 435
- alcohol ethoxylates (AE), 10, 119, 126–128, 204, 204 (figure), 448
 alkyl polyglycosides (APG) and, 145
 use in bath oils, 257
 biosurfactants and, 167
 use in commercial laundry detergents, 234
 use in detergents, 195, 196
 environmental impact of, 460
 use in laundry detergents, 199
 nonionic surfactants and, 125
 use in personal-care products, 241
 solid-phase extraction of, 469–470
 as textile scouring agents, 335
 thin-layer chromatography (TLC) of, 435
- alcohol phosphates (AP), 81–83, 82 (figure)
- alcohol propoxylates, 126–128
- alcohols. *See also specific types*
 as processing aids for laundry detergents, 223
 as textile scouring agents as, 334
- alcohol sulfates (AS), 9, 48, 76–79, 77 (figure), 79 (figure)
 applications of, 85–86
 use in detergents, 195, 196
 environmental impact of, 460
 high-performance liquid chromatography (HPLC) of, 444
 use in laundry detergents, 199, 203, 203 (figure)
 α -methyl ester sulfonates (MES) and, 69
 use in personal-care products, 240
 use in shampoos, 261
- alkalis, for laundry detergents, 199, 211
- alkanolamides, 139, 139 (figure), 205 (figure)
- alkenylsuccinic anhydrides, 299
- alkoxylation, 54, 121–122, 122 (figure)
- alkylamido betaines, 111–113, 111 (figure), 112 (figure), 253, 451
- alkylamine oxides, 205
- alkylamines, 94
- alkylammonium, 47
- alkylaromatic surfactants, 5, 13–14, 14 (figure)
- alkylarylsulfonates, 56–57, 56 (figure)
- alkylbenzenesulfonates (ABS), 9, 57–58, 57 (figure), 58 (figure), 62 (figure), 444, 460
- alkyl betaines, 100–101, 101 (figure), 111–113, 111 (figure), 112 (figure), 451
- alkyl carbohydrate esters, 134–137, 134 (figure)–136 (figure)
- alkyldimethylbenzylammonium chlorides, 340
- alkyldiphenyloxide disulfonates, 62–64, 63 (figure)
- alkyl ether carboxylates, 53–54, 53 (figure)
- alkyl glyceryl ether sulfonates, 73, 74 (figure)
- alkyl group, 5, 158, 450
- alkylindanes, 62, 62 (figure)
- alkylindenes, 62, 62 (figure)
- alkyl lactates, 244
- alkylnaphthalenes, 62, 62 (figure)
- alkyl oligoglycosides. *See* alkyl polyglycosides

- alkylphenol ether sulfates, 80–81, 81 (figure)
 - alkylphenol ethoxylates (APE), 119, 125, 128 (figure), 204–205, 204 (figure), 448, 469–470
 - biodegradability of, 464–465
 - use in detergents, 196
 - environmental impact of, 460
 - formaldehyde and, 130, 130 (figure)
 - use in laundry detergents, 199
 - as textile scouring agents, 335
 - thin-layer chromatography (TLC) of, 435
 - alkylphenol ethoxylates (APE)-formaldehyde condensates, 130, 130 (figure)
 - alkylphenol polyethoxylates, 10, 36
 - alkyl phosphate esters, 147–148, 147 (figure)
 - alkyl polyglycosides (APG), 69, 125, 134–135, 134 (figure), 142–146, 143 (figure), 144 (figure), 205
 - biodegradability of, 465
 - use in detergents, 196
 - use in personal-care products, 241
 - toxicity of, 465–466
 - alkyl(polyoxyethylene)glycol ethers, 36
 - aloe vera, 248, 264
 - aluminum chloride, 57
 - aluminum stearate, 249
 - amidoamines, 96–97
 - amidohydroxypropylsulfonates, 114
 - amine alkoxylates, 130, 130 (figure), 131 (figure)
 - amine carboxylate soaps, 49–56
 - amine ethoxylates, 130, 130 (figure), 131 (figure), 339
 - amine oxides, 241, 249, 449–450
 - amine propoxylates, 130, 130 (figure), 131 (figure)
 - amino acid carboxylates, 54–55
 - amino acids, 171
 - aminopropionic acid, 106
 - amitriptyline, 317
 - ammonium, 47, 55, 241
 - ammonium hydroxide, 50
 - amoxicillin, 317
 - amphiphathic, 1
 - amphiphile, 1, 168
 - amphiphobic group, 151, 156
 - ampholytes, 4–5
 - amphopropionates, 108–111, 109 (figure)
 - amphoteric surfactants, 3–4, 3 (figure), 4, 4 (figure), 5, 6–7, 92 (figure), 105–115, 105 (figure)–109 (figure), 111 (figure)–115 (figure)
 - characterization of, 451–452
 - use in cosmetics, 106
 - use in detergents, 196
 - global market for, 11
 - use in laundry detergents, 205, 205 (figure)
 - use in personal-care products, 242
 - use in shampoos, 106, 242, 261–262
 - as textile softening agents, 338
 - amylases, 221
 - anionic surfactants, 3–4, 3 (figure), 5, 47–87
 - use in agricultural chemical formulations, 324
 - analytical methods for, 475
 - applications of, 83–87
 - biodegradability of, 463
 - with cationic surfactants, 7, 7 (figure)
 - characterization of, 443–446, 443 (figure), 443 (table)
 - as corrosion inhibitors, 87
 - use in detergents, 40–41, 47–48, 195
 - use in dispersions, 423
 - use in foods, 284–285
 - global market for, 10
 - use in hand-dishwashing products, 86
 - use in laundry detergents, 195, 199, 201–204, 201 (figure)–203 (figure)
 - use in oral-hygiene products, 260
 - use in paints, 87
 - use in personal-care products, 86–87, 195, 240–241
 - use in pharmaceuticals, 306
 - raw materials for, 48
 - use in shampoos, 261–262
 - solid-phase extraction of, 468
 - sulfonation/sulfation processes for, 48–49, 49 (figure)
 - use in textiles, 340, 345–346
 - as textile softening agents, 338
 - antiadhesion, 179
 - antibiotics, 317
 - antifoam agents, 40–41, 43, 324
 - food emulsifiers and, 274
 - use in pharmaceuticals, 317
 - use in textiles, 344
 - antifreeze agents, for agricultural chemical formulations, 323
 - antihistamines, 317
 - antimicrobial agents, 104, 200, 222, 323
 - antimony pentachloride, 123
 - antiperspirants, 257
 - antiredeposition agents, 9, 200, 214–216, 215 (figure), 216 (figure)
 - antiseptic agents, 99, 345
 - antistaling action (starch-complexation), 273
 - antistatic agents, 92, 96, 99, 128, 138
 - fatty acid alkanolamides (FAA) as, 139, 140
 - use in textiles, 338
 - antiviral properties, 168, 179–181,
 - aqueous oxidizer solutions, for emulsion explosives, 419–420
 - aryl ether sulfates, 445
 - asphalt, 32–33, 96, 99, 397–399, 399 (figure)
 - asphaltene control, for petroleum applications, 355
 - automatic-dishwasher detergents, 39, 67, 128, 197–198, 231
 - automotive coatings, 374–375
 - auxiliary surfactants, for personal-care products, 244
 - azo dyes, 343
 - azo group, 163, 163 (figure)
- B**
- bactericides, 1, 55, 87, 92, 180, 293
 - bakery products, 134, 181, 293–295
 - bar soaps, 69, 254–255
 - bath oils, 256–257
 - bathroom cleaners, 67
 - bathroom-drain cleaners, 233
 - benzalkonium chloride, 306–307, 450
 - benzocaine, 137, 180
 - benzodiazepine, 317
 - benzyl group, 163
 - beverages, food emulsifiers for, 299, 299 (figure)
 - bicine, 219, 219 (figure)

- bioaccumulation, 467
 of fluorosurfactants, 156–157
 of linear alkylbenzenesulfonates (LAS) and linear alkylbenzenes (LAB), 58
 biocides, 75, 104, 136, 156, 222
 biodegradability
 of alkylphenol ethoxylates (APE), 128
 of alkyl polyglycosides (APG), 145
 of biosurfactants, 168, 178, 180
 of cationic surfactants, 102
 environment and, 461–465
 of fluorosurfactants, 151
 of α -methyl ester sulfonates (MES), 69
 of nonionic surfactants, 124
 oil-spill remediation and, 380
 unsaturation and, 102
 wastewater treatment and, 393
 biodispersant, 175
 bioemulsifiers, 168–169, 174–175
 biological oxygen demand (BOD), 463
 biosurfactants, 167–185, 386–389
 bitumen, 397–398
 bleaches
 use in laundry detergents, 200, 212–214, 212 (figure)–213 (figure)
 for paper, 411
 for textiles, 336–337, 342
 block copolymers, 9, 243. *See also* ethylene oxide/propylene oxide
 body-care products, 56, 67, 239, 246
 body lotions, 239, 253, 257
 body washes, 239, 240, 242, 253, 256
 bolaform surfactants, 3–4, 3 (figure)
 boron trifluoride, 57, 123, 124
 branched alkylbenzenes (BAB), 57
 branched alkylbenzenesulfonates (BAS), 57, 60–61, 202, 202 (figure), 460, 462
 β -branched olefinsulfonates, 65
 breath-fresheners, 239
 bromide, 91
 bubble baths, 80, 242, 244, 257
 buffering agents, 211, 323, 324
 builders, for laundry detergents, 200, 206–207, 209–211
 butanol, 143–144, 176
 butter, 289, 300
 butylated hydroxytoluene (BHT), 131, 250
 butylene oxide, 162
- C**
 calcium ions
 anionic surfactants and, 47
 chelating agents for, 218–221, 219 (figure), 220 (figure)
 linear alkylbenzenesulfonates (LAS) and, 60
 petroleum sulfonates and, 62
 soaps and, 50, 52
 calcium chloride, 121, 386
 calcium lignosulfonate, 76
 calcium stearoyl lactylate (CSL), 283, 285
 calorimetry, 446, 472
 capillary electrophoresis (CE), 473–474
 capsule suspensions (CS), 325, 330, 330 (figure)
 carbohydrates, 120
 carbopol, 249
 carboxylates, 6, 9, 47, 49–56
 carboxylic acids, 133, 137
 carboxymethylcellulose (CMC), 9, 215–216, 215 (figure), 335
 use in cosmetics, 251–252, 251 (figure)
 as food emulsifier, 288
 car-care products, 67
 carpet cleaners, 72, 233
 carriers, for agricultural chemical formulations, 323
 castor oil, 51, 79, 79 (figure), 137, 137 (figure), 148
 cationic surfactants, 3–4, 3 (figure), 5, 91–105, 92 (figure)
 use in agricultural chemical formulations, 324
 analytical methods for, 476–477
 use in dishwashing products, 96
 anionic surfactants and, 7, 7 (figure)
 biodegradability of, 464
 characterization of, 450–451
 as corrosion inhibitors, 92, 99, 104
 use in cosmetics, 96
 use in detergents, 103, 195, 196, 205
 as disinfectants, 99
 as fabric softeners, 99, 101–103, 101 (figure)
 global market for, 10
 use in hair conditioners, 96, 252, 263
 use in hand-dishwashing products, 96
 use in household cleaners, 96
 use in laundry detergents, 199, 205–224, 206 (figure), 207 (figure), 210 (figure), 212 (figure)–221 (figure)
 use in personal-care products, 103–104, 241–242
 use in pharmaceuticals, 306–307
 properties and applications of, 101–105, 101 (figure), 103 (figure)
 solid-phase extraction of, 469
 synthesis of, 92–101, 94 (figure)–101 (figure)
 use in textiles, 96, 99, 104, 340
 as textile softening agents, 338
 celecoxib (Celebrex), 317
 cellulose, 249, 288, 334
 cement, 399–400
 cerilipin, 174
 cetrimide, 306
 cetyl alcohol, 148
 cheese, 292
 chelating agents, 29, 194
 use in laundry detergents, 218–221, 219 (figure), 220 (figure)
 lichenysin as, 172
 organic builders and, 209
 chemical stability, 5, 232
 of biosurfactants, 177
 of fluorosurfactants, 151, 155
 of α -olefinsulfonates, 65
 of personal-care products, 253
 chewing gum, 239
 chloramphenicol, 137
 chlorofluorocarbons (CFC), 409
 chlorosulfonic acid, 59
 chloroxylonol, 310
 chocolate, 295–296
 choline, 167
 Clean Air Act, 461
 Clean Water Act, 461

- cloud point, 29–31
 - of alcohol ethoxylates, 124
 - of alkyl polyglycosides (APG), 145
 - of nonionic surfactants, 447
 - of silicone surfactants, 161
 - coalescence, 35
 - coatings
 - fluorosurfactants, use in, 155, 156, 157
 - for paper, 414
 - silicone surfactants, use in, 161
 - sulfosuccinates, use in, 72
 - surfactants for, 370–375, 374 (table)
 - cocamide diethanolamine (CDEA), 261–262
 - cocamidopropyl betaine (CAPB), 113–114, 261–262
 - cocodiethanolamide, 340
 - coconut oil, 17
 - alkyl polyglycoside (APG) from, 143
 - diethanolamides from, 125
 - α -methyl ester sulfonates (MES) from, 67
 - monoester sulfosuccinates from, 72
 - nonionic surfactants from, 120
 - soaps from, 51
 - cocoyl isethionate, 240
 - coemulsifiers, 129
 - coffee whiteners, 292, 300
 - cold-mix emulsion asphalt, 398
 - colistin. *See* polymyxin E
 - collectors, use in mining, 403–407, 404 (figure)–407 (figure)
 - colloidal dispersions, 36–37, 390–391, 391 (figure), 422–423
 - colloidal gas aphrons (CGA), 39
 - colloidal silica, use in laundry detergents, 209
 - colorants. *See also* dyes; pigments
 - use in agricultural chemical formulations, 323
 - use in laundry detergents, 200
 - color detergents, 209
 - color stabilizers, for laundry detergents, 200
 - combo bars, 69
 - commercial laundry detergents, 234
 - compatibility agents, for agricultural chemical formulations, 324, 325
 - concrete, 399–400
 - construction, surfactants use in, 397–400, 399 (figure)
 - Consumer Product Safety Commission, 235
 - contaminant-removal chemicals, 351
 - conventional concentration, in mining, 401
 - copper
 - compounds in agricultural chemical formulations, 324
 - soaps, 52
 - corrosion inhibitors. *See also* rust preventatives
 - alkyl phosphate esters as, 148
 - anionic surfactants as, 87
 - cationic surfactants as, 92, 99, 104
 - use in laundry detergents, 218
 - for petroleum applications, 351, 355
 - petroleum sulfonates as, 62
 - cortisone acetate, 137
 - cosmetics
 - alkyl betaines, use in, 113
 - alkyl phosphate esters, use in, 148
 - amphoteric surfactants, used in, 106
 - bioactive ingredients, use in, 250
 - biosurfactants, use in, 180, 181–182
 - cationic surfactants, use in, 96
 - carboxymethyl cellulose (CMC) role in, 251–252, 251 (figure)
 - diethanolamides, use in, 125
 - dyes in, 250
 - emollients, use in, 248
 - emulsifiers, use in, 244–248, 244 (table), 245 (table), 348 (figure)
 - fatty amine oxides, use in, 147
 - formulations of, 264–268
 - glycols in, 132
 - nonionic surfactants, use in, 125
 - pigments, use in, 250
 - polyelectrolytes, use in, 251–252, 251 (figure)
 - polymer surfactants, use in, 242–244, 243 (figure), 244 (figure)
 - preservatives in, 250
 - silicone surfactants, use in, 161–162, 243, 243 (figure)
 - sulfosuccinates, use in, 72
 - surfactants, use in, 239–268
 - thickening agents for, 249–251
 - cosolvents, 324
 - counterions, 6
 - coupling agents, 324
 - creaming, 35, 36 (figure)
 - crease resistance, 346
 - crepe effect, 345
 - critical micellar temperature (CMT), 195
 - critical micelle concentrations (CMC), 7, 23–26, 24 (figure), 25 (figure), 27 (table), 41
 - of alcohol sulfates (AS), 77
 - of alcohol ether sulfates (AES), 80
 - of anionic surfactants, 47, 195
 - of biosurfactants, 177–178
 - of detergents, 192
 - emulsions and, 31
 - of fluorosurfactants, 155
 - foams and, 40
 - role in hydrocarbon degradation, 388
 - of ionic surfactants, 196
 - role in pharmaceuticals drug delivery systems, 308
 - of sulfosuccinates, 72
 - surface tension and, 29
 - crude oil biodegradation, 183–184
 - crude tall oil, soaps from, 51
 - crystal modification by food emulsifiers, 274
 - cumenesulfonates, 61
- ## D
- dairy facility cleaners, 234
 - dairy foods and substitutes, 289–293
 - defoamers
 - use in coatings, 372–373
 - use in detergents, 201
 - nonylphenol ethoxylates (NPE) as, 129
 - for paper, 411–412, 412 (figure)
 - silicone surfactants as, 162
 - degreasers, 128, 235
 - degree of ethoxylation (DOE)
 - of alcohol ethoxylates (AE), 127
 - of alcohol ether sulfates (AES), 79, 80
 - of alcohol ether phosphates, 82

- of alkyl ether carboxylates, 53
- of fatty alcohol-derived alkyl phosphate esters, 148
- of alkylphenol ethoxylates (APE), 128
- of ethoxylates, use in bath oils, 256
- of ethoxylated castor oil, 137
- of ethoxylated amines, use as cationic surfactants, 94
- of nonylphenol ethoxylates (NPE), 129
- of ethoxylated emulsifiers, 245
- of ethylene oxide (EO)- and propylene oxide (PO)-based nonionic surfactants, 446
- of fatty acid alkanolamides (FAA), 139
- of ethoxylated nonionic surfactants, 119
- of octylphenol ethoxylates (OPE) and nonylphenol ethoxylates (NPE), 129
- of ethoxylated sorbitan esters, 136–137
- degree of polymerization (DP), of alkyl polyglycosides (APG), 145
- degree of propoxylation (DOP)
 - of ethylene oxide- (EO) and propylene oxide (PO)-based nonionic surfactants, 446
 - of propoxylated nonionic surfactants, 119
- deinking agents, for paper, 410–411, 411 (figure)
- demulsification, 35–36, 43
 - by the use of biosurfactants, 178
 - of food emulsions, 274
 - of emulsions formed in petroleum production and refining, 350, 355, 360
- demulsifiers
 - biosurfactants as, 180
 - cationic surfactants as, 96
 - nonionic surfactants as, 125
- dense non-aqueous phase liquids (DNAPL), 382–385, 384 (figure)
- density adjusters, for emulsion explosives, 420
- density enhancers, 351
- deposit-control agents, for paper, 412
- depressants, for mining, 403
- derivative extraction, for isolating surfactants from aqueous environmental samples, 467
- Design for Environment (DfE), 461
- desizing agents, 336, 341
- desiccants, use in laundry detergents, 223
- detergency, 27–29, 43
 - of alcohol sulfates (AS), 77–78
 - of alcohol ether sulfates (AES), 80
 - of alcohol phosphates, 83
 - of amphoteric surfactants, 106
 - of anionic surfactants, 47
 - of alkyl polyglycosides (APG), 145
 - of detergents, 191–192
- of glycol and poly(alkylene glycol) esters, 133
 - of α -methyl ester sulfonates (MES), 69
 - of nonionic surfactants, 125
 - of quaternary ammonium compounds, 99
 - of soap, 195
 - of sulfobetaines, 114
 - of sulfosuccinates, 72
- detergent-grade alcohols, 17–18, 48, 77, 126
- detergent-range alcohols, 14–15, 14 (figure), 15 (figure), 48
- detergents, 1, 6, 29, 43. *See also specific types*
 - alcohol sulfates (AS), use in, 77
 - alcohol ether sulfates (AES), use in, 80
 - anionic surfactants, use in, 40–41, 47–48, 195
 - antifoam agents, use in, 40–41
 - alkylphenol ethoxylates (APE), use in, 128
 - cationic surfactants, use in, 103, 195, 196, 205
 - cleaning process by, 192–196, 193 (figure)
 - environmental impact of, 459–477
 - foams, 38
 - formulations, 224–228, 225(table)–226(table)
 - general-purpose, 230
 - global market for, 10–11
 - glycol and poly(alkylene glycol) esters, use in, 132
 - ionic surfactants, use in, 196
 - use in light-duty liquids (LDL), 228–230
 - nonionic surfactants use in, 125, 196
 - use in petroleum applications, 360
 - production of, 224
 - surfactants for, 191–235, 197(table)
- dewatering agents, use in mining, 408–409
- dewetting agents, 129, 156, 367
- diacetyl tartrate esters of monoglycerides (DATEM), 278, 278 (figure), 279, 279 (figure)
- dialkylbenzenesulfonates, 7
- dialkylnaphthalenesulfonates, 7
- dialkyltetralins (DATS), 62, 62 (figure)
- dibenzylidene sorbitol, 249
- dichlorodiphenyltrichloroethane (DDT), 393
- diesterquat (DEQ), 205
- diester sulfosuccinates, 72–73, 465
- diethanolamine (DEA), 125, 138, 249
- diethylenetriaminepentaacetic acid (DTPA), 219, 219 (figure), 220 (figure)
- differential scanning calorimetry (DSC), 446
- diglycerides, 168, 241, 277, 277 (figure)
- dihydrogenated-tallow (DHT), 97, 102, 103
- dihydroxyethylcocamine oxide, 249
- dihydroxyethylglycine (DEG), 219
- dimethylsiloxane, 157
- dioctadecyldimethylammonium chloride (DTDMAC), 102
- dioxane, 49, 49 (figure)
- dipeptides, 56
- diphenylalkane, 62, 62 (figure)
- diphenylmethane, 317
- diquaternaryammonium halides, 7
- direct dyes, 342
- dirt/water interface, 195
- dishwashing. *See* automatic-dishwasher detergent; hand-dishwashing products
- disinfectants, 99, 147
- disodium sulfocarboxylate, 68
- dispersants, 4, 6, 9
 - use in agricultural chemical formulations, 324
 - alkylarylsulfonates as, 56
 - biosurfactants as, 180
 - cationic surfactants as, 92, 96
 - use in coatings, 372
 - for dyes, 113
 - nonylphenol ethoxylates (NPE) as, 129
 - use in oil-spill remediation, 379–380
 - petroleum sulfonates as, 62
 - use in textiles, 337, 344
- disperse dyes, 343

dispersions, 37 (figure), 43, 422–424, 422 (figure), 423 (figure), 424 (table)
 alcohol ether sulfates (AES), use in, 80
 alkyl polyglycosides (APG), use in, 145
 biosurfactants, use in, 176
 colloidal, 36–37, 390–391, 391 (figure), 422–423
 food emulsifiers and, 274
 type agricultural chemical formulations, 325
 as pharmaceutical delivery systems, 306, 315–317
 as polymerization media, 419
 quaternary ammonium compounds, use in, 98
 silicone surfactants, use in, 160
 dissolved organic carbon (DOC), 463
 dissolved oxygen demand (COD), 463
 distearate esters, 241
 distearyldimethylammonium chloride (DSDMAC), 98, 102, 205
 distillation to separate surfactants for analysis, 440
 disulfine blue spectrophotometry, 477
 ditallowdimethylammonium chloride (DTDMAC), 98
 dodecylbenzenesulfonate, 57, 340
 dodecyldiphenyloxide disulfonate, 64
 double emulsions, 244
 drainage aids, for paper, 412
 Draves wetting time, 72
 dressings, 298–299, 300
 drilling fluids, 351–353
 drilling-rate enhancers, 351
 dryer-cycle products, 102
 dry-strength additives, for paper, 412–413
 dust suppressants, for mining, 401–402
 dye dispersants, alkyl betaines for, 113
 dyes
 use in cosmetics, 264
 use in laundry detergents, 223
 use in personal-care products and cosmetics, 250
 use in textiles, 337, 342–344
 dye-transfer inhibitors, for laundry detergents, 221, 221 (figure)

E

ear-wax removal, 311
 electrolytes
 alkyl polyglycosides (APG), tolerance to, 145
 foams and, 40
 pharmaceuticals drug-delivery systems and, 309
 quaternary ammonium compounds and, 98
 sulfobetaines and, 114
 electronics, 414–415
 electroplating, 156
 emollients, 248, 264
 emulsan, 174–175
 emulsifiable concentrates (EC), 325, 328–329
 emulsifiers, 4, 6, 77, 86, 128. *See also* demulsifiers
 use in agricultural chemical formulations, 324
 alcohol phosphates as, 82
 alkyl phosphate esters as, 148
 use in asphalt, 398–399, 399 (figure)
 cationic surfactants as, 96
 use in cosmetics, 265
 diethanolamides as, 125
 for emulsion explosives, 420
 ethoxylated fats and oils as, 138

 use in foods, 271–300
 functionalized monomers to produce, 163
 poly(ethylene glycol) esters as, 132
 linear alkylbenzenesulfonates (LAS) as, 60
 lecithins as, 114–115
 nonionic surfactants as, 125
 from poly(ethylene glycol)s (PEG), 243
 use in personal-care products and cosmetics, 244–248, 244 (table), 245 (table), 348 (figure)
 use in petroleum applications, 350
 petroleum sulfonates as, 62
 silicone surfactants as, 162
 sulfosuccinates as, 72
 use in textiles, 344
 water-insoluble soaps as, 52
 emulsion breakers, for oil-spill remediation, 381
 emulsion explosives, 419–420
 emulsions, 31–36, 32 (figure), 34 (table), 43. *See also* demulsification;
 macroemulsions; microemulsions; nanoemulsions
 alkyl and alkylamido betaines, use in, 112
 alkyl phosphate esters, use in, 147
 alkyl polyglycosides (APG), use in, 145
 applications of, 415–420
 biosurfactants, use in, 176, 178
 failure, 35, 36 (figure)
 food emulsifiers, use in, 274
 role in laundry detergents, 198–199
 use in pharmaceuticals, 306, 311–315, 313 (table)
 use in polymerization, 416–419, 417 (figure)
 making process, 34–35
 use of quaternary ammonium compounds in, 99
 enhanced oil recovery (EOR), 180, 355–356, 420
 environment
 biodegradability and, 461–465
 surfactants and detergents and, 459–477
 environmental
 analysis, 466–477
 regulations, 460–461
 Environmental Protection Agency (EPA), 235, 380, 381, 461
 environmental remediation
 biosurfactants, use in, 182–185
 of oil-spills, 42, 183, 378–381
 surfactants, use in, 377–394
 wastewater treatment, 389–394, 391 (table), 392 (figure)
 enzymes, for laundry detergents, 200, 221–222
 epichlorohydrin, 114
 ester carboxylates, 53, 53 (figure)
 ester quaternary salts, 99–100, 100 (figure), 451
 esterquats, 205
 ester sulfonates, 445
 ethanolamines, 240–241
 ethoxylated acids, 448
 ethoxylated alcohol, 53, 245
 ethoxylated alkanolamides, 139
 ethoxylated alkylphenols, 346
 ethoxylated amides, 449
 ethoxylated amines, 205, 324
 ethoxylated esters, 449
 ethoxylated fats and oils, 137–138, 137 (figure), 138 (figure)
 ethoxylated methyl carboxylates, 138, 138 (figure)
 ethoxylated monoglycerides (EMG), 278

ethoxylated sorbitan esters, 135–137, 135 (figure), 136 (figure)
 ethoxylates, 53. *See also specific types*
 ethylenediaminetetraacetic acid (EDTA), 193, 219, 219 (figure), 255
 ethylene glycol, 241
 ethylene oxide (EO, oxyethylene), 9, 446
 alcohol ethoxylates (AE), 126
 alcohol ether sulfates (AES), 79
 alkylarylsulfonates ethoxylation, 56
 alkyl ether carboxylates, 53–54
 polyoxyethylene derivatives as emulsifiers in foods, 283–284
 polyethoxy functionalized monomers and, 162
 poly (ethylene glycol) derivatives and, 131–132
 nonionic surfactants and, 119, 120–121, 121 (figure), 125
 poly(ethylene glycol) (PEG) and, 132
 derivatives as personal-care products emulsifiers, 245
 silicone polyethers (SPE) and, 159
 ethylene oxide polymers (PEO), 122, 123
 ethylene oxide/propylene oxide (EO/PO) derivatives, 4, 9, 18–20, 36, 205, 205 (figure), 449
 use in agricultural chemical formulations, 324
 block polymers, 119
 use in detergents, 196
 use in kitchen and bathroom cleaning products, 233
 liquid chromatography (LC) separation for analysis, 436
 nonionic surfactants and, 125
 silicone surfactants and, 160
 use in textiles, 338, 340
 as textile scouring agents, 335
 thin-layer chromatography (TLC) of, 435
 evaporated milk, 292
 explosives, emulsions, 419–420
 extenders, use in agricultural chemical formulations, 325
 extracellular vesicles, 175–176
 extraction techniques, 442–443
 eyeliners, 267
 eyeshadows, pearls for, 250

F

fabric production, 334
 fabric softeners, 197
 cationic surfactants for, 99, 101–103, 101 (figure)
 use in laundry detergents, 200, 223
 nonionic surfactants compatibility with cationics, 125
 fast atom bombardment (FAB), 474
 fat reduction, food emulsifiers for, 274
 fats and oils
 ethoxylated, 137–138, 137 (figure), 138 (figure)
 use in foods, 272
 nonionic surfactants from, 120
 use as emollients in personal-care products, 248
 sulfated, 81
 fatty acid alkanolamides (FAA), 125, 138–140, 139 (figure), 205, 205 (figure), 241, 243, 448–449
 fatty acid alkanolamide sulfates, 80, 80 (figure)
 fatty acid amides, 249
 fatty acid esters, 36, 245
 fatty acids
 alkoxylation of, 54
 amphoteric surfactants from, 106

 biodegradation of, 462
 biosurfactants from, 169, 172–174, 173 (figure)
 cationic surfactants from, 91, 93–96
 as food emulsifiers, 276
 α -methyl ester sulfonates (MES) from, 67–68
 polyol esters of, 131
 propylene glycol esters of, 280
 use in soaps, 50–51
 use in textiles, 339, 346
 unsaturation of, 16, 50
 fatty alcohol ethoxylates, 127–128, 307
 fatty alcohols, 36
 as demulsifiers in anionic surfactant-based emulsions, 48
 alkyl polyglycosides (APG) from, 143
 biosurfactants made from, 168
 ethoxylates of, 124
 use in textiles, 346
 fatty alcohol sulfates, 76–79
 biodegradability of, 464
 use in pharmaceuticals, 306
 as textile scouring agents, 335
 fatty amine oxides, 100, 146–147, 146 (figure)
 use in agricultural chemical formulations, 324
 use in detergents, 196
 fatty amines, 17
 fatty carboxylic acids, 16–18, 17 (figure), 49–50
 Federal Insecticide, Fungicide, and Rodenticide Act (FIRA), 461
 fertilizers
 alcohol ethoxylates (AE), use in, 128
 alkyl phosphate esters, use in, 148
 fiber production, 333–334
 fillers, 42
 for coatings, 371
 in laundry detergents, 222–223
 use in sealants, 368
 filtration-control agents, 351
 finishing agents
 alkyl betaines, use as, 113
 cationic surfactants as, 92
 for textiles, 334, 344–345
 firefighting foams
 fluorosurfactants use in, 156
 foam control for, 40
 foams for, 420–421
 Fischer glycosidation, 143
 Fischer-Tropsch synthesis, 13
 flame-resistant coatings, 375
 flame-retardant systems for textiles, 345
 flocculation coagulation, 35, 36 (figure)
 in wastewater treatment, 391–392, 392 (figure), 393 (table)
 floor polishes, 155, 232–233
 flotation agents
 cationic surfactants as, 92, 96, 104
 use in mining, 402–408, 405 (figure)–408 (figure)
 in wastewater treatment, 392–393
 flowable or liquid (FL) agricultural chemical formulations, 325, 328
 flow-control additives for coatings, 373–374, 374 (table)
 fluid catalytic cracking (FCC), 11, 12 (figure)
 fluorescent indicator absorption (FIA) column chromatography
 for surfactant analysis, 436
 fluorescent whitening agents (FWA), 200, 217–218, 218 (figure)

fluorosurfactants, 5, 151–157, 152 (figure)–157 (figure)

foam fractionation, 440

foam regulators

- for laundry detergents, 198, 199, 211–212, 226, 228
- use in petroleum applications, 355

foams (foaming), 37–41, 38 (figure), 43, 420–422. *See also* antifoam agents; defoamers

- alcohol sulfates (AS) and, 77
- alcohol ether sulfates (AES) and, 80
- alcohol phosphates and, 83
- alkyl and alkylamido betaines and, 112
- alkyl phosphate esters as foam booster, 148
- amphoteric surfactants and, 106
- alkyl polyglycosides (APG) and, 145, 146
- biosurfactants and, 176, 180
- cationic surfactants and, 91–92
- control of, 40–41
- fluorosurfactants for, 155, 156
- food emulsifiers and, 273
- in laundry detergents, 200–201
- α -methyl ester sulfonates (MES) and, 68, 69
- nonionic surfactants and, 126
- use in petroleum applications, 350
- pharmaceuticals and, 317
- silicone surfactants and, 160, 161
- in soaps, 51, 52, 56
- stability of, 39–40
- sulfosuccinates and, 72

food

- additives, 271–289
- alkyl phosphate esters, use in, 148
- anionic surfactants, use in, 284–285
- applications, 289–300
- biosurfactants use in, 168, 180, 181
- colloids, 299–300
- emulsifiers in, 271–300
- emulsifiers in cream products, 292
- nanoemulsions use in, 285–286
- nonionic emulsifiers, use in, 277–284, 277 (figure)–284 (figure)
- novel emulsifiers, use in, 286
- processing plant cleaners, 234
- sorbitan esters, use in, 137
- surfactants, use in, 271–300

Food and Drug Administration (FDA), 42, 167, 239, 256, 461

- regulations related to food emulsifiers, 275–276

formaldehyde, 9, 62

formation-stabilizing agents, 351

foundations, 266–267

fracturing fluids, use in petroleum applications, 353–355

fragrances, 52, 138

- use in bubble baths, 257
- use in detergents, 29
- use in dryer-cycle products, 102
- use in fabric softeners, 103
- use in hair conditioners, 263
- use in laundry detergents, 200, 222
- use in personal-care products, 33

free energy, 1, 27, 28 (table)

free fatty acids, 50, 255

frothers, use in mining, 407–408, 408 (figure)

fuels

- use in emulsion explosives, 419
- isolated from petroleum, 361

fumed silica, 249

functionalized monomers, 162–163, 163 (figure)

fungicides, 323

G

galactomannans, 335

gas chromatography (GC), 177, 435, 463, 472–473, 476

gassing agents, for emulsion explosives, 420

gel-permeation chromatography (GPC), 427, 443

gels

- pharmaceuticals emulsions use in, 312
- pharmaceuticals suspensions use in, 317

Gemini surfactants, 7–9, 168, 252, 252 (figure)

Generally Recognized as Safe (GRAS), 275–276

general-purpose detergents, 230

glass cleaners, 233

glucose

- alkyl polyglycosides (APG) from, 143–144
- use in moisturizers for personal-care, 248

glutamic acid, 55

glycerin, 248, 256

glycerol, 17, 48, 131

- in bar soap, 255
- use in polyglycerol ester synthesis, 133–134
- use in shower gels, 256

glycerol esters, 50

glycerol monostearate (GMS), 133–134

glyceryl esters, 36

glyceryl ethers, 40

glycine, 106

glycol, 131–134, 133 (figure)

- as solvent in laundry detergents, 223
- poly(alkylene glycol) esters from, 131–133

glycolic acid, 250

glycolipids, 169–170, 169 (figure), 170 (figure), 176–177

Gouy-Chapman layer and pharmaceutical drug-delivery, 309

gramicidin, 172, 179–180

gray goods, 341

green acid-soaps, 61, 61 (figure), 85

grinding aids, use in mining, 402

Grindsted crystallizer emulsifier blends, 286

groundwater contamination remediation, 381–386, 383 (figure), 384 (figure)

guar polymers, 249, 256

gum arabic, 288, 299

gum tragacanth, 299

gypsum board, 400

H

hair-care products, 260–264. *See also* shampoos

hair conditioners, 239, 263

- alkyl phosphate esters, use in, 148
- cationic surfactants, use in, 96, 252

hand cleaners, 54, 67, 235

hand creams, 257

hand-dishwashing products

- alcohol sulfates (AS) and alcohol ether sulfates (AES), use in, 85–86

alkyl betaines, use in, 113
 anionic surfactants, use in, 86
 cationic surfactants, use in, 96
 diethanolamides, use in, 125
 foams in, 39
 linear alkylbenzenesulfonates (LAS), use in, 60, 84
 paraffinsulfonate (PS), use in, 67
 hand sanitizers, 235, 256
 hard-surface cleaners, 39, 67, 104, 148, 230
 hard-water tolerance
 of alcohol ethoxylates (AE), 127
 of alcohol phosphates, 83
 of alkyl phosphate esters, 147
 of alkyl polyglycosides (APG), 145
 of linear alkylbenzenesulfonates (LAS), 83–84
 of nonionic surfactants, 124, 125
 of soaps, 52
 heavy-duty (HD) detergents, 198, 201, 209, 228
 heavy metals remediation, 184–185
 herbicides, 86, 128, 323
 linear alkylbenzenesulfonates (LAS), use in, 60
 sorbitan esters, use in, 137
 wastewater treatment, 393
 heterocyclic ammonium salts, 99, 100 (figure)
 hexafluoropropylene oxide (HFPO), 153
 high 2-phenylalkane (H2P), 60
 high-performance liquid chromatography (HPLC), 177, 427, 436, 444, 473, 476
 high-performance thin-layer chromatography (HPTLC), 177
 hot-mix asphalt (HMA), 397–398
 household cleaners, 42, 78, 86, 191–235
 cationic surfactants, use in, 96
 linear alkylbenzenesulfonates (LAS), use in, 60, 84
 hydrocarbon degradation/bioremediation, 387–388
 hydrocarbon group
 in biosurfactants, 176
 in linear alkylbenzenesulfonates (LAS), 60
 in silicone surfactants, 161
 hydrocarbons
 interfacial tension and, 161
 textile scouring agents for, 334
 hydrocarbon group size and carbon position
 linear alkylbenzenesulfonates (LAS) and, 60
 sulfosuccinates and, 72
 hydrocolloids, 271, 287–288
 hydrocortisone, 137
 hydrocracking, 11
 hydrofluoric acid (HF), 156
 hydrogen chloride, 59
 hydrogen fluoride, 57
 hydrogen peroxide, 121, 212
 hydrometallurgical extraction, 401–402
 hydroperoxides, 448
 hydrophilic-lipophilic balance (HLB), 3–7, 3 (figure), 4 (figure), 5 (figure), 20, 20 (figure), 21 (table)
 of alkylbenzenesulfonates (ABS), 58
 of alkylethoxylates (AE), 127
 of alkyl ether carboxylates, 53
 of alkyl polyglycosides (APG), 145
 of ingredients for cosmetics use, 265
 detergency and, 29

emulsions and, 34–35
 of ingredients for food use, 272
 macroemulsions and, 32
 of nonionic surfactants, 124, 125
 requirement for oil-spill remediation, 379
 oil-in-water (O/W) emulsions and, 31
 range of emulsifiers used in personal-care products and cosmetics, 244–245, 245 (table)
 of surfactants used in pharmaceuticals, 305
 of surfactants used in pharmaceutical emulsions, 312, 313, 313 (table)
 of sorbitan esters, 136–137
 toxicity and, 465
 of viscosin, 179
 water-in-oil (W/O) emulsions and, 31
 hydrophilic surfactants, 1, 2, 3, 5
 alkyl polyglycosides (APG) as, 145
 use in dispersions use in, 37, 37 (figure)
 lipopeptides as, 171
 solvency of, 27
 hydrophobic groups, 1, 2, 3, 5
 in anionic surfactants, 443–444
 in alkyl polyglycosides (APG), 143
 in cationic surfactants, 92
 in fluorosurfactants, 151, 154
 foams and, 38
 in silicone surfactants, 157, 160
 solvency and, 27
 wetting, 26
 hydrophobic agents for coatings, 374
 hydrotropes, 9
 alcohol phosphates as, 83
 alkyl phosphate esters as, 148
 cationic surfactants as, 92
 use in laundry detergents, 200, 220–221
 hydroxides, 51, 106. *See also specific types*
 α-hydroxy acids, 250
 hydroxycarboxylic acids, 220, 220 (figure)
 hydroxyethylenediaminetriacetic acid (HEDTA), 219–220, 219 (figure), 220 (figure)
 hydroxysultaines, 113–114, 113 (figure)
 hypochlorite bleach, 54, 213, 213 (figure)
 hypophosphorous acid, 145

I

ice cream, 289–290
 imidazolines, 96–97, 97 (figure), 111–112, 112 (figure), 114, 451
 imitation whipped toppings, 291–292
 infant nutritional products, 293
 infrared (IR) spectroscopy, 427, 437, 437 (table)–438 (table), 439 (figure), 474
 inisurfs, 163
 inks, 72, 363–365
 inorganic builders, 206–207, 209
 insecticides, 323
 integrated circuits (IC), 414–415
 interfaces. *See also specific types*
 surfactants and, 1
 wetting, 26
 interfacial tension, 1, 3, 9, 21
 of biosurfactants, 177–178, 180

- emulsions and, 198
- hydrocarbon compatibility and, 161
- lipopeptides and, 171, 172
- liquid/liquid interface and, 366
- invert emulsions, use for agricultural chemical delivery, 325
- iodine, 310, 450
- ion-exchange chromatography, 441
- ion exchangers, use in laundry detergents, 207
- ionic surfactants, 2, 6, 196
- iron, chelating agents for, 218–221, 219 (figure), 220 (figure)
- isethionates, 47, 446
- isobutyl carbinol, 421

J

- janitorial products, 232–233
- jojoba oil, 264

K

- kaolin, 249
- kitchen products, 233
- Krafft point, 29–31, 30 (figure)
 - of alcohol sulfates (AS), 77
 - of alcohol ether sulfates (AES), 80
 - of anionic surfactants, 195
 - of alkyl polyglycosides (APG), 146
 - of bar soap, 255
 - of detergents, 195
 - of α -methyl ester sulfonates (MES), 69
 - paraffinsulfonates (PS) and, 65–66
- Kritchevsky-type amide, 138

L

- lactylic esters of fatty acids (LEFA), 282–283, 283 (figure), 284 (figure)
- lanolin, 137–138, 242, 248
- latex, 164
- laundry aids, 223–224
- laundry detergents, 78, 85, 197, 198–228, 201 (figure)–207 (figure), 205–224, 206 (figure), 207 (figure), 210 (figure), 212 (figure)–222 (figure), 225 (table)–226 (table)
 - anionic surfactants, use in, 195, 199, 201–204, 201 (figure)–203 (figure)
 - alkylphenol ethoxylates (APE), use in, 128
 - commercial, 234
 - foaming control, 40
 - use in specialty foams, 39
 - poly(ethylene glycol)s and derived esters, use in, 132–133
 - linear alkylbenzenesulfonates (LAS) use in, 60, 83–84
 - α -methyl ester sulfonates (MES) use in, 69
 - nonionic surfactants use in, 125, 199, 204–205, 204 (figure), 205 (figure)
 - paraffinsulfonates (PS) use in, 67
 - specialty, 224
- laundry dryer aids, 224
- lauric acid, 51, 256
- lauryl alcohol, 54
- lauryldimethylamine oxide, 146–147
- leather, 67, 128, 139
- lecithin, 114–115, 115 (figure), 167, 286–287, 295, 451–452
- leveling agents, 92, 155, 160, 337, 344
- Lewis acid catalysis, 124

- lichenysins, 172, 179
- light-duty liquids (LDL) detergents, 228–230
- light non-aqueous phase liquids (LNAPL), 382–384, 383 (figure)
- lignosulfonates, 10, 75–76, 76 (figure), 400, 445
- linear alcohol ethoxylates, 9–10, 339
- linear alkylbenzenes (LAB), 57
- linear alkylbenzenesulfonates (LAS), 47–48, 57, 58–60, 59 (figure), 63–64
 - alcohol ethoxylates (AE) and, 127
 - alkyl polyglycosides (APG) and, 146
 - applications, 83–85
 - biodegradation of, 462, 463
 - use in detergents, 195, 196
 - environmental impact of, 460
 - use in gypsum board, 400
 - use in laundry detergents, 199, 202, 202 (figure)
 - α -methyl ester sulfonates (MES) and, 69
 - solid-phase extraction of, 468, 469
 - thin-layer chromatography (TLC) for analysis, 435
- linear α -olefins (LAO), 12–13, 13 (figure), 48
- lipids, 174 (figure). *See also* fats; oils
 - use in foods, 272
 - neutral, 169, 172–174
 - use in personal-care products as emollients, 248
- lipopeptides, 171–172
- lipoproteins, 171–172
- liposan, 175
- liposomes, 308, 309
- lipsticks, 250, 266
- liquid chromatography (LC), use in surfactant analysis, 435, 436
- liquid/gas interface, 1, 192, 274
- liquid hand soaps, 255–256
- liquid-liquid extraction, 440–441, 470
- liquid/liquid interface, 1, 192, 274, 366
- liquid/solid (LS) interface, wetting, 26
- long-chain alkyl group, 91
- long-chain cationic surfactants, 206
- lost-circulation additives, 351
- lotions, 257
- low 2-phenylalkane (L2P), 60
- low-molecular-weight
 - biosurfactants, 168
 - paraffins, 13
 - sulfonates, 85
- low-molecular-weight impurities in nonionic surfactants, 447
- low-temperature detergents, 4
- lubricants
 - alcohol ethoxylates (AE) use in, 128
 - fatty alkanolamides (FAA) use in, 139
 - use in petroleum exploration, 351
 - petroleum sulfonates use, 62
 - use in pharmaceuticals, 311
 - use in textiles, 335–336
- lyophilic, 2–3

M

- macroemulsions, 31–33, 32 (figure), 34 (table)
 - use in personal-care products and cosmetics, 244
 - use in petroleum applications, 357
- magnesium ions
 - anionic surfactants and, 47

chelating agents for, 218–221, 219 (figure), 220 (figure)
 linear alkylbenzenesulfonates (LAS) and, 60
 soaps and, 52
 magnesium aluminum silicate, 249
 magnesium sulfate, 209
 mahogany acid-soaps, 61, 61 (figure), 85
 mannoprotein, 175
 margarine, 296–298, 300
 mascaras, 267
 mass spectrometry (MS), 427, 435, 439, 474–475
 mayonnaise, 298, 300
 mercerizing, 342
 metals
 cleaners, 234–235
 surfactants for metalworking and metal protection, 409–410
 metalworking fluids, 357–360
 metamizole, 317
 metered dose inhalers, 316–317
 methine group, 4
 methosulfate, 91
 methyl chloride, 157–158
 methylene blue active substances (MBAS), 468–469
 methylene group, 4, 91
 methyl ester ethoxylates, 205
 α -methyl ester sulfonate (MES), 67–69, 68 (figure), 464, 465, 466
 use in detergents, 196
 use in laundry detergents, 199, 203, 203 (figure)
 methyl ester sulfonic acid (MESA), 68
 methyl *tert*-butyl ether (MTBE), 377, 382
 micelles, 3, 23–26, 24 (figure), 25 (figure). *See also* critical micellar temperature; critical micelle concentrations
 of alkyl polyglycosides (APG), 146
 of cationic surfactants, 104
 size in emulsions, 33
 as fat and oil delivery vehicle in personal-care products, 239–240
 natural micelle forming systems, use in pharmaceuticals, 318–319, 319 (figure)
 solvency of, 27
 microbe-enhanced oil recovery (MEOR), 182
 microemulsions (droplets), 33, 34(table), 416
 use in agricultural chemical formulations, 325, 329
 use in petroleum applications, 357–358
 use in pharmaceuticals, 314
 milk, 289
 miniemulsions. *See* nanoemulsions
 mining, 400–409, 401 (figure), 404 (figure)–408 (figure)
 modified linear alkylbenzenesulfonates (MLAS), 60, 61 (figure)
 modifiers, for mining, 403
 moisturizers, 147, 182, 248, 253, 255
 molecular weight (MW), 427. *See also* low-molecular-weight
 of anionic surfactants, 443
 of nonionic surfactants, 447
 monoalkylbenzenes, 62, 62 (figure)
 monoalkyl phosphates (MAP), 82 (figure), 86, 240
 monoester sulfosuccinates, 72–73
 monoethanolamine (MEA), 138, 140, 243
 monoglycerides, 168, 241, 277–280, 277 (figure)–280 (figure)
 monoisopropanolamine, 138
 monononylnaphthalenesulfonate, 57
 monosaccharide, 143–144

mordanting, 341
 mouthwash, 239, 259–260, 311
 Müller-Rochow process, 158, 158 (figure)
 multiple emulsions, use in pharmaceuticals, 314
 multipurpose trans fat-free emulsifiers, 286
 myristic acid, 51

N
 N-acyl alaninates, 240
 N-acylethylenediamines, 97
 N-acyl-N-methyl taurates, 240
 nail polish, 239, 267–268
 N-alkyl glucosamides, 135, 135 (figure)
 nanoemulsions (miniemulsions), 33–34, 34(table), 416
 use in foods, 285–286
 use in personal-care products and cosmetics, 244
 naphthalenes, 62
 naphthalenesulfonate–formaldehyde condensates (NSF), 62
 naphthalenesulfonates, 62, 63 (figure), 340, 400
 narrow-range ethoxylates (NRE), 124
 natural cosmetics, 243, 252
 natural emulsifiers, 286–289
 neutral lipids (simple lipids), 169, 172–174
 nicotine, 324
 nitriles, 93–94
 nitrilotriacetic acid (NTA), 219
 nitrosamines, 447
 N-long-chain acylamino acids, 175
 N-methylglucamides, 205, 205 (figure)
 N-nitrosamines, 447, 450
 non-aqueous phase liquids (NAPL), 382–384
 nonchocolate confectionary, 296
 nonionic surfactants, 2, 3–4, 3 (figure), 5, 119–148, 119 (figure), 120 (figure)
 use in agricultural chemical formulations, 324
 alkoxylation reaction and, 121–122, 122 (figure)
 analytical methods for, 475–476
 biodegradability of, 464–465
 characterization of, 446–450
 use in cosmetics, 125
 as demulsifiers, 125
 use in detergents, 125, 196
 dispersions and, 423
 as emulsifiers, 125
 use in foods, 277–284, 277 (figure)–284 (figure)
 groups, 126–148
 use in laundry detergents, 125, 199, 204–205, 204 (figure), 205 (figure)
 use in personal-care products, 241
 use in personal-care products emulsifiers, 245
 use in pharmaceuticals, 125, 307–308
 use in shampoos, 261–262
 solid-phase extraction of, 469–470
 substrates of, 120
 use in textiles, 339, 345
 as textile softening agents, 338
 nonpolar groups, 2, 2 (figure), 3 (table)
 nonylphenol ethoxylates (NPE), 30 (table), 31, 56, 129, 234
 use in detergents, 196
 use in laundry detergents, 199
 solid-phase extraction of for analysis, 468

nonylphenol polyethoxylate, 56, 329, 330
 normal paraffins, 12
 novel surfactants, 7–9
 use in foods, 286
 use in personal-care products, 242
n-paraffins, 48
 nuclear magnetic resonance (NMR) spectroscopy, 427, 439–440, 440 (figure), 441 (table), 475

O

Occupational Safety and Health Administration, 235, 339, 461
 octadecanoic acid, 50
 octyl betaine, 112
 octylphenol ethoxylates (OPE), 129
 oil dispersions (OD), as agricultural chemical delivery systems, 325, 329
 oil-in-oil (O/O) emulsions, 311
 oil-in-water (O/W) emulsions, 20
 alkyl phosphate esters, use in, 147, 148
 biosurfactants, use in, 178
 bitumen, 398
 cationic surfactants, use in, 96
 use in cosmetics, 266
 demulsification, 36
 emulsions, property comparison, 34–35
 fluorosurfactants and, 156
 use in foods, 272
 poly(ethylene glycol)s and derived esters, use in, 132
 hydrophilic-lipophilic balance (HLB) and, 31
 macroemulsions, 31–33, 32 (figure)
 mayonnaise, 300
 microemulsions, 33
 nanoemulsions, 34
 octylphenol ethoxylates (OPE) and nonylphenol ethoxylates (NPE) and, 129
 use in personal-care products and cosmetics, 244, 250
 use in petroleum applications, 353
 use in pharmaceuticals, 311
 pharmaceuticals emulsions, 313–314
 phase inversion of, 35
 sorbitan esters and, 137
 oils. *See also* vegetable oils
 use in agricultural chemical formulations, 324
 use in bath products, 256–257
 ethoxylated, 137–138, 137 (figure), 138 (figure)
 use in foods, 272
 silicone, 41
 sulfated, 81
 oil-spill remediation, 42, 183, 378–381
 ointments, 312, 316
 olefins, 12–13, 13 (figure), 57–58, 58 (figure)
 olefinsulfonates, 47
 α -olefinsulfonates (AOS), 48, 64–65, 65 (figure), 445
 use in laundry detergents, 199, 202–203
 use in personal-care products, 240
 use in toilet soaps, 253
 olefinsulfonic acid, 56
 oleic acid, 131, 276
 oleochemicals, 16–18, 17 (figure), 49
 oleum, 59
 oligopeptides, 55–56, 56 (figure)

opacifiers, use in laundry detergents, 200
 optical brighteners, 217–218, 218 (figure), 345, 346
 oral-hygiene products, 259–260. *See also* mouthwash;
 toothpaste
 organic builders, use in laundry detergents, 209–211
 organosiloxanes, 157–162
 ornithine, 174
 orthophosphoric acid, 147
 Ostwald ripening, 35
 oxyethylene. *See* ethylene oxide and ethoxylation
 oxygen and fluorosurfactants, 156
 oxygen-releasing compounds, use in laundry detergents, 212–213, 212 (figure)

P

paints
 alcohol ethoxylates (AE), use in, 128
 anionic surfactants, use in, 87
 alkylphenol ethoxylates (APE), use in, 128
 fluorosurfactants, use in, 155, 156
 silicone surfactants, use in, 161
 surfactants, use in, 369–370
 palm-kernel oil
 alkyl polyglycosides (APG) from, 143
 α -methyl ester sulfonates (MES) from, 67
 monoester sulfosuccinates from, 72
 nonionic surfactants from, 120
 use in emollients in personal-care products, 248
 polyol esters from, 131
 soaps from, 51
 paper, 128, 129, 156, 410–414, 411 (figure)–413 (figure)
 paraffinsulfonates (PS), 47, 49, 49 (figure), 65–67, 65 (figure)–67 (figure), 199
 paraquat, 325–326
 parenteral emulsions, 311–312
 particulate biosurfactants, 169, 175–176
 pearls in makeup, 250
 penetrating agents, 324, 337
 peracids, 121, 121 (figure)
 perchloroethylene (PCE), 382
 perfluorinated alkylated substances, 157
 perfluorinated surfactants, 151–157
 perfluorochemical emulsions, 312
 perfluorooctanesulfonic acid, 152
 perfluorooctanoic acid (PFOA), 152, 157
 perfluorooctylsulfonate (PFOS), 157
 peroxy group, 163, 163 (figure)
 personal-care products, 42–43, 78, 80
 alkyl betaines, use in, 113
 amphoteric surfactants, use in, 242
 anionic surfactants, use in, 86–87, 195, 240–241
 bioactive ingredients, use in, 250
 biosurfactants, use in, 180
 cationic surfactants, use in, 103–104, 241–242
 diethanolamides, use in, 125
 dyes for, 250
 emollients for, 248
 emulsifiers, used in, 244–248, 244 (table), 245 (table), 348 (figure)
 ethoxylated fats and oils, use in, 138
 fatty acid alkanolamides (FAA), use in, 139, 140

- foam control in, 40
- foams, use in, 38–39
- formulations of, 250–264
- poly(ethylene glycol)s and derivatives, use in, 132
- linear alkylbenzenesulfonates (LAS), use in, 60
- moisturizers, use in, 248
- nonionic surfactants, use in, 241
- novel surfactants, use in, 242
- phosphobetaines, use in, 114
- pigments for, 250
- polymer surfactants, use in, 242–244, 243 (figure), 244 (figure)
- preservatives for, 250
- paraffinsulfonates (PS), use in, 67
- rheology modifiers for, 249
- silicone surfactants, use in, 161–162
- sulfobetaines, use in, 114
- sulfosuccinates, use in, 72
- surfactants, use in, 239–268
- thickening agents for, 249–251
- waxes for, 249
- pesticides, 148, 162, 323
 - biosurfactants, use as, 185
 - sorbitan esters emulsifiers for, 137
 - in wastewater treatment, 393
- petrochemicals, 11–16, 12 (figure)–16 (figure)
 - anionic surfactants from, 48
 - lubricants and fuel additives, 360–361
 - nonionic surfactants from, 120
- petroleum exploration and refining
 - drilling fluids, use in, 351–353
 - enhanced oil recovery (EOR), 180, 355–356
 - foams for, 420
 - fracturing fluids, use in, 353–355
 - fuels from, 361
 - lubricants from, 360–361
 - metalworking fluids from, 357–360
 - recovery processes, 350–355
 - refinery operations, 356–357
 - surfactants, use in, 349–361
- petroleum sulfonates, 61–62, 61 (figure), 62 (figure), 85
- pharmaceuticals
 - anionic surfactants, use in, 306
 - biosurfactants, use in, 168, 180–181
 - cationic surfactants, use in, 306–307
 - colloidal properties of, 317–318
 - fatty acid alkanolamides (FAA) use in, 140
 - micelles of, 318–319, 319 (figure)
 - nonionic surfactants, use in, 125, 307–308
 - surfactants, use in, 305–320, 306 (figure)
 - sorbitan esters, use in, 137
 - zwitterionic surfactants, use in, 307
- pharmaceuticals drug-delivery systems, 308–320
 - creams, 312
 - dispersions, 315–317
 - emulsions, 311–315, 313 (table)
 - foams, 317
 - liquid systems, 311
 - microemulsions for, 314
 - multiple emulsions for, 314
 - products forms, 310–317, 313 (table)
 - solid dosage forms of, 311
 - suspensions, 315–317
- phase-inversion temperature (PIT), 33, 35
- phenol in wastewater, 393
- phenolic chlorocresol, 310
- phenolic pharmaceuticals delivery via micelles, 310
 - phenothiazine, 317
- phosphate esters, 81–83, 82 (figure), 340, 445–446
- phosphates, 6, 47. *See also specific types*
- phosphates, use in laundry detergents, 207–208
- phosphatidylcholine
 - as biosurfactant, 167
 - use as pharmaceutical, 307
- phosphatidylglycerol, 173
- phosphatidylinositol, 173
- phosphobetaines, 114–115, 114 (figure), 115 (figure)
- phospholipids, 4, 7, 168, 169, 172–174, 176, 177
- phosphonates, 220, 221
- phosphoric acid esters, 265
- phosphorus chloride, 147
- phosphorus oxychloride, 147
- phosphorus pentachloride, 54
- phosphorus trichloride, 54
- phytosteroids, 242
- pigments
 - use in agricultural chemical formulations, 323
 - use in cosmetics, 264–265
 - dispersion by silicone surfactants, 160
 - use in paper, 414
 - use in personal-care products and cosmetics, 250
- pine oil
 - use in laundry detergents, 223
 - use as mining frother, 408
- pitch-control agents, for paper, 412
- plant penetrants, in agricultural chemical formulations, 325
- plasticizers
 - alkyl phosphate esters, 147, 148
 - use in concrete, 400
- polar and nonpolar groups in surfactants, 2, 2 (figure), 3 (table)
- polar head groups in food emulsifiers, 276
 - pharmaceuticals drug-delivery systems and, 310
- poloxamines, 307, 307 (figure)
- poly(acrylic acid), 9
- polyalkoxylated amines, 94–95
- polyalkoxylated compounds, 123–126, 123 (figure)
- poly(alkylene glycol) esters
 - alkylene glycols and, 131–133
 - as personal-care products rheology modifiers, 249
- polyaromatic hydrocarbons (PAH), 382
- polybrominated diphenyl ethers, 393
- polycarboxylates, 210–211, 210 (figure)
- polychlorobiphenyls (PCB), 393
- polycyclic aromatic hydrocarbons (PAH), 393
- polydimethylsiloxane (PDMS), 158–160
 - as antifoam agent, 41, 317
 - use in personal-care products, 243
 - use in pharmaceuticals, 308, 317
- polydimethylsiloxane-polyoxyalkylene graft copolymers, 158–159
- polyelectrolytes, 9
 - use in cosmetics, 251–252, 251 (figure)
 - use in dispersions, 423

- polyether carboxylic acids, 53
 - polyethoxy acrylate, 163, 163 (figure)
 - polyethoxycarboxylates, 50
 - polyethoxylation
 - of alkanolamides, 139, 139 (figure)
 - of cationic surfactants, 94
 - polyethoxypolypropoxy-alkylphenol, 9, 9 (figure)
 - poly(ethylene glycol) (PEG), 4, 9, 125–126, 140–142, 141 (figure), 142 (figure), 216, 445, 447
 - alcohol ethoxylates (AE) and, 126
 - alcohol ether sulfates (AES) and, 79
 - polydimethylsiloxane (PDMS)-modified PEG emulsifiers from, 243
 - ethylene oxide (EO) and, 132
 - in use in PEG ester synthesis, 131–132, 132 (figure)
 - use in pharmaceuticals, 311
 - solid-phase extraction of for analysis, 469
 - use in textiles, 340
 - use in wet wipes, 259
 - poly(ethylene oxide) (PEO), 9, 140–142, 141 (figure), 142 (figure)
 - poly(ethylene terephthalate), 216–217, 217 (figure)
 - polyfluorinated surfactants, 151–157
 - polyglycerol esters
 - of fatty acids, 280–281
 - glycerol and, 133–134
 - polyglycoside esters, 134–135, 134 (figure)
 - polyglycosides, 5, 10
 - polyhydric alcohol emulsifiers, 281
 - polyhydroxy esters, 449
 - polyketide glycosides, 170
 - polymeric biosurfactants, 169, 174–175
 - polymerization
 - of dispersions, 419
 - of emulsions, 416–419, 417 (figure)
 - of functionalized monomers, 164
 - polymer surfactants, 5, 162–164, 163 (figure), 164 (figure), 307–308
 - use in cosmetics, 242–244, 243 (figure), 244 (figure)
 - use in personal-care products, 242–244, 243 (figure), 244 (figure)
 - use as emulsifiers in personal-care products, 245–246
 - polymyxin B, 180
 - polymyxin E (colistin), 180
 - polyol esters, 131–134
 - poly(oxetane)s, 157
 - polyoxyethylated glycol monoethers, 307, 307 (figure) ?
 - polyoxyethylene group, 4, 6
 - in anionic surfactants, 47
 - in derivatives used as food emulsifiers, 283–284
 - imidazoline and, 97, 97 (figure)
 - polyoxypropylene surfactant, 5, 47
 - polypropoxylate (PPO) block, 123
 - poly(propylene glycol) (PPG), 9, 126, 131, 140–142, 141 (figure), 142 (figure)
 - poly(propylene oxide) (PPO), 140–142, 141 (figure), 142 (figure)
 - polysaccharide-protein complexes, 175
 - polysaccharides, 18, 19 (figure), 20 (figure)
 - use in alkyl polyglycosides (APG) synthesis, 144
 - as sizing agents, 335
 - polysiloxanes, 157
 - polysiloxy group, 5
 - polysorbates
 - biodegradability of, 465
 - use in pharmaceuticals, 307
 - polytetrafluoroethylene (PTFE), 370
 - polyurethane foam, 162
 - poly(vinyl alcohol), 335
 - poly(vinyl chloride) (PVC), 343
 - polyvinylpyrrolidone (PVP), 221, 221 (figure)
 - post-washing agents, for textiles, 337
 - potassium soaps, 255
 - potassium chloride (KCl), 121
 - potassium hydroxide (KOH), 50, 52, 60, 120, 123
 - potassium stearate, 49
 - potassium sulfoacetate, 47
 - precipitating chemicals, use in laundry detergents, 207
 - precipitation, 441
 - preservatives
 - use in coatings, 374
 - use in hair conditioners, 263
 - use in laundry detergents, 200, 223
 - use in personal-care products and cosmetics, 250
 - pretreatment aids
 - for laundry detergents, 223
 - for textiles, 341–342
 - primary alkanesulfonates (PAS), 65–67, 65 (figure)–67 (figure)
 - printed circuit boards (PCB), 415
 - printing auxiliaries, use in textiles, 337–338, 343
 - processing aids, for laundry detergents, 200, 222–223
 - progesterone, 137
 - propylene glycol esters
 - of fatty acids, 280
 - use in oil-spill remediation, 380
 - propylene glycol monoester (PGME), 278, 278 (figure), 279, 295
 - propylene oxide (PO), 79, 126, 446. *See also* ethylene oxide/propylene oxide
 - use in functionalized monomer synthesis, 162
 - use in nonionic surfactant synthesis, 119, 120–121, 121 (figure)
 - use in silicone polyether (SPE) synthesis, 159
 - propylene oxide polymers (PPO), 122
 - proteases, 221
 - pulmonary surfactants, 172, 173
 - pulping chemicals, for paper, 410
 - pyrethrum, 324
 - pyridinium compounds, 306
 - pyrosulfuric acid, 48
- Q**
- quaternary ammonium compounds, 97–101, 98 (figure)–101 (figure), 195
 - use in hair conditioners, 263
 - use in pharmaceuticals, 306
 - use in textiles, 346
 - quaternary imidazolinium compounds, 450–451
- R**
- refractive index, 447
 - retarding agents, for textiles, 337
 - retention aids, for paper, 412
 - reversed-phase high-performance liquid chromatography (RP-HPLC), 442, 467–468, 476

rewetting, 26, 43
 by fluorosurfactants, 151
 rhamnolipids, 168, 170 (figure), 176
 rhamnose, 169–170, 170 (figure)
 rheology
 of alcohol ether sulfates (AES), 80
 modifiers, for personal-care products, 249
 of nail polish, 267–268
 of surfactants, 41
 ricinoleate sulfate (Turkey-red oil), 79, 79 (figure)
 ricinoleic acid, 137, 137 (figure)
 rinse-cycle products, 101–102
 rotenone, 324
 rubber, 128
 rust preventatives
 cationic surfactants as, 96, 104
 diethanolamides for, 125

S
 salting-out, of soaps, 51
 saponification, 50–51
 sarcosinates, 50, 55, 55 (figure)
 sauces, 298–299
 scouring agents, for textiles, 334–335, 341–342
 sealants, 368–369
 secondary alkanesulfonates (SAS), 65–67, 65 (figure)–67 (figure)
 biodegradability of, 464
 use in laundry detergents, 199, 202, 202 (figure)
 secondary alkylamines, 96
 sedimentation, 35, 36 (figure)
 seed treatments, 330–331
 sensitizers, for emulsion explosives, 420
 sequestering agents, for laundry detergents, 207, 207 (figure)
 serratettins, 171–172, 179
 shampoos, 54, 239
 alcohol ether sulfates (AES), use in, 80
 alkyl betaines, use in, 113
 amphoteric surfactants, use in, 106, 242
 auxiliary surfactants, use in, 244
 diethanolamides, use in, 125
 ethoxylated fats and oils, use in, 138
 fatty acid alkanolamides (FAA), use in, 140
 fatty amine oxides, use in, 147
 pharmaceuticals suspensions, use as, 316
 sulfosuccinates, use in, 72
 surfactants for, 261–263
 shaving foams and gels, 52, 138, 259
 short-chain alkyl group, 91
 shower gels, 256
 alkyl betaines, use in, 113
 fatty acid alkanolamides (FAA), use in, 140
 silane group, 158
 silicone oils, 41
 silicone polyethers (SPE), 159
 silicone polymers, 162
 silicone surfactants, 5, 157–162, 158 (figure)–161 (figure), 162 (figure)
 use in coatings, 161
 use in cosmetics, 161–162, 243, 243 (figure)
 use as defoamers, 162
 use as emulsifiers, 162
 use in hair-care products, 263
 use in paints, 161
 use as emulsifiers in personal-care products, 246–248
 use in pharmaceuticals, 308
 use in textiles, 162
 simple lipids. *See* neutral lipids
 size-exclusion chromatography (SEC), 427, 443
 sizing agents
 cationic surfactants as, 92
 fatty acid alkanolamides (FAA) as, 139
 for paper, 413–414, 413 (figure)
 for textiles, 335
 skin-care products, 253–259. *See also specific types*
 skin irritation, 466
 skin lotions, 257
 soap-free cleansing bars (syndet bars), 72
 soaps, 1, 2, 9, 201, 201 (figure), 253–254, 446
 as anionic surfactants, 47
 applications of, 52
 bar, 69, 254–255
 biodegradability of, 463–464
 from carboxylates, 49–56
 detergency of, 195
 fatty acid alkanolamides (FAA), use in, 140
 production of, 50–51
 properties of, 51–52
 sodium bentonite, 209
 sodium carbonate, 209, 233
 sodium carboxylate, 68
 sodium carboxymethylcellulose, 54, 54 (figure)
 sodium chloride, 209, 255, 261–262, 386
 sodium chlorite, 336
 sodium cocoyl isethionate (SCI), 75, 241
 sodium dichloroisocyanurate, 213, 213 (figure)
 sodium dihydrogen phosphate, 114
 sodium diisopropyl naphthalenesulfonates, 85
 sodium dodecyl sulfate (SDS), 78, 285, 415
 sodium hydroxide, 60, 334
 sodium hypochlorite, 336
 sodium laurate, 211
 sodium laureth sulfate, 261
 sodium lauroyl glycinate, 256
 sodium lauryl sulfate (SLS), 78, 261, 340, 424
 sodium lauryl sulfoacetate (SLSA), 70, 70 (figure)
 sodium metasilicate, 233
 sodium methyl sulfate, 68
 sodium perborate, 212–214, 212 (figure), 214 (figure)
 sodium polyacrylate, 210, 210 (figure)
 sodium salts, 55, 78, 241
 sodium stearates, 49
 sodium sulfate, 444
 sodium sulfoacetate, 47
 sodium tetraborate, 209
 sodium tripolyphosphate (STPP), 198, 207, 207 (figure), 208–209, 233
 softening agents. *See also* fabric softeners
 alcohol ethoxylates (AE) as, 128
 alkyl phosphate esters as, 147
 cationic surfactants as, 92
 ethoxylated fats and oils as, 138
 fatty acid alkanolamides (FAA) as, 140

- use in laundry detergents, 207, 211
 - use in textiles, 338, 345
- soil-release polymers, use in laundry detergents, 216–217, 217 (figure)
- soil washing, 184, 388–389
- solid dosage forms, of pharmaceuticals, 311
- solid/gas interface, 1, 274
- solid-liquid extraction, 471–472
- solid/liquid interface, 1, 274
- solid-phase extraction, 467–470, 468 (figure)
- solid/solid interface, 1
- solubilization
 - of surfactants for analysis, 441
 - of pharmaceuticals drug-delivery systems, 309–310, 310 (figure)
 - agents, use in textiles, 337
- solubilization and recovery method for contaminated groundwater remediation, 384–386, 387 (table), 388 (figure)
- soluble concentrates (SL), 326
- solvents
 - for agricultural chemical formulations, 323
 - use in laundry detergents, 200, 223
 - use in mining, 401–402
 - sublation, 470–471
 - use as textile scouring agents, 334
- sophorolipids, 168, 170, 171 (figure)
- sorbitan esters, 281–282, 281 (figure)
 - ethoxylates of, 134–137, 135 (figure), 136 (figure)
 - use in personal-care products, 241
 - use in pharmaceuticals, 307
 - use in shampoos, 261–262
- sorbitan monoleate, 311, 380
- sorbitan monostearate (SMS), 281
- sorbitan tristearate (STS), 281
- sorbitol, 248, 340
- soybean oil, 120, 173, 256
- specialty laundry detergents, 224
- spotting fluids, 351
- spreading agents, 180, 265
- stabilization/stabilizers. *See also* chemical stability; thermal stability
 - for agricultural chemical formulations, 324
 - for food emulsions, 274
 - use in laundry detergents, 220–221
 - for drilling fluids, use in petroleum production, 351
 - of pharmaceuticals drug-delivery systems, 309–310
- stain resistance, 157
- starch, 288, 299, 335
- starch-complexation (antistaling action), 273
- stearic acid, 52, 131, 248
- stearyl alcohol, 148
- stearylbenzyltrimethylammonium chloride, 263
- stearyldimethylamine oxide, 146–147
- sterilizing agents, 99
- Stern layer, 309
- stickers, 325
- stiffeners, use in laundry detergents, 224
- stripping agents, for textiles, 337
- strong anionic-exchange (SAX) resins, 468
- structured (semisolid) emulsions, 314
- Sturm test, 462
- substantivity agents, use in hair conditioners, 263
- subtilisin, 172
- succinyl monoglyceride (SMG), 278, 278 (figure), 279
- sucrose, 248
- sucrose esters, 282, 282 (figure)
- suds control, 200
- sulfated fats and oils, 81
- sulfated monoglycerides, 81
- sulfated oleates, 340
- sulfates, 6, 47, 76–81. *See also specific types*
- sulfobetaines, 4, 113–114, 113 (figure)
- sulfonated amphoterics, 113–114
- sulfonated fatty acids, 69–70, 70 (figure)
- sulfonated fatty carboxylic acid (SFA), 68–69
- sulfonates, 6, 47, 56–83
- sulfonation/sulfation
 - use in synthesis of anionic surfactants, 48–49, 49 (figure)
 - use in synthesis of linear alkylbenzenesulfonates (LAS), 59–60
 - use in synthesis of α -methyl ester sulfonates (MES), 67
 - use in synthesis of petroleum sulfonates, 61–62
- sulfonic acids, 60
- sulfohenylcarboxylates (SPC), 468
- sulfosuccinamates, 47, 73
- sulfosuccinates, 70–73, 71 (figure), 435, 446
- sulfur
 - compounds, use in agricultural chemical formulations, 324
 - dyes, 342–343
- sulfuric acid, 335
- sulfur trioxide (SO_3), 48–49
- sunscreens, 257–259, 258 (figure)
- superamides, 139
- supercritical-fluid chromatography (SFC), 436, 473
- supercritical fluid extraction (SFE), 469, 471–472
- superfatting, 52
- suppositories, 316
- surface tension, 21–23, 22 (figure), 23 (table)
 - of alkyl polyglycosides (APG), 145
 - of biosurfactants, 177–178, 180
 - critical micelle concentration (CMC) and, 29
 - cleaning process by detergents and, 192–193, 195
 - of fluorosurfactants, 151, 155
 - of silicone surfactants, 160
 - of sulfosuccinates, 72
 - wetting and, 26–27
- surfactancy, 21–23, 22 (figure), 23 (table)
 - of alcohol phosphates, 83
 - of silicone surfactants, 160
- surfactant enhanced aquifer remediation (SEAR), 384–386, 387 (table), 388 (figure)
- surfactant-enhanced bioremediation (SEB), 386–389
- surfactants. *See also specific types and topics*
 - use in adhesives, 365–368
 - use in agricultural chemical formulations, 324–325
 - analytical and testing methods for, 427, 428(table)–434(table)
 - applications, 41–43
 - architecture of, 7, 8 (figure)
 - charge-based classification, 3–6, 3 (figure), 4 (figure), 5 (figure)
 - chemical structure of, 1–2, 2 (figure), 3 (table)
 - classification of, 3, 3 (figure)
 - use in waterborne coatings, 370–375, 374(table on surface tension and surface energy of various materials)

use in construction materials, 397–400, 399 (figure)
 use in cosmetics, 239–268
 use in detergents, 191–235, 197 (table)
 use in electronics components, 414–415
 environmental impact of, 459–477
 use in environmental remediation, 377–394
 use in foods, 271–300
 global market for, 10–11
 use in contaminated groundwater remediation, 381–386, 383 (figure), 384 (figure)
 applications, 9–10
 use in inks, 363–365
 interfaces and, 1
 use in metals-related applications, 409–410
 use in mining, 400–409, 401 (figure), 404 (figure)–408 (figure)
 mixtures, 7, 7 (figure)
 novel, 7–9
 use in oil-spill remediation, 378–381
 use in paints, 369–370
 use in paper, 410–414, 411 (figure)–413 (figure)
 use in personal-care products, 239–268
 use in petroleum and petroleum products, 349–361
 use in petroleum applications, 345–346
 use in pharmaceuticals, 305–320, 306 (figure)
 properties in aqueous solutions, 20–41, 42 (table)
 raw materials for, 11–20, 12 (figure)–17 (figure), 19 (figure), 20 (figure)
 rheology of, 41
 use in sealants, 368–369
 use in shampoos, 261–263
 skin irritation properties, 466
 structure-based classification, 6–7
 use in textiles, 333–346
 toxicity of, 459, 465–466
 use-related classification, 6
 use in wastewater treatment, 389–394, 391 (table), 392 (figure)
 surfactin, 171
 surfmers, 164
 suspending agents, for cosmetics, 265
 suspension concentrates (SC), 325, 327–328, 327 (figure), 328 (figure)
 suspensions, 36–37
 food emulsifiers for, 274
 of pharmaceuticals, 315–317
 syndet bars (soap-free cleansing bars), 72
 synergism/synergists
 of alcohol ether sulfates (AES) with other anionic and non-ionic surfactants, 80
 for agricultural chemical formulations, 323
 syngas, 13

T

tallow

dihydrogenated-tallow (DHT), 97, 102, 103
 α -methyl ester sulfonates (MES) and, 67
 nonionic surfactants from, 120
 use in emollients in personal-care products, 248
 soaps from, 51
 tallowamine ethoxylates, 340
 taurates, 47
 taurine, 174

tension-lowering agents, 62
 tertiary alkylamines, 96
 tetraacetythylenediamine (TAED), 200, 213, 214 (figure)
 tetraacetylglucuril, 213, 214 (figure)
 tetrafluoroethylene (TFE), 152
 tetrafluoroethylene pentamer (TFEP), 152–153, 154 (figure)
 tetrahydrofuran (THF), 153
 tetrapeptides, 56
 textiles, 156
 alcohol ethoxylates (AE), use in, 128
 alkylphenol ethoxylates (APE), use in, 128
 cationic surfactants, use in, 96, 99, 104
 fatty acid alkanolamides (FAA), use in, 139
 processes, 333–334
 silicone surfactants, use in, 162
 surfactants, use in, 333–346
 wet processing of, 340, 340 (figure)
 thermal stability, 5
 of biosurfactants, 177
 of fluorosurfactants, 155
 of silicone surfactants, 160
 thiazonium, 164
 thickening agents
 cationic surfactants as, 104
 use in cosmetics, 265
 fatty amine oxides as, 147
 use in laundry detergents, 217
 use in personal-care products and cosmetics, 249–251
 thin-layer chromatography (TLC), 177, 435–436, 442
 thiol ethoxylates, 128
 thiol group, 164
 thionyl chloride, 54
 thiopolyethoxylates, 164
 thymol, pharmaceutical drug-delivery systems and, 310
 tin tetrachloride, 123
 titanium dioxide, 250
 titration, 434, 472
 of nonionic surfactants, 475–476
 toilet soaps, 253–254
 toluenesulfonate, 61
 toothpaste, 54, 239, 259–260
 topical pastes, 312
 total organic carbon (TOC), 462, 463
 total petroleum hydrocarbons (TPH), 388
 toxicity
 of amphoteric surfactants, 5
 of biosurfactants, 178, 180
 of fluorosurfactants, 156
 of nonionic surfactants, 125
 of oil-spill remediation chemicals, 42
 of pharmaceuticals emulsifiers, 319–320
 of silicone surfactants, 161
 of surfactants, 459, 465–466
 Toxic Substances Control Act (TSCA), 461
 transurfs, 164
 trehalose, 169, 170, 170 (figure)
 triacetyl cyanurate, 213, 214 (figure)
 tributyl phosphate, 421
 triclosan (TCS), 255–256, 255 (figure)
 tricyclic antidepressants, 317
 triethanolamine, 60, 219

triglycerides, 16, 50
 biosurfactants and, 168
 nonionic surfactants from, 120
 use in personal-care products, 241
 use as emollients in personal-care products, 248
 tallow, 51
 trimethyloctadecylammonium chloride, 91
 trimethylolethane acetate, 153
 trioleyl phosphate, 148
 tripeptides, 56, 56 (figure)
 Turkey-red oil (ricinoleate sulfate), 79, 79 (figure)
 tyrothricin, 180

U

UCARE polymers, 252
 ultraviolet (UV) radiation, 49
 ultraviolet (UV) spectroscopy, 436–437, 474
 unsaturation
 biodegradability and, 102
 in ethylene oxide/propylene oxide (EO/PO) block copolymers, 449
 in fatty acids, 16, 50
 in liposomes, 247
 in nonionic surfactants, 447
 utility modifiers, for agricultural chemical formulations, 324

V

van der Waals forces, 40, 155
 vapor phase osmometry (VPO), 435
 vat dyes, 342
 vegetable oils
 soaps from, 59–51
 sulfated, 81
 vehicle washes, 233–234
 viscosin, 171, 179
 viscosity
 of alcohol ether sulfates (AES), 80
 food emulsifiers and, 273
 viscosity-enhancing agents, 9
 visible spectroscopy, 436–437, 474
 vitamin A, 137
 vitamins
 in lipid biosurfactants, 168
 ethoxylated fats and oils from, 138
 use in hair-care products, 264
 as neutral lipids, 173
 volatile organic compounds (VOC), 72
 from automotive OEM coatings, 374–375
 from solvent-based metal cleaners, 234–235
 from paints and coatings, 370

W

wafer cleaning, 414
 washing agents, for oil-spill remediation, 380–381
 wastewater treatment, 389–394, 391 (table), 392 (figure)
 water-dispersible granules (WDG), 325, 326
 water-hardness tolerance
 of acyl sarcosinates, 55
 of sulfobetaines, 114
 water-in-oil (W/O) emulsions
 alkyl phosphate esters assisted, 147

 biosurfactants assisted, 178
 use in cosmetics, 266
 demulsification of, 36
 emulsions, types of, 34–35
 ethoxylated fats and oils assisted, 138
 use in foods, 272
 glycol and poly(alkylene glycol) ester assisted, 132
 HLB and, 31
 macroemulsions, 31–33, 32 (figure)
 microemulsions, 33
 nanoemulsions, 34
 use in oil-spill remediation, 381
 use in personal-care products and cosmetics, 250
 emulsifiers to make emulsions used in personal-care products and cosmetics, 244
 use as pharmaceutical delivery vehicles, 311
 pharmaceuticals emulsions, 313–314
 phase inversion and, 35
 sulfosuccinates, use in, 73
 water-insoluble soaps and, 52
 water-in-oil-in water (W/O/W) emulsions as pharmaceuticals
 drug delivery systems, 308, 311
 water-insolubility
 of biosurfactants, 167
 of silicone surfactants, 160
 of soaps, 52
 waterless hand cleaners, 231
 waterproofing, 156
 water-solubility
 of alcohol ethoxylates (AE), 127
 of alkyl phosphate esters, 147
 of biosurfactants, 176, 177
 of detergents, 195
 of functionalized monomers, 163
 of quaternary ammonium compounds, 98
 of silicone surfactants, 160
 of soaps, 51, 52
 of sorbitan esters, 136
 wax
 additives, for coatings, 374
 control, in petroleum applications, 355
 use in personal-care products, 249
 well completion, 350
 well stimulation, 350
 wettable powders (WP), 326
 wetting, 26–27, 26 (figure), 43
 by alcohol phosphates, 82
 by alkyl and alkylamido betaines, 112
 by alkyl ether carboxylates, 54
 by amphoteric surfactants, 106
 by alkyl polyglycosides (APG), 145
 by automatic-dishwasher products, 197–198
 by biosurfactants, 180
 properties of decorative cosmetics, 265
 by detergents, 192, 194–195
 by fluorosurfactants, 155, 157
 properties of foods, 272–273
 food emulsifiers for, 274
 by linear alkylbenzenesulfonates (LAS) for, 60
 by nonionic surfactants, 125
 by quaternary ammonium compounds, 99

- by silicone surfactants, 160, 161
- by sulfosuccinates, 72
- wetting agents, 6, 9. *See also* dewetting agents
 - use in agricultural chemical formulations, 324
 - use in coatings, 372
 - use in cosmetics, 265
 - dispersions and, 422–423
 - use in petroleum applications, 350
 - use in pharmaceuticals, 319
 - use in textiles, 337, 344
- wet wipes, 259
- whipping cream, food emulsifiers use in, 290–291
- whole microbial cells, 175–176

X

- xanthan gum, 256
- xylenesulfonates, 61

Y

- yarn production, 333–334
- Young's equation, 26

Z

- zeolites
 - use in commercial laundry detergents, 234
 - use in laundry detergents, 208–209
- Ziegler-Natta polymerization, 167
- Ziegler process, 15–16, 16 (figure)
- Zinc stearate use in soaps, 52
- zinc oxide, 50
- zwitterionic surfactants, 4, 5 (figure), 6–7, 106
 - use in pharmaceuticals, 307

