Subject Index

A

Accelerating rate calorimeter, 99, 100 Acceptibility index, 8 Adiabatic compression, 200 Aging, 106 Aircraft oxygen fire, 171 Aluminum and alloys, 8, 17, 18, 27, 31, 35, 47, 55, 83, 119, 123, 130, 132, 133, 137, 139, 146, 147, 149, 150, 173, 178, 179, 201 ASTM Committee G-4, 7, 8, 12, 14, 16, 98, 109, 229 ASTM D 2863, 154 ASTM G 63, 13,14 ASTM G 72, 99, 109 ASTM G 88, 13

Cleaning, 180-203 agents, 187 methods, 187 process, 184 solvents, 190 Combustion point, definition, 83 Combustion temperature, definition, 83 Contamination, 17, 173, 175, 179, 198 allowable levels, 182, 210, 229 definition, 200 tests, 194 Copper and alloys, 17, 137, 139, 143, 150, 201 Corrosion, 173, 176, 177, 179

D-E

Differential scanning calorimeter, 109 Dimensionless variables, 62 Ductile iron, 18 Energy balance, 31, 40, 61

F

Filters, 175, 176, 179, 199 Fire spread rate *see also* propagation rate, 122, 133 versus pressure, 125 versus surface condition, 126, 131 versus temperature, 126, 130 versus time, 125

Bronze, 137 Buna N, 103, 155, 166 C Carbon steel, 17, 18, 49, 53, 55, 119,

B

Breathing oxygen systems, 172, 180

Brass, 47, 137, 201

Carbon steer, 17, 16, 49, 65, 65, 119, 122, 130, 131, 133, 137, 154, 166, 168, 201 Cast iron, 17, 41 CGA G-4.4, 13 Clean room standards, 182

233

Fire spreading, 119 Fire triangle, 9 Firebreak, 167 Flourel E-2160, 111, 115, 117 Fresh metal exposure, 34 Friction coefficient, 50, 74 Friction rubbing, 38-58 contact pressure, 48 oxygen pressure effect, 53 *Pv* product, 47 surface speed, 48 surface treatment, 52

G-H

Ground support equipment, 175, 181 Hastelloy X, 19, 47, 75 Heat of combustion, 8, 48, 201

I

Igniter Buna N, 166, 169 magnesium, 121, 147 thermite, 155 Ignition, 9, 59, 173, 179 by frictional heating, 39 by laser heating, 78 by particle impact, 16 definition, 26 mechanism, 31, 40, 92 minimum heat flux, 64, 66, 71, 72, 75 surface temperature, 87 Ignition model-metals convection and transition temperatures controlled, 70, 71 convection control, 63, 67, 70, 71, 73, 74 external heating control, 63, 67, 70, 71, 73, 74 no oxide, 63 with oxide, 67

Ignition point definition, 83 Ignition process particle role, 32 pressure effect, 34 Ignition temperature, 8, 56, 65, 66, 72, 100, 103, 106, 108, 122, 201 definition, 40, 83 pressure effect, 94 Inconel, 201 Inconel-600, 47 Inconel-718, 18, 27, 35, 49, 91-94, 139, 143, 146, 148, 150 Industrial Gases Committee, 11 Inspection, 179, 181, 186 black (UV) light, 194, 205, 207, 214, 220 extraction test, 220 water break test, 194, 205, 207, 220 white light, 194, 205, 207, 214, 221 wipe test, 205, 207, 220 Invar-36, 47, 75

K-L

Kel-F, 103, 178 Kindling chain, 9, 158, 169 Laser beam refraction, 80, 91 Laser, carbon dioxide, 79 Lead babbit, 18 Liquid oxygen, 181

M

Magnesium, 137 Mass conservation, 61 Micro-combustion, 92 Monel, 17, 154, 167 Monel-400, 19, 27, 35, 47, 49, 75, 91, 92, 139, 143, 150 Monel-500, 41, 47, 51, 54, 55, 75 MRC-514AD, 103

N

NASA Publication 1113, 13, 14 Neoprene, 111, 115, 117, 175 Nickel, 137 Nickel-200, 47, 139, 143, 147, 150 Nonvolatile residue (NVR), 220-229 Nylon, 103, 111, 115, 117, 201

0

Odor, 182, 198 Oil, 102, 155, 205 leakage detection, 212-219 Onset of oxidation, 117 Oxidation rate cubic law, 40 Evans mechanisms, 60 linear law, 40 parabolic law, 40 Oxygen index, 8, 154 versus gas velocity, 164, 169 versus pressure, 168 versus temperature, 164, 168

P

Packaging, 195 Particle impact, 17, 35, 173 target pressure, 25, 27 Particle injector, 21 Particle velocity, 23, 25 Particles aluminum, 23, 27, 29, 31, 35 stainless steel, 23, 27, 31, 35 Procedures, 179 Propagation rate versus pressure, 143 versus temperature, 147 Purging, 179, 181, 198, 199 gases, 190 by ignition temperature, 115, 117 by minimum ignition heat flux, 71, 77 by particle impact ignition, 27, 143 by propagation rate, 142 Resonance, 17

S

Selection of materials, 60 Silicone rubber, 173, 177, 178, 179 Stainless steel, 10, 17, 20 Type 17-4PH, 52 Type 302, 91, 92, 94 Type 304, 18, 35, 139, 143, 150 Type 316, 27, 29, 35, 47, 49, 53, 73, 75, 76, 139, 143, 146, 147, 148, 150 Type 403, 41 Steel, 8 *see also* carbon steel Surface combustion (burning), 83, 88, 96

Т

Teflon®, 103, 201 Tertiary oil recovery, 153 Tests configuration, 12 friction rubbing, 43, 60 heat of combustion, 14 ignition temperature, 14 mechanical impact, 14 Thermite, 155, 156, 173, 179 Tin Babbit, 18 Titanium alloy, 47 Two-color pyrometry, 80, 121, 141

R

Ranking by friction ignition, 46, 56, 143

V

Vapor combustion (burning), 83, 96 Vespel SP-21, 111, 115, 117 Viton, 178