

Subject Index

A

- Aerial surveillance, 164
- Alga
 - Effects of oil/dispersant on, 246, 270
 - Increased growth, 252, 253
- Alkane concentrations
 - b*-Alkane, 213
 - n*-Alkane, 213, 216, 218, 222
 - Branched, 213, 216, 222
 - In arctic sediments, 348–351
 - Degraded, 353, 354
 - In nearshore sediments, 283, 288
 - In surface sediments, 237
- American Petroleum Institute (API), 27
 - Offshore oil spill studies, 283, 296
- Amoco Cadiz* spill, 28
 - Clean-up, 300
 - DBT markers, 290
- Anas platyrhynchos*, 195
- Arabian crude oil, light
 - Dispersant effect on, 214
 - Dispersant product performance, 98, 107
 - In drop-weight test, 99, 100, 102
 - In mangrove ecosystem test, 7, 11–12
 - In oil penetration test, 104–105
 - Toxicity, 12, 21
 - VLH in, 210, 220, 221
 - Aromatic, 213, 217
 - And wind speed effect, 217
- Aramco, 428, 435
- Area of effect (AOE), 393–397, 412
 - And spill depth, 405
 - And spill volume, 409, 411
 - And time, 401–403, 406, 411
 - And wind speed, 407, 410
- Arctic environment (*see also* Temperature; Winter exposure)
 - Dispersant use in, 324–336
 - Fate of chemically dispersed vs. untreated oils, 338–360
- Arctic Marine Oil Spill Programme, 325
- Arenicola marina* L., 268–272
- Argo Merchant* disaster, 166, 300
- Aromatic weathering ratio (AWR), 341, 348
- Artemia* sp., acute dispersant toxicity, 180–184
- Aspartate amino transferase (AAT) activity, 300, 303–312
- Astarte borealis*, oil uptake, 353
- ASTM chemical dispersants for control of oil spills task force, 363–364
 - Recommendations of, 365–372
- ASTM Committee F-20 on Hazardous Substances and Oil Spill Response, 38
- ASTM Method D-2285, 95
- ASTM Symposium on Chemical Dispersants for the Control of Oil Spills, 24, 34, 38, 166
- Avicennia germinans*
 - Growth effects, 10–12
 - Sensitivity testing, 7, 10–12

B

- Baffin Island Oil Spill (BIOS) project, (*see also* Cape Hatt), 31, 325
- Countermeasure tests, 325
- Dispersant application in, 41
- Fate and effects program, 338–339, 343, 357
- Biological monitors, 359
- Shoreline dispersant tests, 325
- Baltic Sea, dispersant effectiveness in, 109
- Bancroft's rule, 45
- Barnacles, adult
- Larvae, colonization, 253
- Oil dispersant effects on, 252
- Spat, 254
- Benthic communities, nearshore
- Analysis, 281, 284
- Risk to, 280, 281, 283
- Short-term effects of oil spill, 300
- Uptake of oil, 293
- Benthic species
- Depuration, 352–356, 359
- Exposure to dispersed oil, 225
- Oil concentration in, 353–356
- Oil uptake, 352–356
- Smothering, 421
- Benzenes
- Concentrations, 216–218, 222
- Critical threshold concentration (CTC), 399, 401
- In fish eggs and larvae, 400–401
- In oils, 31
- Toxicity of, 25
- Bioassays
- Of brown shrimp, 135, 139–140
- Sensitive marine, 180
- Biochemical oxygen demand (BOD) test, 38–39
- Bird habitats, dispersant use guidelines, 368–370
- Birds
- Breeding, effects of oil on, 370
- Mortality, 369–370
- Moving methods, 369
- Rehabilitation, 369
- Surface oil, effects of, 369
- Bivalves (*see also* Clams; Mussels)
- Depuration, 309
- Filter-feeding, 293–295, 296
- Pollutants in, 297
- Hydrocarbons in, 302
- Oil spill effects on, 300–312
- Boat spray tests, 41
- Britain, southwest
- Intertidal experiment site, 241
- Vulnerability Index of, 276
- British Petroleum (BP) Research Centre, Sunbury
- Labofina testing, 70, 72
- Mackay testing, 74, 76
- British Petroleum (BP), toxicity, 180
- British Petroleum (BP) 1100 WD, 225
- Diluted, effects of, 264–272
- Immediate effects, 249
- Long-term effects, 248, 250
- In Norwegian ocean tests, 51, 52
- On rocky shores, 246, 247
- On salt marshes, 254, 255, 258–263
- British Petroleum (BP) 1100X
- In arctic environment, 331, 332, 334, 335
- Sublethal effects, 195
- Undiluted, 251
- Bunker Fuel C, 7, 10–12
- Bunker Fuel IF-30, 52

C

- Calanoid copepods, 180–184
- California, Southern, offshore dispersant testing, 380
- Canada Centre for Remote Sensing (CCRS), 157
- Canadian Offshore Aerial Application Task Force (COAATF), 144, 161

- Abbotsford field trials (1979), 162, 163
- Hallifax, Nova Scotia, site, 165
- Protocol, 164, 165
- Sea trial (1981), 163-165
- Suffield trial, 162
- Cape Hatt, Baffin Island
- Eclipse Sound testing, 325
- Map, 326, 327
- Ragged Channel area testing, 339, 343
- CCG *Cape Islander* spill, 146
- Channel Island, California, tagging operation, 371
- Chemically dispersed oil (*see* Oil, chemically dispersed)
- Chemserve OSE-DH, 423
- Chromatographic analysis (*see also* Gas chromatographic analysis; Gas-liquid chromatographic analysis), 25
- Chthamalus* spp., 252
- Clams
- DBT in, 295
- Growth studies of, 229-230, 234-237
- Oil spill effects on, 284, 293
- Uptake of oil, 297
- Clean-up
- In coral reefs, 365
- On rocky shores, 367
- In sea grass beds, 366
- Along South African coast, 418, 419, 427
- Clean-up techniques, 277
- Dispersant, 276
- Mechanical, 325, 367, 368
- Equipment, 428, 429
- Natural, 325, 327, 331-335, 367-368
- Coast Guard, US, fire hazard control, 168-169
- Cod, Southern Grand Bank, 391, 395, 412
- "Code of Practice for the Use of Oil Slick Dispersants," 367
- Common murre, Funk Island, 391, 395, 412
- Conception Bay, Newfoundland, 163
- Cook Inlet crude oil, 27
- Coral reefs
- Dispersant use guidelines, 365-366
- Oil stranding, 365
- Corexit 7664
- In arctic environment, 331, 333
- Composition, 210-211
- Effectiveness, 211
- Hydrocarbon levels, 335
- Oil droplet formation, 213
- On rocky shores, 251
- In salt marshes, 260
- On sand and mud flats, 270
- And VLH concentrations, 213, 216, 218, 222-223
- And wind speed, 209-210
- Corexit 8667, 251
- Corexit 9527
- Application, 146, 162, 164
- In arctic nearshore environment, 339
- Composition, 211
- Effectiveness, 144, 145, 164
- Hydrocarbon concentration, 320
- In mangrove ecosystem testing, 7
- In Norwegian ocean tests, 51, 52
- Oil droplet formation, 213
- As reference dispersant, 27
- In sea grass bed, 318
- Sediment exposure testing, 225
- Solvent evaporation, 163
- Sublethal effects, 195
- Toxicity, 180, 184-187, 196
- VLH concentrations, 213, 216, 218, 220-223
- And wind speed, 209-210
- Crabs, mortality, 421
- Crangon crangon*, 135, 139, 140, 423

- Critical micelle concentrations (cmc), 101–103, 191
- Critical peak exposure concentration (CPEC) method, 405, 408, 421
- Crude oil composition, 91–93
- Crustaceans, planktonic, toxicity in (*see also individual species*), 27
- Cycloalkane concentrations, 213, 216, 222
- Cyclograpsus punctatus* mortality, 421
- D**
- Daphnia magna*, toxicity in, 187
- DART, 173
- DBT as marker, 290, 293–295
- For hydrocarbons in Murban crude oil, 303, 309
- Increments, 296
- Depuration (*see* Benthic species; Bivalves)
- Dilution
- Continuous system, 136–137
- Role in chemical oil dispersion, 125–141
- Dispersant application, 164, 211
- Aerial, 41, 88, 127, 146, 410, 429
- Evaluation program, 161–165
- Response capability, 432–434
- Spraying, 422–423
- Boat spraying, 423
- Marine response capability, 429–432
- Multifaceted approach, 428–435
- Dispersant behavior in sea, 127–134
- Dispersant diffusion rate, 104
- Dispersant droplet size, 88
- Dispersant effectiveness, 38–53
- Assessing, 69–85
- Vs. dosage, 111, 112, 116
- At low salinity/low water temperature, 108–119
- And oil characteristics, 87–93
- And oil viscosity, 118
- Predicting, 94–107
- Remote sensing, 143–158
- At sea, 69–85
- And surfactant synergism, 77–79
- And toxicity, 195–196
- Dispersant “efficiency,” 103
- Dispersant/oil combination, 7–12, 43, 178
- Dispersant/oil ratio, 32, 39
- Dispersant stockpiles, 434–435
- Dispersant Symposium in Toronto (1980), 23–24
- Dispersant testing
- In Arctic, 324–336
- In Canada, 39–46
- Efficiency, 60–62, 63–66
- In South Africa, 423–424
- In United Kingdom, 57
- Dispersant toxicity (*see also* Toxicity)
- Acute, 180–187
- Effectiveness, 195–196
- To fish, 366
- To marine organisms, 177–195
- Reduced, 300
- Dispersant use
- Authorization, 281
- Decision making, 322
- Ecological considerations, 363–372
- Experimental, on arctic beach spills, 324–336
- Guidelines, 44, 378–389
- Regions IX and X, 385–389
- Monitoring, 384
- Dispersants
- Composition and chemistry, 179–180
- Effects in field, 196–197
- First-generation, 188, 193
- Initial action, 157
- And oil viscosity, 88–93, 118
- Preparation, 31–32
- Resistance to, 88–93
- Role of, 126
- Second-generation, 180, 189
- In treatment of fire hazard, 166–174

- And VLH in water column, 203-223
- Volume, effects of, 58, 60
- Dispersion
 - And dilution process, 127-141
 - And energy conditions, 83-85
 - Mathematical model for, 49-52
 - Process, 46-49
 - Stability, 116-117, 119
- Dosage, and dispersant effectiveness, 111, 112, 116
- Drop detachment time effect, 99
- Drop-time interfacial tension test, 95, 102, 104
- Drop-weight interfacial tension test, 94-107
- Droplet size, and buoyancy, 296
- Ducks, mallard, 195, 370
- Du-Nouy ring interfacial tension test, 94
- E**
- Ecological impact
 - Considerations in dispersant use, 363-372
 - Mathematical model for predicting, 390-412
- Ecotoxicity, and area of effect (AOE), 393-397, 401-412
- Ecotoxicology, 392
 - Fish model, 397-409
 - Marine, 178-198
 - Seabird model, 395-397
- Ekofisk crude oil, 52
- Emulsions, 92, 126, 297
- Endangered Species Act, 369
- Energy Endurance* hull failure, 415
- Enteromorpha*, 270
- Environment Canada Baffin Island Oil Spill Project (*see* Baffin Island Oil Spill (BIOS) project)
- Environmental Protection Agency, Massachusetts Department, 169
- Environmental Protection Agency, US (EPA)
 - Clean-up coordination, 281
 - In fire hazard control, 168-169
 - Reference oil, 27, 29
 - Standard tests, 94, 104-105, 107
- Esso Essen* oil spill, 419-420, 422
- Exposure-dose-response (EDR) method, 405, 408, 412
- Exposure regimes, 33-34
 - Aquatic toxicology test method of dispersed oils, 23-34
 - Sediment exposures, 27-29
 - Water exposures, 25-27
- F**
- Fay's spread equations, 152-156, 158
- Field Studies Council intertidal experiments, 240
- Finasol OSR7, 51, 52, 180
- Fire department training, 173-174
- Fire hazard treatment, 166-174
- Fish population (*see also individual species*)
 - Bioaccumulation of hydrocarbons, 395, 397-403
 - Ecotoxicology model, 397-409
 - Oil toxicity to, 394, 397
 - Recovery, 391, 395
- Fish and Wildlife Service, US
 - Patuxent Wildlife Research Center, 380
 - Use of dispersants, 369
- Florida Keys spill, 365, 367
- Flotta crude, 251, 260
 - Effects of, 261-263
- Fluorometry, flow-through, 287
- Forties crude oil
 - Immediate effects, 249
 - Lightly weathered, 260, 261, 272
 - Long-term effects, 248, 250
 - On rocky shore, 246, 247
 - In salt marshes, 254, 255, 258-263
 - On sand and mud flats, 268-272
 - In sea grass beds, 263-268
 - Study, 225
 - Weathering, 246

Fucus sporelings, 246, 252–253

Fuel oil No. 2, 7, 10–12

Fuel oil No. 6, 104, 105, 106

Fundulus grandis, 195

G

Gas chromatographic analysis (GC)

Fused silica capillary (FSCGC),
339, 343–345, 348–351, 359

Of hydrocarbons, 287–293

Of oil/dispersant composition, 18

Of oils, 29, 31, 32

Gas chromatographic/mass spectro-
graphic analysis (GC/MS),
computerized, 268, 269, 272

GC/MS/DS, 339–341, 343, 345,
348

Gas-liquid chromatographic analysis,
257, 265, 268

Gasoline tank truck accidents, 174

Gasoline tanker accidents, 166, 167

Gatwick, UK, workshop on oil spill
dispersant chemicals, 125

Global Hope accident, 169

Glucose-6-phosphate dehydrogenase
(G6P) activity, 300, 302–312

Gulf Area Oil Company Mutual Or-
ganizations (GAOCMAO),
429, 434

Gulf of Mexico seawater testing, 205

Gulls, herring, 370

H

Harrier spray systems, 429, 431

Hazardous Substances and Oil Spill
Response, ASTM Committee
F-20, 38

Hemicentrotus pulcherrimus bioassay,
180

Herring, toxicity in, 399, 400, 401, 407

Hippolyte clarki toxicity testing, 15

Hurstone experiments

Point 1, 243–249

Point 2, 244, 249–251

Point 3, 244, 251–253

Vulnerability Index, 274

Hydrocarbon analysis, 228, 229, 233,
236

Arctic beach sediment, 328, 330,
333, 334

In bivalve mollusks, 302

In sediments, 256–257

Total, 21

Hydrocarbons

Aliphatic

In *Mya arenaria*, 303–304

In nearshore sediments, 288,
290–295, 297

Aromatic

In *Mya arenaria*, 303–304

In *Mytilus edulis*, 304–305

In nearshore sediments, 290, 292,
293, 297

And tide level, 228–229

In sediments, 231

Total, 21

Availability, 195

Bioaccumulation in fish, 395, 397–
403

In bivalve mollusks, 309, 311

Concentrations

Alterations in, 230–232

And BP 1100X, 335

And Corexit 7664, 335

And Corexit 9527, 320

Under oil slick, 130–132

In Prudhoe crude oil, 318, 327

Remote sensing, 152

In sea grass, 265, 266, 268

In surface sediments, 226, 227

After treatment, 135

Diffusion, 401

Distribution, 18, 269

Evaporation loss, 25

Extraction, 146

And fish mortality, 397

Fractionation, 357

High molecular weight, 343,
346–347

Hydrocarbons (*continued*)

- Losses, 226, 228, 283
- Low molecular weight, 342-345
- In nearshore spills, 296
 - Analysis, 281, 284, 288, 290-293
 - Dissolved, 287, 309
- Saturates, 228-229, 231, 249
- In seawater, 342-357
- In sediments, 28, 288, 290-297
- Toxicity, 178, 195-196
 - To marine organisms, 391, 392
- Volatile liquid (VLH), 203-223, 283
- "Wash out," 234
- Weathering ratio, saturated (SHWR), 341, 345, 348

I

- IMP (Norwegian) tests, 44
- Infrared
 - Imagery of oil slick, 150-157
 - Spectrophotometry, 18, 226
- Institute of Petroleum (IP)
 - Guidelines for dispersant use, 367
 - Working group on dispersants, 56-58, 62-63
- Interfacial tension in predicting dispersant effectiveness, 94-107
 - And emulsions, 126
 - Measurements, 152
- Intertidal beaches, sediment characteristics, 327
- Intertidal habitats
 - Ecological effects of oil, 240-278
 - Sea grass beds, 263-268
 - Vulnerability Index, 277-278
- Ixotoc I* spill, 300, 357

J

- Jasus lalandii*, 419
- Johnstown, PA, sewer explosion, 174

K

- Kelp bed ecosystem, damage to, 421-422

Killifish, 195

- Kilpaison experiments
 - Experiment 1, 263-265
 - Experiment 2, 265-268
 - Vulnerability Index, 277
- Kuwait crude oil, 92
 - I, 76
 - II, 77, 78, 81, 82

L

- Labofina Laboratory test, 46, 48, 70-71, 83-85
 - Advantages, 72
 - Compared with Mackay test, 76-77
 - Correlation with WSL sea test, 79-82
 - Disadvantages, 72
 - Materials used, 86
 - Modified, 45
 - Synergistic surfactant effects, 77-79
- Laboratory testing
 - Response of mangroves to oil/dispersants, 6-13
 - Sediment column tests, 272-274
- Lagomedio crude
 - In arctic environment, 339
 - Aged, 325, 328, 330, 357
 - In benthic species, 353-356
 - Biodegradation, 333, 353, 356
 - Emulsified, 325, 328, 330
 - On sea surface and beach, 342
 - In sediments, 348-353
 - In water column, 342-348
 - Effectiveness of Corexit 9527 with, 144, 145
 - Oil spill, 163, 164
 - Weathered, 77, 78, 80-83
- La Rosa crude oil, 92, 93
- Lethal concentration, median (LC₅₀), 140
 - Of dispersants, range in marine organisms, 183-184, 187
 - Of dispersed oil to turtle grass, 315-322
- 96-h LC₅₀ method, 15

- Lichen, 246
- Limpets
- Dispersant effects on, 195
 - Oil/dispersant effects on, 246–247, 251, 254
 - Long-term, 248
 - Oil pollution effects on, 420
- Littorina* spp.
- Oil/dispersant effects on, 246, 248, 251, 254
 - Immediate, 249
 - Long-term, 250
- Lobster, rock, 419, 420
- Sanctuary, 421, 424, 426
- Long Cove, Maine, field experiment (1981), 281–297, 300
- Map, 282, 301
- Lugworm, 268–272
- M**
- Mackay-Nadeau-Steelman (MNS) test, 43–44, 48, 50–52
- Apparatus, 196
 - Operational aspects, 118, 119
- Mackay oil spill behavior model, 155, 156, 158, 394
- Mackay test, 72–75, 83–85
- Advantages, 75
 - Apparatus, 89, 92
 - Disadvantages, 75–76
 - Vs. Labofina test, 76–77
 - Materials used, 86
 - Synergistic surfactant effects, 77–79
 - And WSL sea test, 79–82
- Macoma calcaria*, oil uptake, 353, 359
- Mangrove ecosystems, 5–13
- Mann-Whitney U-test, 255, 257, 260
- Marine ecotoxicology (*see* Ecotoxicology, marine)
- Marine mammal habitats, guidelines for dispersant use, 370–372
- Marine organisms, toxicity of dispersants to (*see* Toxicity)
- Marine Pollution Control Unit of United Kingdom Department of Trade, 57
- Migratory Bird Treaty Act, 369
- Milford Haven, UK, site, 225
- Ministry of Agriculture, Fisheries, and Food, 57
- Monoaromatics, crude oil (*see also* Aromatics; Hydrocarbons), 18
- Mousse
- Application of, 260, 261
 - “Chocolate,” 420, 421
 - Dispersant treatment of, 251
 - Effects, 262, 263
 - Formation of, 31
- Mud prawns, mortality, 421
- Murban crude oil, 92, 93
- Effect on enzyme activities, 300–312
 - Premixed with dispersant, 281
 - Untreated, 281, 283
- Mussel Watch Program, 297
- Mussels
- DBT in, 295
 - Effect of oil spill on, 284, 293
 - Uptake of oil, 297
- Mya arenaria*, 284, 300–312
- Mya truncata*, oil uptake, 353, 356, 358, 359
- Mytilus* sp.
- Oil uptake, 359
 - M. edulis*, 284, 300–312
- N**
- Naphthalene concentrations
- In arctic beach oil spills, 342
 - Critical threshold (CTC), 399, 401
 - In crude oils, 18, 21, 31
 - In fish eggs and larvae, 401, 402, 404
 - Total, 229, 231, 236, 237
 - In water, 403
- National Academy of Sciences, 27
- Petroleum in the Marine Environment Update/Workshop, 24

National Institutes of Health/Environmental Protection Agency, Mass Spectral Search System, 206
 National Marine Fisheries Service, 371
 National Oil and Hazardous Substances Pollution Contingency Plan (NCP), 379–380, 384
 Nearshore test spills, 280–297
 Nephelometric method, 129, 132
 New Britain, CT, sewer treatment, 170, 174
 Newfoundland Grand Banks, 391
 Nigerian crude oil, 225, 268–270
 Norwegian ocean tests, 51, 52
Nuculana minuta, oil uptake, 353, 359

O

Offshore oil spills (*see also* Oil spills)
 Oil slick changes, 148–149
 Studies, 283, 296
 Oil
 Absorption of, 296
 Biodegradation, 297
 Buoyancy, 296–297
 Characteristics, 87–93
 Chemically dispersed
 Aquatic toxicology experiment, 23–34
 Toxicity, 314–322
 Toxicity testing method, 15–22
 Composition, 210–211
 And dispersant effectiveness, 56, 87–93
 Dispersed
 Acute toxicity, 283
 Effects, 224–237
 Fate, 224–237, 338–360
 Potential biological hazard, 324
 In sediments, 288–293
 In water, 287–288
 Testing methods, 224–237

Oil (*continued*)

Dispersed vs. untreated, 338–360
 Ecological effects of
 Dispersed vs. nondispersed, 240–278
 Mathematical model, 390–412
 Fate, 393, 394
 Dispersed, 224–237, 338–360
 Dispersed vs. undispersed, 280–297
 In intertidal habitats, 240–278
 Fresh crude, 18
 Fresh vs. weathered, 31
 Quantitative analysis, 32
 Resurfacing, 132, 157
 In sediments, 27–28, 288–293, 296
 Toxicity
 Of chemically dispersed, 314–322
 Of chemically vs. physically dispersed, 196
 To fish, 394, 397
 To sea grass, 314–322
 Undispersed, 288–293
 Uptake (*see individual species and sites*)
 Viscosity, 45, 48, 56
 And dispersant effectiveness, 118
 And resistance to dispersants, 88–91
 Weathered, 31
 Weathering, 49, 56, 210
 Oil/dispersant ratio, 32, 39
 Oil penetration test, 95, 98, 103–104, 106
 Oil persistence, 395–396
 Oil pollution, 419–422
 Oil Pollution Convention, 1969
 Amendments, 415
 Oil slick
 Emulsification, 132–133
 Geometry, 88
 South African shore, 415
 Stranding, simulation of, 243, 272
 Thickness, 88

Oil spill

- Clean-up techniques (*see* Clean-up techniques)
- Damage, 274–278
- Effectiveness of chemical dispersants on, 38–53
- Environmental pollution from, 420–421
- Fire hazard, 166–174
- Guidelines for use of dispersants, 363–372
- Impact of, 411–412
- Movement of, 417
- Recovery, 420, 421–422
- Tests, 300–312
- Volume, effect, 409–411
- Oil spill impact model flow chart (*see also* Ecological impact, mathematical model, 393)
- Oilsperse 43, 191
- On-scene coordinators (OSCs), 378
 - Responsibilities of, 380–383, 385–386
- Oriental Pioneer* stranding, 419
- Otters, sea, 370, 371

P

- Palaemon pacificus*, 423
- Pandalus danae*, toxicity in, 15, 18–22, 300, 408
- Patella* spp.
 - Effects of oil/dispersant on, 246–247, 251, 254
 - Long-term, 248
 - P. cochlear*, 420
 - P. oculus*, 420
 - P. vulgata*, 195
- Pectinaria granulosa*, oil uptake, 353, 356
- Penguin, jackass, 424, 426
- Periwinkles, 420
- Persian Gulf sea route, 415
- Phenanthrenes, 229, 231, 236, 237
 - In crude oil, 18
- Phyllospadix torreyi*, 367

- Pinniped rookery, 370–371
- Piscataqua River, NH, accident, 168
- Polar bears, 370, 371
- Protecmar program, 127–134, 135
- Protothaca staminea* growth, 229, 234
- Protozoa, toxicity testing, 27
- Prudhoe Bay crude oil, 27
 - Analysis, 318–319
 - Composition, 321
 - In sea grass bed, 317
 - Sediment exposure testing, 225
 - Toxicity, 19–21, 187
 - Chemically dispersed, 300
 - To turtle grass, 318, 321
 - WSF effects, 408
 - WSFs, 320
- Pseudocalanus minutus*, 180–184

R

- Ras Tanaura Terminal, Saudi Arabia, 434, 435
- Red Sea, toxicity of dispersants, 366
- Region X (federal) committee for dispersant use guidelines, 379
- Regional response teams (RRTs), 378–389
- Remote sensing, of dispersant effectiveness, 143–158
- Revolving flask test, 55, 57, 62
- Rhizophora mangle*, 6, 7, 10–12
- Rocky shore
 - Clean-up, 367
 - Dispersant use guidelines, 367–368
 - Effects of dispersed and nondispersed oil, 243–254
 - Vulnerability Index, 274–276
- Rolling flask test (*see* Warren Spring, laboratory (WSL) test)
- “Roll-off” effect, 89, 90, 93
- Rotating flask test, 52
- Royal Commission of Environmental Pollution (UK) recommendations, 240
- Russian crude oil, light, 109–115

S

- Saint John's, Newfoundland, 144, 163
- Salicornia* spp.
Density, 257, 259, 263
Effects of oil/dispersant on, 255, 257
Smothering, 263
- Salinity
And dispersant effectiveness, 45, 102, 113–119
Effect of, 102–103
- Salt marshes
Effects of oil/dispersant on, 254–263
Vulnerability Index, 276–277
- Sand, coarse, 225
- Sand and mud flats
Effects of oil/dispersant on, 268–274
Vulnerability Index, 277–278
- Sandyhaven experiments
Experiment 1, 269
Experiment 2, 269–270, 271
Experiment 3, 270–272, 273
- Santa Barbara spill, 367, 371
- Scientific support coordinator (SSC), responsibilities, 382, 386
- SCOPE Report 12 on ecotoxicity, 392
- Sea
Dispersants in (*see* Dispersant behavior; Dispersant effectiveness)
Energy conditions, 83–85, 132–133
Natural turbulence, 85, 144–145
- Sea grasses
Clean-up activities, 366
Dispersant use guidelines, 366–367
Oil toxicity to, 314–322
Uptake of oil WSFs, 366
- Sea urchins, 180, 193, 420
- Seabird population (*see also individual species*)
Ecotoxicology model, 395–397
Mortality, 392, 397
Oil toxicity, 394
Recovery, 391, 395
- Seals, pups, 371–372
- Sediments
Artificial, 27, 28
Defined, 27
Marine, 224–237
Nearshore, 284–286, 288–293, 348–353
Oil behavior in, 27–28
Porosity, 28
Sublethal analysis, 293
- Sequim Bay, WA, 15
- Serripes groenlandicus*, oil uptake, 353, 356, 358, 359
- Shrimp
In dispersant testing, 423
Toxicity, 191
Toxicity testing
Brine, 180–184
Brown, 135, 139, 140
Coonstripe, 15, 18–22
Grass, 15
- Simplex bucket systems, 432
- Skomer Island, South Wales, spill, 371
- South Africa
Coastal current systems, 415–419
Contingency planning, 424–426
Dispersant testing, 423–424
Dispersant use, 414–427
Government policy, 422–423
Oil spill effects, 419–422
- South Marsh Island oil
Dispersant effect on, 216, 218, 222
VLHs in, 211, 220
- Spartina Anglica*
Density, 255, 258, 261, 263
Oil/dispersant effects, 254–255, 257
Shoot heights, 260, 262
Smothering, 263
- Spectrofluorometry, 131, 132
- Spheniscus demersus*, 424, 426
- Spinning drop test, 45, 46
- Spreading, oil
Cessation of, 155–156

Spreading oil (*continued*)

Theory

Fay's, 144, 152-156, 158

Three-regime, 144

To thin sheen, 150

SRI interfacial tension test, 45

S T Latirus accident, 414-415

Statfjord crude oil, 51

Stearl Flats experiment, 268-269, 276

Stearl Salt Marsh experiments, 263

Experiment 1, 254-255

Experiment 2, 255-260

Experiment 3, 260-262

Vulnerability Index, 276

Storm-wave activity (*see also* Wave action; Wave energy), 325, 332*Strongylocentrotus droebachiensis*, 353, 356-359Student's *t* test, 111

Suffolk Down, fire hazard, 167-173

Surface tension reduction, 191

Surfactants

Action in marine organisms, 178

Acute toxicity, 195

Composition, 80, 81

In detergents, 191

Enhancement of oil/dispersion, 94

And synergism, 70, 77-79, 85

Hydrophobic groups, 187, 189

And interfacial tension, 91-92

And temperature, 101

Toxic action mechanisms, 191-193

Swanson River oil, 215

VLH in, 210, 213, 219, 221

T

Tarut Bay, Saudia Arabia, pollution, 365

Temperature (*see also* Arctic environment; Winter exposure)

And dispersant effectiveness, 99-101, 115-119

And oil/dispersant, 115-116

Low, 115-119

And VLH incorporation in water, 207-209

Texanita/Oswego Guardian collision, 419*Thalassia* sp., 366, 367*T. testudinum*, 314-322

Tidal area dispersant project, 280-297

Tide levels, effects, 228, 229

Toluene concentrations, 25, 218

Torrey Canyon spill, 195, 300, 368

Toulon, France, 127

Toxicity (*see also* Dispersant toxicity; Oil, toxicity)

Assessment, 135

Of dispersant, 180-184

Of dispersed oil, 23-34

To marine organisms, 177-198

Toxicity Index

Alternative to ecotoxicology model, 405-409, 412

Concentration times exposure time, 126

In coonstripe shrimp, 15, 19-21

Method, defined, 392

And oil dilution, 140

Toxicity testing, 15-25, 34

Toxicity thresholds, 188-190

Turbulence (*see also* Sea, natural turbulence), 132-133, 144, 145

Turtle grass, oil toxicity to, 314-322

U

Ultraviolet (UV) image of oil slick, 147, 155-157

Ultraviolet spectrophotometry, 274

Union Oil Terminal, Boston, oil leak, 167-173

V

Venezuela crude oil, 27, 366

Venail/Venpet collision, 414, 417, 418

Clean-up, 419, 423

Effects of, 420-421

Verrucaria spp., 246

Vulnerability Index

Intertidal sea grass beds, 277-278

Mud and sand flats, 277-278

Rocky shores, 274-276

Salt marshes, 276-277

W

Wafra stranding, 419, 420, 422

Warren Spring Laboratory

Boat spray test, 41, 45, 46

Laboratory (WSL) test, 50, 57-58
61

Open-Ocean and Mini-Spray
equipment, 429

Status of, 55-68

Sea test, 58-60, 61, 88-89

And Labofina test, 70, 79-83

And Mackay test, 79-83

Summary and procedures, 66-68

Watchet experiment, 244, 252, 274

Water column

Oil in, 342-348

VLHs in, 203-223

Water-soluble fractions (WSFs), 21,
25

LC₅₀, 319

In Prudhoe Bay crude, 320

In sea grass bed, 317, 318

In water column, 322

Wave action, 228

Wave damping effect, 74, 76-85

Wave energy, 325, 326

As natural clean-up, 327, 331-336,
367-368

Weathering, 31, 342

Ratios, 341, 345, 348

Whiting, IN, sewer treatment, 174

Wilcoxon matched-pairs signed-
ranks test, 247, 251, 263, 265

Williamsburg Bridge, NY, accident,
166

Wind speed

And AOE, 407, 409

And oil persistence, 395-396

And VLH incorporation into water,
208-210, 221

Winkles, 246, 248-251, 254

Winter exposure, effects, 19

World Glory accident, 417

X

Xylenes, 25

Z

Zoe Colocotronis spill, 366-367

Zostera noltii, toxicity in, 263-268