

*Characterizing Sources of* **Indoor**  
**Air Pollution**  
*and Related Sink Effects*



BRUCE A. TICHENOR  
editor

 STP 1287

STP 1287

# Characterizing Sources of Indoor Air Pollution and Related Sink Effects

*Bruce A. Tichenor, Editor*

ASTM Publication Code Number (PCN):  
04-012870-17



ASTM  
100 Barr Harbor Drive  
West Conshohocken, PA 19428-2959  
Printed in the U.S.A.

## Library of Congress Cataloging-in-Publication Data

Characterizing sources of indoor air pollution and related sink effects / Bruce A. Tichenor, editor.

(STP; 1287)

"The Symposium on Methods for Characterizing Indoor Sources and Sinks was held September 25-28, 1994, in Washington, D.C."—Foreword.  
"ASTM publication code number (PCN): 04-12870-17."

Includes bibliographical references and index.

ISBN 0-8031-2030-3

1. Indoor air pollution—Measurement—Congresses. 2. Indoor air pollution—Mathematical models—Congresses. 3. Sinks (Atmospheric chemistry)—Congresses. I. Tichenor, Bruce A., 1940—  
II. Symposium on Methods for Characterizing Indoor Sources and Sinks (1994: Washington, D.C.) III. Series: ASTM special technical publication; 1287.

TD883.17.C48 1996

628.5'3—dc20

96-5931

CIP

Copyright © 1996 by the AMERICAN SOCIETY FOR TESTING AND MATERIALS, West Conshohocken, PA. All rights reserved. This material may not be reproduced or copied, in whole or in part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of the publisher.

### Photocopy Rights

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the AMERICAN SOCIETY FOR TESTING AND MATERIALS for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$2.50 per copy, plus \$0.50 per page is paid directly to CCC, 27 Congress St., Salem, MA 01970; (508) 744-3350. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is 0-8031-2030-3 \$2.50 + .50.

### Peer Review Policy

Each paper published in this volume was evaluated by three peer reviewers. The authors addressed all of the reviewers' comments to the satisfaction of both the technical editor(s) and the ASTM Committee on Publications.

The quality of the papers in this publication reflects not only the obvious efforts of the authors and the technical editor(s), but also the work of these peer reviewers. The ASTM Committee on Publications acknowledges with appreciation their dedication and contribution to time and effort on behalf of ASTM.

Printed in Fredericksburg, VA

May 1996

# Foreword

The Symposium on Methods for Characterizing Indoor Sources and Sinks was held 25–28 September 1994, in Washington, DC. The symposium was sponsored by ASTM Committee D22 on Sampling and Analysis of Atmospheres and its Subcommittee D22.05 on Indoor Air. Bruce A. Tichenor formerly of the U.S. Environmental Protection Agency served as both chairman of the symposium and editor of this publication.

# Contents

<b>Overview</b>	1
OVERVIEW OF SOURCE/SINK CHARACTERIZATION	
<b>Overview of Source/Sink Characterization Methods—BRUCE A. TICHENOR</b>	9
DESIGN, CONSTRUCTION, CHARACTERIZATION, AND OPERATION OF TEST CHAMBERS/FACILITIES	
<b>A Small Air Velocity-Controlled Test Chamber for Emission Studies—Y. ZHANG AND F. HAGHIGHAT</b>	23
<b>A Large Dynamic Chamber for Characterizing Particulate and VOC Emissions—P. A. LAWLESS, D. D. SMITH, D. S. ENSOR, AND L. E. SPARKS</b>	34
<b>Design and Operation of a Dynamic Test Chamber for Measurement of Biocontaminant Pollutant Emission and Control—DOUGLAS W. VANOSDELL, KARIN K. FOARDE, AND JOHN C. S. CHANG</b>	44
<b>A Full-Scale Test Chamber for Material Emission Studies and Indoor Air Quality Modeling—J. S. ZHANG, J. M. KANABUS-KAMINSKA, AND C. Y. SHAW</b>	58
<b>Novel Mini-Chamber Procedure for Screening Insulation for Emission of Formaldehyde and Other VOCs—IVAN E. LEIGH</b>	67
<b>The Use of an Experimental Room for Monitoring of Airborne Concentrations of Microorganisms, Glass Fibers, and Total Particles—MARK P. BUTTNER AND LINDA D. STETZENBACH</b>	75
<b>Static Chamber Method for Evaluating the Ability of Indoor Materials to Support Microbial Growth—KARIN K. FOARDE, DOUGLAS W. VANOSDELL, AND JOHN C. S. CHANG</b>	87
<b>Comparing the Field and Laboratory Emission Cell (FLEC) with Traditional Emissions Testing Chambers—NANCY F. ROACHE, ZHISHI GUO, ROY FORTMANN, AND BRUCE A. TICHENOR</b>	98
<b>Design and Characterization of a Small Chamber for Chemical and Biological Evaluation of Sources of Indoor Air Contamination—MARK A. MASON, NANCY F. ROACHE, ZHISHI GUO, AND DANIEL COSTA</b>	112

TESTING PROTOCOLS FOR DETERMINING EMISSION FACTORS AND  
SINK ADSORPTION/DESORPTION RATES

<b>A Method for Determination of the Sink Effect of VOCs from Building Materials</b> —ULLA D. KJAER, PETER A. NIELSEN, KARL V. VEJRUP, AND PEDER WOLKOFF	123
<b>Particle Buildup Caused by Gas-to-Particle Conversion of Re-emitted Matter from Surfaces Exposed to Sidestream Tobacco Smoke</b> —JOHAN JOHANSSON	134
<b>Characterization of Linoleum: Identification of Oxidative Emission Processes</b> —B. JENSEN, PEDER WOLKOFF, AND C. K. WILKINS	145
<b>Biopollutant Sampling and Analysis of Indoor Surface Dusts: Characterization of Potential Sources and Sinks</b> —EUGENE C. COLE, PAMELA D. DULANEY, KEITH E. LEESE, RICHARD M. HALL, KARIN K. FOARDE, DEBORAH L. FRANKE, ERIC M. MYERS, AND MICHAEL A. BERRY	153
<b>The Use of Unique Study Design to Estimate Exposure of Adults and Children to Surface and Airborne Chemicals</b> —J. R. VACCARO, R. J. NOLAN, P. G. MURPHY, AND D. B. BERBRICH	166
<b>Study of Air Velocity and Turbulence Effects on Organic Compound Emissions From Building Materials/Furnishings Using a New Small Test Chamber</b> —J. S. ZHANG, C. Y. SHAW, J. M. KANABUS-KAMINSKA, R. A. MACDONALD, R. J. MAGEE, E. LUSZTYK, AND H. J. WEICHERT	184
<b>Comparison of Two Small Chamber Test Methods used to Measure Formaldehyde and VOC Emission Rates from Particleboard and Medium Density Fiberboard</b> —W. TERRY LILES, MICHAEL D. KOONTZ, AND MICHAEL L. HOAG	200
<b>Small Chamber Methods for Characterizing Formaldehyde Emission from Particleboard</b> —DERRICK R. CRUMP, CHUCK W. F. YU, RICHARD W. SQUIRE, AND MICHAEL ATKINSON	211
<b>Considerations on Revisions of Emissions Testing Protocols</b> —ZHISHI GUO, BRUCE A. TICHENOR, KENNETH A. KREBS, AND NANCY F. ROACHE	225

MODELS FOR PREDICTING SOURCE AND SINK BEHAVIOR

<b>Linear Systems, Compartmental Modeling, and Estimability Issues of IAQ Studies</b> —WILLIAM C. EVANS	239
<b>Accounting for Nonuniform Mixing and Human Exposure in Indoor Environments</b> —DAVID T. MAGE AND WAYNE R. OTT	263
<b>Development of Continuous-Application Source Terms and Analytical Solutions for One- and Two-Compartment Systems</b> —WILLIAM C. EVANS	279
<b>A Strategy for Characterizing Homogeneous, Diffusion-Controlled, Indoor Sources and Sinks</b> —JOHN C. LITTLE AND ALFRED T. HODGSON	294

<b>Attempting to Characterize the Sink Effect in a Small Stainless Steel Test Chamber</b> —MAURIZIO DE BORTOLI, HELMUT KNÖPPEL, ANGELO COLUMBO, AND STYLIANOS KEFALOPOULOS	305
--	-----

INTERPRETATION AND APPLICATIONS OF TEST RESULTS

<b>Status of EPA's Bioresponse-Based Testing Program</b> —W. GENE TUCKER, H. KENNETH HUDNELL, AND MARK A. MASON	321
<b>Indoor Climate Labeling of Building Materials: The Experimental Approach for a Prototype</b> —PEDER WOLKOFF AND PETER A. NIELSEN	331
<b>Measurement of Human Eye Irritation Using a CO<sub>2</sub> Reference Scale</b> —ANNE HEMPEL-JØRGENSEN, SØREN K. KJAERGAARD, AND LARS MØLHAVE	350
<b>Source Testing and Data Analysis for Exposure and Risk Assessment of Indoor Pollutant Sources</b> —LESLIE E. SPARKS, LARS MØLHAVE, AND STEN DUEHOLM	367
<b>Screening and Selecting Building Materials and Products Based on Their Emissions of Volatile Organic Compounds (VOCs)</b> —HAL LEVIN AND ALFRED T. HODGSON	376
<b>Priority Ranking and Characterization of Indoor Air Sources</b> —PAULINE K. JOHNSTON, CHRISTINA A. CINALLI, JOHN R. GIRMAN, AND PATRICK W. KENNEDY	392
<b>Author Index</b>	401
<b>Subject Index</b>	403

ISBN 0-8031-2030-3