

SUBJECT INDEX

A

Abrasive: 673A, 675A, 731, 775
Accelerators: 702F
Acetone: 666A, 732
Acid: 695E, 716, 724, 744, 745, 762, 767, 800, 837, 853, 858, 863, 868
Acid, Acetic: 724, 848
Asoric: 814
Chromic: 616A, 673A, 720
Citric: 670A, 702D, 724, 800, 828
Consumption: 702E
Emulsion: 800
Fluorophosphoric: di: 863
Fluorophosphoric: hexa: 863
Fluorophosphoric: mono: 863
Glucoheptonic: 839
Gluconic: 839
Hydrochloric: 486B, 595A, 712A, 713A, 722, 726, 755, 779, 791, 792, 793, 819, 847
Hydrofluoric: 616A, 671A, 676C, 682B, 708A, 720, 799, 814, 831, 848
Hydroxyacetic: 724
Lactic: 724
Naphthenic: 681E
Nitric: 676C, 682B, 722, 799, 810, 814, 819, 831, 848
Nitric-hydrofluoric: 676C
Oleic: 824, 836
Organic: 724, 800, 828
Oxalic: 695B, 828, 845, 863
Palmitic: 836
Phosphoric: 639B, 666A, 670A, 671B, 695, 702A, 703A, 713D, 724, 732, 739, 747, 779, 800
Phthalic: 828
Polyhydroxy: 839
Stearic: 681A, 736, 789, 802, 813, 824
Succinic: 828
Sulfuric: 676C, 681D, 703A, 713A, 755, 757, 779, 792, 838, 865
Tartaric: 639B, 724, 828, 839
Trichloroacetic: 670A
Adhesion: 676A
Adsorption: 673B, 676A, 682A, 780, 802, 846
Alcohol: 595B, 673B, 732, 782
Aldehyde: 737
Alkali: 713D, 720, 805, 811, 849, 853
Alkali cleaner: 671A, 682B, 837
Alkali cleaner evaluation: 681A
Alkali metal nitrite: 838
Alkali metal peroxide: 838
Alkali nitrate: 838
Alkali soak: 616A
Alkyl sulfate: 682A
Alkylaryl sulfonate: 682A, 724, 782, 839
Alkyl phenol: 741
Alkylol amines: 734

Aluminum: 639A, 666A, 672B, 695E, 711A, 713B, 718, 739, 781, 784, 797, 805, 814, 821, 832, 839
Aluminum alloys: 713B, 739, 781, 814
Aluminum chloride: 695B, 845
Aluminum-magnesium alloys: 671A
Aluminum utensils: 832
Aluminum-zinc alloys: 853
Amines: 734, 737, 741
Amine, hexamethylene, tetra: 779
Ammonium citrate: 844
Ammonium hydroxide: 757
Ammonium oxalate: 859
Ammonium sulfate: 808
Analysis: 830
Animal oil: 741
Anionic sulfonate: 806
Aqua regia: 722
Aromatic solvent: 705A
Arsenic inhibitor: 863
Asphalt: 705A, 750, 758, 833
Atomizer test: 733, 822, 823, 825
Automobile: 859

B

Ball bearings: 809
Ball point pens: 709A
Barium carbonate: 836
Barrel cleaning: 672A, 756, 837
Bentonite: 703A, 829
Benzylthiocyanate: 765
Bicycle parts: 781
Bifluoride: 616A
Blast cleaning: 776, 777, 820, 853
Boilers: 702B
Boiler, descaling: 486B
Boiler scale: 779
Borax: 703A
Brass: 695E, 756, 827, 835
Bridges: 808
Brightener: 695A
Brittleness: 681B
Bronze: 681D, 681F, 827
Brush cleaning: 681C
Brush-off blast cleaning: 777
Buffer capacity: 750
Buffering: 783
Buffering test: 783
Buffing compound: 853
Burning: 763
Burrs: 843
Butyl cellosolve: 747, 836

C

Cadmium: 837
Cadmium plated: 666A
Calcium carbonate: 865

Carbon 14: 681A
Carbon: 750, 799
Carbon black: 836
Carbon removal: 681D
Carbon tetrachloride: 666A, 793, 840
Carboxymethyl cellulose: 670A
Cargo tanks: 787
Castings: 671A, 676B, 682B, 863
Cathodic cleaning: 492A
Cathodic descaling: 797
Cationic surfactant: 806
Cellosolve: 717
Centrifugal wheel: 776
Cetyl alcohol: 821
Chalk: 675A
Chelating agent: 754
Chemical cleaning: 689A, 702B
Chemical descaling: 620A
Chemisorption: 780, 789
Chipping: 772
Chlorinated solvent: 734, 745, 765, 768
Chrome: 843
Chromate film remover: 671A, 682B
Chromating bath: 673A
Chromic oxide: 595B
Clay: 675A
Cleaner demand: 709B
Cleanliness: 706A
Cleaning-in-place: 716
Cleaning composition: 771, 811
Cleaning operations, distribution: 849
Cleaning test: 632A, 681A, 695D, 706A, 732, 735, 736, 747, 806, 813, 833, 835, 836
Cleanliness test: 1b, 5C, 32D, 702A, 704A, 733, 770, 822, 823, 825, 826, 867
Cleanliness test sensitivity: 822, 825, 826
Cleanliness test, radiotracer: 748
Cleaning efficiency, water spray pattern: 770, 825, 826
Contact angle cleanliness test: 702A
Colorit process: 854
Composition: 681E, 765
Condenser: 847, 865
Contact angle apparatus: 733
Continuous cleaning: 713C, 801
Copper: 574A, 595A, 695E, 718, 739, 769, 797, 821, 827, 828, 851, 853
Copper alloy: 805, 828
Cuprous chloride: 755
Copper-nickel: 681D
Copper sulfate: 671B
Copper sulfate dip: 826
Corroded metal: 671A
Corrosion: 1b, 79B, 632A, 639A, 672A, 676D, 682B, 695A, 711A, 723, 741, 749, 757, 765, 779, 797, 802, 832, 846, 855, 857
Corrosion inhibitor: 782
Corrosion inhibitor: See inhibitors.
Corrosion mechanism: 723
Corrosion test: 1b, 79B, 784
Corrosiveness: 748
Coupling agent: 782
Cresylic acid: 681E

D

Dairy: 716, 724, 751, 765, 860
Decontaminating: 748, 795
Degreasing: 595B, 666A, 713B, 721, 728, 765, 781, 794, 822, 823, 825, 826, 833, 837, 841
Derusting: 492A
Descaling: 486B, 574A, 595A, 620A, 639B, 676C, 702C, 702E, 702F, 708A, 713A, 726, 729, 738, 740, 746, 769, 772, 773, 774, 775, 776, 777, 778, 779, 793, 796, 797, 799, 807, 808, 831, 837, 838, 839, 845, 848, 850, 851, 854, 868
Descaling, advantages: 486B
Diacetone alcohol: 758, 764
Diacetone alcohol, ethylenetriamine product: 764
Dies: 843
Die casting: 853
Dimpling dies: 843
Diethylene glycol monobutyl ether: 829
Diethylene triamine: 764
Dimethyl ketone: 699A
Dip cleaning: 725
Diphase cleaning: 745, 836, 837
Dishwashing: 718
Dodecylbenzylammonium sulfate: 739
Drop test, cleanliness: 702A

E

Electric shavers: 841
Electrolytic cleaning: 492A, 510D, 673A, 706A, 712A, 727, 745, 746, 753, 756, 760, 767, 778, 837, 850
Electrolytic pickling: 805
Electroplating: 686A, 824, 825, 826, 862
Electrostrictive: 709A
Emulsifying agent: 670B, 762
Emulsions: 670B, 695C, 695E, 725, 744, 761, 762, 768, 771, 800, 808, 833, 836, 858, 866
Emulsion stability: 833
Enamelling: 763
Engine cooling systems: 695B
Etching: 713B, 814, 839, 853
Ethylamine: 725, 765
Ethylene glycol monobutyl ether: 737
Ethyl iodide: 851

F

Fat: 675A
Fatty acid: 673B, 825
Feldspar: 829
Ferric chloride: 793, 845
Ferric sulfate: 708A
Ferric sulfate-hydrofluoric acid: 708A, 868
Films: 682A, 780, 817
Film replacement: 817
Fingerprint: 782, 835, 840
Fingerprint remover: 632A, 745, 749
Fingerprint solution: 632A
Fission products: 836
Flame cleaning: 774

Flame condition: 820
 Flame pistol: 854
 Flash point: 632A, 666A
 Fluorescent dye cleanliness method:
 702A, 733, 825, 826
 Formaldehyde: 726
 Fused bath: 676C

G

Galvanizing: 702D
 Galvanized steel: 820
 Gasoline tanks: 808
 Gel: 670A, 671B, 745, 800, 829
 Glycerol: 703B, 800
 Glyceryl monoricinoleate: 800
 Graphite removal: 746, 801
 Grinding: 820
 Grit: 776
 Grease: 681C, 682B, 692A, 695C, 699A,
 747, 758, 763, 771, 776, 833, 837, 840,
 843, 854
 Gum removal: 829

H

Halide organics: 851
 Hand cleaning: 756, 772
 Hazards: 781
 Heat exchanger: 812
 Hexametaphosphate: 795
 Horological cleaners: 835
 Hot dip tin plate: 752
 Hydride bath: 778
 Hydrocarbon solvent: 782, 805, 852
 Hydrogen evolution: 681B
 Hydrogen peroxide test: 733

I

Impact cleaning: 772, 776, 820
 Induction heating: 740
 Inhibited acids: 837
 Inhibitor: 595A, 595B, 620A, 639A, 672A,
 676D, 681B, 695B, 702F, 723, 726, 727,
 730, 737, 747, 765, 778, 797, 802, 847,
 852, 855, 858, 863
 Inhibitor, list: 857
 Inhibitor, testing: 681B
 In-place cleaning: 751
 Interfacial tension: 834
 Iodoform: 851
 Iron: 1b, 510D, 574A, 595A, 666A, 676B,
 676C, 702E, 726, 732, 738, 739, 746,
 793, 796, 807, 816, 838, 843, 863
 Isopropyl alcohol: 681E

J

Jetting: 858
 Jet Washer: 672A

K

Kerosene: 673C, 675B, 699A, 758, 768,
 800, 835

Ketone: 782
 Koroseal: 851

L

Lanolin: 673A, 741, 750, 852
 Lapping compound: 681C
 Launder-Ometer: 806
 Lead: 799, 821
 Lead nitrate: 799
 Liquid impact: 731
 Liquor-abrasive ratio: 731
 Liquid-warm liquid-vapor: 849
 Lithosolvent E. B.: 595A
 Lubricant: 741
 Lubricating oil: 705A

M

Machine chips: 721
 Machine cleaning: 756
 Magnesium: 394C, 616A, 671A, 673A,
 682B, 720, 797, 805
 Magnesium chloride: 713D
 Magnesium oxide: 675A
 Magnetostrictive: 709A
 Mahogany acids: 681E
 Mannite: 639A
 Marine electrocleaning: 492A, 504B
 Marine oil: 741
 Market: 709B
 Manganese: 739
 Meat peptone: 639A
 Mechanical cleaning: 689A, 806, 868
 Mechanical spray cleaners: 745
 Mercury: 810, 827
 Mercury removal: 827
 Metal surfaces: 673B
 Methyl alcohol: 632A, 717, 835
 Methyl ethyl ketone: 695A
 Milk: 766, 860
 Milk lines: 751
 Milk protein: 724
 Milkstone: 751
 Mill scale: 773, 777
 Mineral oil: 706A, 824, 836
 Molasses: 798
 Molten bath: 574A, 713A, 738, 796, 801,
 807, 838
 Molten zinc chloride: 738
 Molybdenum: 819
 Monochlorobenzene: 681E
 Monoethanolamine: 681E
 Monoethanolamine oleate: 704B
 Monolayers: 682A, 789

N

Naphtha: 681E, 717, 758, 768
 Naphthenates: 741
 Nickel alloy: 805
 Nickel plated: 712A
 Nickel silver: 681D
 Nitrate bath: 807
 Nitrite: 797
 Nitrobenzene: 682B

Nonferrous: 756
Nonionics: 762, 806, 834
Nozzle blast cleaning: 820

O

Oil: 758, 763, 776, 778, 837, 840
Oil spreading rates: 824, 825
Oil tanks: 787
Olein: 675B, 741
Oleyl alcohol: 741
Organic finishes: 695E
Oxidation: 853
Oxide: 722, 796, 819, 831, 844, 854, 862
Oxide films, measurement: 862
Oxide removal: 671B, 708A, 763, 767, 862
Oxide scale: 676C
Oxyacetylene: 774

P

Paint: 702A, 725, 756, 771, 772, 773, 774, 805, 820, 843, 854
Paint removal: 682B
Palm oil: 504C, 752
Paper mills: 786
Paraffin: 675A
Passivation: 676D
Paste: 675A, 808
Pectin: 670A
Perspiration: 835
Petrolatum: 836
Petroleum hydrocarbon: 762
Petroleum residue: 855
Petroleum solvent: 725
Petroleum sulfonate: 705A, 802
pH: 783
Phosphates: 486B, 750
Phosphate determination: 830
Phosphatization: 666A, 854
Phosphate coating: 666A, 717
Pickling: 616A, 676C, 681B, 681D, 708A, 719, 720, 722, 730, 737, 746, 756, 778, 798, 799, 805, 820, 837, 854, 857
Pine oil: 725, 836
Pitting: 832
Platinum dipper technique: 682A
Polar compound adsorption: 673B
Polishing: 670B, 675A, 790, 818
Polyethylene glycol monoarylether: 834
Polyphosphate: 754
Polyvinyl alcohol: 670B
Portable cleaning: 812
Potassium ferricyanide paper: 32D, 825, 826
Potassium ferricyanide test: 1b, 32D
Potassium hydroxide: 757
Potassium permanganate: 808
Potentiometer cleaning: 861
Proprietary compounds: 756
Protective treatment: 394C
Pulp mills: 786
Pumice: 702D
Pyridine: 595B, 737
Pyrogallol: 639B

Q

Quartz transducer: 709A

R

Radiators: 859
Radioactive tracer: 681A, 723, 735, 736, 744, 789, 802, 813, 826, 836
Radioactive benzoate: 723
Radioactive cleaning test: 681A
Radioactive surfaces: 748
Radioautograph: 789
Razor heads: 709A
Refining equipment: 804, 812
Resin removal: 510D
Review: 742, 744, 760, 761, 804, 864, 866
Rhode Island Arsenal Drop test: 702A, 733
Rinsing: 750, 770, 778, 785, 816, 835
Rinsing test: 785, 835
Rods: 719
Rust: 699A, 702C, 703A, 713D, 727, 754, 776, 777, 797, 802, 808, 837, 845, 852, 859
Rust inhibitor: 671B
Rustproofing: 725, 768
Rust removal: 639B, 670A, 747, 762

S

Safety precautions: 771, 772, 773, 774, 775, 776, 781
Sand: 863
Sanding: 772
Sand-blasting: 620A
Sanitary pipe lines: 751
Sanitizer: 860
Scale: 845, 858, 865
Screw machine production: 709A
Sea water: 797
Sea water solubility: 748
Sequestration: 795, 839
Shaver heads: 700A, 815, 861
Ship cleaning: 492A, 504B, 797, 808, 855
Shot blasting: 729, 776
Silicon carbide: 738
Silicon steel: 767, 850
Silver: 698A, 790, 792, 828
Silverware: 675A, 717, 828
Smut: 702A, 778, 837
Soak tank: 672B, 744, 784, 853
Soap: 681E, 682A, 704B, 725, 744, 753, 754, 762, 768, 790, 795, 821, 853
Soda ash: 675B, 711A, 752, 859
Sodium bicarbonate: 798
Sodium bisulfate: 702C, 724
Sodium chloride: 727, 790
Sodium cyanide: 727, 753
Sodium fluoride: 727, 738
Sodium hydride: 803, 831
Sodium hydroxide: 616A, 639A, 682B, 711A, 712A, 713A, 727, 787, 801, 807, 843
Sodium hydroxide, fused: 676C
Sodium hypochlorite: 711A
Sodium metasilicate: 711A, 732, 754
Sodium oleate: 753, 765

Sodium peroxide: 676C
 Sodium phosphate, mono-: 731
 Sodium phosphate, tetrasodium pyro-: 739, 859
 Sodium phosphate, tri-: 703A, 706A, 711A, 712A
 Sodium phosphate, tripoly-: 732
 Sodium silicate: 671B, 672A, 706A, 712A, 727, 753
 Sodium stannate: 727
 Sodium sulfate: 702C
 Sodium thiocyanate: 737
 Soil suspending: 806
 Solder removal: 755
 Solvent: 632A, 666A, 670B, 673A, 673B, 673C, 674A, 675B, 681C, 689A, 692A, 695C, 695E, 700A, 702A, 704B, 705A, 706A, 709A, 713B, 717, 720, 721, 725, 732, 734, 744, 745, 747, 758, 762, 764, 768, 771, 776, 781, 782, 800, 805, 829, 833, 837, 840, 842, 844, 849, 851, 852, 853, 858, 861, 866
 Solvent, emulsion: 720
 Solvent immersion: 728, 771
 Solvent immersion-vapor: 728
 Solvent, safety: 771
 Solvent, spray: 728
 Solvent, wiping: 771
 Soniclean process: 784, 815, 842, 861
 Spark plugs: 829, 844
 Spontaneous ignition: 781
 Spot welding: 739
 Spray cleaning: 725, 771
 Spray power washing: 837
 Stability to acid: 834
 Standard cleaning: 702A, 717
 Stain prevention: 741
 Stainless steel: 702F, 708A, 718, 722, 729, 765, 798, 801, 805, 827, 840, 868
 Stannous chloride: 702D
 Starch: 713D
 Statues: 681F
 Steam cleaning: 695D, 732, 743, 750, 756, 771
 Steam cleaner formulation: 743
 Steam gun: 750
 Steel: 1b, 504C, 666A, 695E, 702A, 702E, 706A, 709B, 713D, 717, 721, 723, 751, 756, 767, 788, 797, 800, 801, 805, 820, 836, 837, 845, 850, 852, 856
 Steel scrap: 721
 Steel castings, hollow: 856
 Stencil remover: 840
 Strip: 504C, 681D, 706A, 729, 796, 801, 816
 Sulfonates: 741
 Sulfonated alcohol: 674A, 702D, 727
 Sulfonated anthracene oil: 702C
 Sulfonated oil: 782
 Sulfonated petroleum compound: 674A
 Sulfuricinoleate: 675B
 Surfaces: 134B
 Surface active agents, *See* Wetting Agents.
 Surface, flaws, determination: 867
 Surface tension: 676A, 704A, 750
 Surface treatments: 695E
 Suspending power: 748

Synthetic soil: 836
 Synthetic soil, radioactive: 795

T

Tank car: 797
 Tank cleaning: 756, 797, 855, 858
 Tar: 833
 Tarnish: 718, 790, 791, 792, 828
 Tarnish prevention: 718
 Tarnish removal: 790, 791, 792, 828
 Tarnish removal mechanism: 791
 Tarnishing mechanism: 718
 Terpinyl glycol ether: 725
 Tertiary butyl alcohol: 758
 Tetrachloroethane: 721
 Thiourea: 791, 792, 828
 Tide: 840
 Tin: 795, 821
 Tin plate: 752
 Tin removal: 755
 Tire bead wire: 713C
 Titanium: 831
 Toluene: 768
 Tool Shavings: 721
 Toxicity: 792
 Trichloroethylene: 702A, 703B, 704B, 704D, 706A, 717, 721, 747, 765, 781, 794, 835, 842, 849
 Triethanolamine: 595B, 725, 765, 836
 Thiethanolamine oleate: 704B
 Tragacanth: 639A
 Transducer, ceramic: 794
 Tripoli: 675A
 Triton X-100: 732, 747
 Tubing: 595A
 Turpentine: 750
 Type matrixes: 734
 Typewriter bars: 703B

U

Ultrasonic cleaning: 681C, 700A, 709A, 794, 805, 809, 815, 841, 861

V

Valence forces: 780
 Vapor degreasing: 717, 728, 771, 837, 849
 Vapor degreasing, mechanism: 728
 Vapor, immersion: 728
 Vapor-spray-vapor: 849
 Varnish: 754
 Varnish removal: 829
 Vaseline: 675A
 Vegetable oil: 741
 Vessels: 797

W

Warm liquid-vapor: 849
 Water break: 5C, 682A, 717, 733, 747, 833
 Wax: 5C
 Weathering removal: 681F
 Welding: 739

Wet blasting: 731, 776

Wetting: 676A, 817, 825, 846

Wetting agents: 706A, 711A, 716, 724,
726, 732, 744, 759, 770, 791, 792, 795,
798, 800, 806, 821, 828, 834, 836, 839,
840, 846, 859

Wetting agent effect on metals: 821

Wettability: 5C, 704A

Wheel blasting: 820

Wheelabrator: 729

White metal: 775

Wire: 713C, 719, 755, 769, 820

Wire brushing: 774, 820

Wire drawing: 719

X

Xylene: 717

Z

Zinc: 695E, 718, 765, 797, 820, 837, 853

Zinc chloride: 738

Zinc Sweat: 681D

Zirconium: 799