

Subject Index

A

- Abrasiometer, road surface characteristics, 305–325
- Abrasion resistance, concrete pavement, 327–342
- Acceleration testing, road surface characteristics, 305–325
- Accident rates, winter road conditions, 442–453
- Accuracy, pavement management measurements and criteria, 355–365
- Aerodynamic disturbance effect, splash and spray, 528–540
- Aerodynamic phenomena, splash and spray, 528–540
- Aggregates
 - high performance measurements, 305–325
 - performance evaluation, 512–527
 - polishing properties, 113–126
 - skid resistance predictability, 61–76
 - surface deterioration resistance, 327–342
 - unpaved road surfaces, 268–291
- Aircraft braking performance, 154–166
- Aircraft/ground-vehicle friction measurement, 154–166
- Antilock brake system (ABS), skid resistance, 138–153
- Asphalt mixtures
 - performance evaluation, 512–527
 - polishing properties, 121–126
 - skid resistance, 14–29
 - tire noise generation, 430–440
- ASTM Recommended Practices
 - D 3319, 63–64, 66, 68
- ASTM Standards, E 303–83, 106–107, 110–111
- ASTM Test Methods
 - C 535–83, 328
 - D 75, 66
 - E 274, 152
 - E 274–85, 55–56
 - E 303, 63–64, 66
 - E 303–83, 114
 - E 501, 140–141
 - E 524, 140–141

B

- Binder, bituminous asphalt performance, 512–527

Bituminous mixes

- high performance measurements, 305–325
- polishing properties, 113–126
- profile of, 292–302
- Blank tire, skid resistance, 138–153
- British Pendulum Tester
 - friction mechanism of grooved road surfaces, 127–137
 - skid resistance, 103–112
- Bush hammering, road surface characteristics, 305–325

C

- Calibration methods
 - inertial profilometer, 292–302
 - surface roughness and vehicle operating costs, 416–428
- Cement mortar, surface deterioration resistance, 327–342
- Chippings, polishing resistance, 14–29
- Closed-loop calibration procedure, skid resistance, 103–112
- Coast-down tests, road surface characteristics, 480–495
- Compressive strength, surface deterioration resistance, 327–342
- Concrete pavement
 - numerical analysis of friction mechanism, 127–137
 - surface-deterioration resistance, 327–342
- Construction zones, roadway surface characteristics, 245–257
- Contaminated runways, aircraft/ground-vehicle friction measurement, 154–166
- Controllability, dynamic vehicle behavior, 198–210
- Correlation coefficient
 - inertial profilometer, 292–302
 - polishing resistance, 14–29
- Crossfall, road surface characteristics, 305–325
- Curve radius, road surface characteristics, 305–325

D

- Data collection errors, surface distress, 343–353

Defect of focus, vehicle-to-pavement distance measurement, 77–86

Design criteria, bituminous asphalt performance, 512–527

Developing countries, surface roughness and vehicle operating costs, 416–428

Developing Spectrum

dynamic vehicle behavior, 198–210

fuel consumption, 460–479

Disintegration resistance, asphalt performance evaluation, 512–527

Drainage, tire noise generation, 430–440

Dynamic load, flexible pavements, 383–397

Dynamic vehicle behavior, rutted road, 198–210

E

Elevation profile, bituminous concrete, 292–302

Energy loss, rolling resistance measurement, 497–504

Errors in data collection, pavement surface distress, 343–353

Evaluation scheme, polishing resistance studies, 14–29

Evenness. (*see* Unevenness)

F

Field testing, polishing resistance of sand, 14–29

Filler, bituminous asphalt performance, 512–527

Finite-element analysis, friction mechanism of grooved road surfaces, 127–137

Flexible pavements

management measurements and criteria, 355–365

roughness-induced dynamic load, 383–397

surface-smoothness evaluation, 224–236

Friction coefficient, skid resistance, 5–13, 138–153

Friction mechanism

numerical analysis, 127–137

roadway surface characteristics, 245–257

skid resistance, 138–153

Fuel consumption

macrotexture, 460–479

macrotexture and, 454–459

megatexture, 460–479

road surface characteristics, 480–495

rolling resistance, 401–414

Fuzzy-cluster analysis, skid resistance, 39–49

Fuzzy sets mathematics, skid resistance, 39–49

G

Gravel loss, unpaved road surfaces, 268–291

Great Britain, skid resistance policy, 30–37

Grooved road surface, numerical analysis of friction mechanism, 127–137

Ground friction-measurement vehicles, aircraft/ground-vehicle friction measurement, 154–166

H

Hardness testing machines, polishing properties, 115–126

High-performance measurements, road surface characteristics, 305–325

High-speed road monitor (HRM), road network assessment, 184–196

Highway design evaluation models, surface roughness and vehicle operating costs, 416–428

Hydraulic bench tests, fuel consumption and, 454–459

I

Icy road conditions, skid resistance, 442–453

In-service roads, British skid-resistance policy, 30–37

Intervention, road surface characteristics, 305–325

L

Laboratory testing, polishing resistance of sand, 14–29

Laser profilometer, vehicle-to-pavement distance measurement, 77–86

Linear regression analysis, pavement ride quality, 259–267

Location referencing, road network assessments, 189–196

Longitudinal evenness, pavement management criteria, 355–365

Longitudinal friction coefficient, bituminous asphalt performance, 512–527

Longitudinal skid resistance, road surface characteristics, 305–325

M

Macrotexture.

bituminous asphalt performance, 512–527

British measurements and results, 87–101

fuel consumption, 454–459, 460–479

road network assessment, 188–196

skid resistance, 138–153

Maintenance guidelines, pavement management, 355–365

Mays Ride Meter
bituminous concrete, 292–302
flexible pavements, 224–236

Mean transverse slope, traffic safety, 211–222

Megatexture, fuel consumption, 460–479

Microtexture
British measurements and results, 87–101
skid resistance, 138–153

Mineral hardness, polishing properties, 113–126

Mix design, polishing properties, 122–126

Multiple-regression analysis, fuel consumption tests, 482–484

Multi-year plans, pavement management measurements and criteria, 355–365

N

National Skidding Resistance Survey (NSRS) (Great Britain), 32–37

Nondestructive testing, vehicle-to-pavement distance measurement, 77–86

Nonlinear regression analysis, pavement ride quality, 259–267

Noss roughness meter, road roughness measurement, 237–244

Numerical analysis, friction mechanism of grooved road surfaces, 127–137

O

Optimization, road surface characteristics, 505–511

Oscillating wheel method, rolling resistance measurement, 497–504

P

Panel rating
pavement ride quality, 259–267
pavement roughness, 171–183

Pavement condition analysis, fuzzy sets mathematics, 39–49

Pavement edge conditions, loss of vehicle control, 245–257

Pavement management
fuzzy-sets mathematics, 39–49
measurements and criteria, 355–365
surface roughness and vehicle operating costs, 416–428

Pavement rideability
profile roughness measurements, 259–267
roughness measurements, 171–183

Pavement roughness
pavement ride quality, 259–267
rideability predications, 171–183

Pavements
flexible, 224–236
high-performance measurements, 305–325
profile roughness measurements, 259–267

Pavement surface characteristics
British measurements and results, 87–101
distress data collection errors, 343–353
errors in distress data collection, 343–353
fuel consumption, 480–495
high-performance measurements, 305–325
measurement principles, methods and conditions, 366–381
optimization, 505–511
rolling resistance and, 401–414
roughness measurement, Noss roughness meter, 237–244
skid resistance, 5–13
tire noise generation, 430–440
transverse unevenness, 211–222
unpaved roads, 268–291
vehicle operating costs, 416–428
vehicle-to-pavement distance measurement, 77–86

Pavement wetness sensitivity, tire-pavement friction, 52–60

PAVSCAN system, 99–101

Permeability, bituminous asphalt performance, 512–527

Polishing properties
aggregates, 113–126
bituminous pavement surfaces, 113–126
resistance
sand, 14–29
skid resistance, 5–13

Porous mixes, performance evaluation and analysis, 512–527

Portland cement concrete, profile of, 292–302

Profile measurements, road network assessment, 184–196

Profilographs, flexible pavements, 224–236

Profilometer
pavement ride quality, 259–267
pavement roughness measurements, 171–183
rolling resistance, 401–414

R

Random process theory, road management guidelines, 366–381

Reciprocating polishing machining, 113–126

- Regression analysis, polishing properties, 113–126
 - Response-type equipment
 - road management guidelines, 366–381
 - roughness measurement system, 171–183
 - Ribbed tire, skid resistance, 138–153
 - Riding comfort index (RCI), 305–325
 - RMS ratio, dynamic vehicle behavior, 198–210
 - Road alignment measurements, 189–196
 - Road classes, profile roughness measurements, 259–267
 - Road management systems, measurement principles, methods and conditions, 366–381
 - Road network surface characteristics, assessment methods, 184–196
 - Road noise, rolling resistance, 401–414
 - Road profiles, flexible pavements, 224–236
 - Road surface characteristics. (*see* Pavment surface characteristics)
 - Rolling resistance
 - fuel consumption, 454–459, 460–479
 - oscillating method, 497–504
 - road surface characteristics, 401–414, 480–495
 - Roughness characteristics
 - flexible pavements, 224–236
 - high-performance measurements, 305–325
 - measurement, 77–86
 - models, pavement ride quality, 259–267
 - Noss roughness meter, 237–244
 - tire noise generation, 430–440
 - unpaved road surfaces, 268–291
 - Roughness-induced dynamic load, flexible pavements, 383–397
 - Running test, dynamic vehicle behavior, 198–210
 - Rut measurement
 - channels, 211–222
 - dynamic vehicle behavior, 198–210
 - depths, 211–222
 - flank slope, 211–222
 - pavement management measurements and criteria, 355–365
 - road network assessment, 189–196
- S**
- Safety, roadway surface characteristics, 245–257
 - Sand characteristics
 - deterioration resistance, 338–342
 - polishing resistance, 14–29
 - Seasonal variation, skid resistance predictability, 61–76
 - Shaft encoder, skid resistance, 138–153
 - Shoulder conditions, roadway surface characteristics, 245–257
 - Sideway-Force Coefficient
 - Routine Investigation Machine (SCRIM), 30–37
 - British measurements and results, 87–101
 - high-performance measurements, 305–325
 - Skid angles, high-performance road surface measurements, 305–325
 - Skid number, 138–153
 - Skid resistance
 - asphalt concrete, 14–29
 - British measurements and results, 87–101
 - British policy development, 30–37
 - closed-loop calibration procedure, 103–112
 - friction mechanism of grooved road surfaces, 127–137
 - fuzzy sets mathematics, 39–49
 - longitudinal, 305–325
 - measurement principles, methods and conditions, 366–381
 - predictability with laboratory aggregate testing, 61–76
 - road surface texture, 5–13
 - splash and spray, 528–540
 - transverse unevenness and, 211–222
 - winter road conditions, 442–453
 - Slipperiness, unpaved road surfaces, 268–291
 - Smoothness, high-performance road surface measurements, 305–325
 - Snowy roads, skid resistance, 442–453
 - Sound absorption, tire noise generation, 430–440
 - Speed
 - rolling resistance, 401–414
 - skid resistance, 138–153
 - surface roughness and vehicle operating costs, 416–428
 - Spindown, skid resistance, 138–153
 - Spinup, skid resistance, 138–153
 - Splash, skid resistance, 528–540
 - Spray, skid resistance, 528–540
 - Stability
 - dynamic vehicle behavior, 198–210
 - roadway surface characteristics, 245–257
 - Standard Index Value, inertial profilometer, 292–302
 - Statistical analysis, pavement ride quality, 259–267
 - Steel fibers, surface deterioration resistance, 327–342
 - Surface characteristics. (*see* Pavment surface characteristics)

- Surface-deterioration resistance, concrete pavement, 327–342
 - Surface-smoothness evaluation, flexible pavements, 224–236
 - Suspension impact, flexible pavement performance, 383–397
- T**
- Texture meter (*see also* Pavement surface characteristics)
 - high-performance road surface measurements, 305–325
 - skid resistance, 87–101
 - Tire noise, surface characteristics, 430–440
 - Tire/pavement friction
 - aircraft/ground-vehicle friction measurement, 154–166
 - roadway surface characteristics, 245–257
 - rolling resistance, 401–414, 497–504
 - water-film thickness, 50–60
 - Tire pressure, fuel consumption and, 480–495
 - Torque, skid resistance, 138–153
 - Tractor semi-trailers, roadway surface characteristics, 245–257
 - Traffic safety, transverse unevenness, 211–222
 - Transition zone, transverse unevenness, 211–222
 - Transverse unevenness and traffic safety, 211–222
 - Trucks, splash and spray, 528–540
- U**
- Ultrasonic sensor, high-performance road surface measurements, 305–325
- U**
- Unevenness
 - fuel consumption, 454–459
 - measurement principles, methods and conditions, 366–381
 - rolling resistance, 401–414
 - Unpaved roads, surface characteristics, 268–291
- V**
- Vehicle operating costs
 - road surface characteristics, 480–495
 - surface characteristics, 416–428
 - Vehicle-pavement interaction
 - distance measurement, laser noncontact methods, 77–86
 - measurement principles, methods and conditions, 366–381
 - Visual inspection, pavement management measurements and criteria, 355–365
- W**
- Water-cement ratio, surface deterioration resistance, 327–342
 - Water depth (hypothetical), transverse unevenness, 211–222
 - Water-film thickness, tire-pavement friction, 50–60
 - Water ponding, transverse unevenness, 211–222
 - Water run-off obstruction, transverse unevenness, 211–222
 - Wear tests, surface-deterioration resistance, 327–342
 - Wehner/Schulze polishing machine, 15–22
 - Winter road conditions and accidents, 442–453